

ECON 703 – ANSWER KEY TO HOMEWORK 10

- Note that the constraint set is the unit simplex in \mathbb{R}^T , which is a compact set. Since the objective function is continuous, by the Weierstrass theorem, there exists a solution to the problem.

The constraint functions are all C^1 . The objective function is C^1 function except at the those points with $x_t = 0$. But by similar argument of HW9Q2, we know that $x_t = 0$ cannot be the maximizer. (the marginal utility of x_t is $+\infty$ when x_t equals 0, while the marginal utilities of other goods which are not 0 are finite numbers. So it is better to transfer income from other goods to x_t). So the problem is equivalent to maximize $u(x)$ on $D^0 = \{x \mid \sum_{t=1}^T x_t = 1; x_t > 0 \text{ for } t = 1, \dots, T\}$. We will apply Kuhn-Tucker theorem on D^0 .

Because the utility is strictly increasing in x_t , the budget constraint will be binding at the maximum. (If the budget constraint is not binding, we can always increase some x_t without violating the constraint and get higher utility.) (So this problem can be changed to the equality constraint problem.) Therefore the only binding constraint is $\sum_{t=1}^T x_t = 1$. $\text{Rank}(Dg_E(x)) = \text{rank}([1 \ 1 \ \dots \ 1]) = 1$. Hence the constraint qualification is met.

Now let

$$L = \sum_{t=1}^T \left(\frac{1}{2}\right)^t p_{x_t} + \lambda_0 \left(1 - \sum_{t=1}^T x_t\right);$$

where λ_0 's are the Lagrange multipliers of the constraint. The solutions of L must satisfy

$$\frac{\partial L}{\partial x_t} = \left(\frac{1}{2}\right)^t \frac{1}{2^{x_t}} - \lambda_0 = 0 \quad \text{for } t = 1, \dots, T \quad (1)$$

$$\lambda_0 \geq 0; \left(1 - \sum_{t=1}^T x_t\right) \leq 0; \text{ and } \lambda_0 \left(1 - \sum_{t=1}^T x_t\right) = 0 \quad (2)$$

We know that the budget constraint must be binding, so (2) can be changed to $\sum_{t=1}^T x_t = 1$ (2'). (Besides using the argument that $u(\cdot)$ is increasing in x_t , we can also argue as following: $x_t > 0$ implies $\lambda_0 > 0$, and then by (2) we get the budget constraint will bind.) Solving (1) for x_t then yields

$$x_t = \frac{1}{4^{t+1} \lambda_0}.$$

Substituting x_t into (2'), we have

$$\sum_{t=1}^T \frac{1}{4^{t+1} \lambda_0} = 1;$$

Hence,

$$\lambda_0 = \frac{1}{2} \frac{1 - \left(\frac{1}{4}\right)^T}{3} \quad \text{and} \quad x_t^* = \left(\frac{1}{4}\right)^t \frac{3}{1 - \left(\frac{1}{4}\right)^T}.$$

Because the global maximizer exists, and the unique critical point will be the global maximizer.

(The objective function is C^1 function except at the those points with $x_t = 0$. But $x_t = 0$ cannot be the

