

# MATH347.003.FA23 Midterm 2

Sara Huston

TOTAL POINTS

33 / 35

QUESTION 1

Q1 8 pts

1.1 a 1 / 1

! + 1 pts Correct answer of  $k=2$ .

1.2 b 1 / 1

! + 1 pts Correct answer of  $d=4$ .

1.3 c 1 / 1

! + 1 pts Correct answer of:  $\dim[C(A)]=2$

1.4 d 1 / 1

! + 1 pts Correct answer of:

$\dim[N(A^T)]=0$

1.5 e 4 / 4

! + 1 pts Eliminated the matrix into a reduced form or presented justification in determining the free columns/variables.

! + 1.5 pts Determined one of the basis vectors fully correctly. One option is:  $\begin{bmatrix} 1 \\ -1 \\ 1 \\ 0 \end{bmatrix}$

! + 1.5 pts Determined one of the basis vector fully correct. One option is:  $\begin{bmatrix} 0 \\ -1 \\ 0 \\ 1 \end{bmatrix}$

QUESTION 2

Q2 11 pts

2.1 a 4 / 4

! + 1 pts Columns of A are linearly dependent.

! + 1 pts Computed RREF of A:  $\begin{bmatrix} 1 & 2 & 4 \\ 0 & 1 & 1 \\ 0 & 0 & 0 \end{bmatrix}$  OR other valid/significant work shown

! + 2 pts Provided a non-trivial combination that gives zero.

2.2 b 2 / 2

! + 1 pts Correct:  $\text{rank}(A) = 2$

! + 1 pts Correct justification: # of pivots = 2

2.3 c 2 / 3

! + 2 pts Correct explanation/idea

2.4 d 2 / 2

! + 1 pts No

! + 1 pts Explanation

QUESTION 3

Q3 8 pts

3.1 a 6 / 6

! + 2 pts Eliminated the matrix fully.

! + 1.5 pts Found a correct special solution. One choice is:  $\begin{bmatrix} -1 \\ -1 \\ 1 \end{bmatrix}$

! + 1.5 pts Found a correct particular solution that solves the system. One choice is:  $\begin{bmatrix} -2 \\ 1 \\ 0 \end{bmatrix}$

! + 1 pts Write the complete solution as:  $\vec{x} = \vec{x}_p + \alpha \vec{s}_1$  for  $\alpha = a$  a real number

3.2b 2 / 2

! + 2 pts Correct basis determined:  $\left\{ \begin{bmatrix} 1 \\ 2 \\ 3 \\ 4 \end{bmatrix}, \begin{bmatrix} 2 \\ 5 \\ 9 \\ 8 \end{bmatrix} \right\}$

QUESTION 4

4Q4 7 / 8

! + 1 pts (a) Correct

! + 1 pts (b) Correct

! + 1 pts (c) Correct

! + 1 pts (d) Correct

! + 1 pts (e) Correct

! + 1 pts (f) Correct

! + 1 pts (h) Correct











