

MATH347.003.FA23 Midterm 1

Sara Huston

TOTAL POINTS

31 / 35

QUESTION 1

Q1 10 pts

1.1 a 2 / 2

! + 2 pts Computed the dot product to be 12

1.2 b 3 / 3

! + 1 pts Found a unit vector \vec{w} perpendicular to \vec{u} one possible choice is: $(-2/\sqrt{5}, 1/\sqrt{5})$

! + 1 pts Found a vector \vec{w} perpendicular to \vec{u} one possible choice is: $(-2, 1)$

! + 1 pts Set up the dot product for $\vec{w} = (w_1, w_2)$ being $\vec{w} \cdot \vec{u} = 0$

1.3 c 1 / 1

! + 1 pts Found correct condition of: $m=k$

1.4 d 2 / 2

! + 2 pts Determined the matrix product to be:

$\begin{bmatrix} 21 & 5 \\ 17 & 5 \end{bmatrix} \begin{bmatrix} 5 & 35 \\ 18 & 6 \end{bmatrix}$

$\begin{bmatrix} 17 & 5 \\ 18 & 6 \end{bmatrix} \begin{bmatrix} 5 & 35 \\ 21 & 5 \end{bmatrix}$

$\begin{bmatrix} 21 & 5 \\ 17 & 5 \end{bmatrix} \begin{bmatrix} 18 & 6 \\ 5 & 35 \end{bmatrix}$

$\begin{bmatrix} 17 & 5 \\ 18 & 6 \end{bmatrix} \begin{bmatrix} 18 & 6 \\ 5 & 35 \end{bmatrix}$

1.5 e 2 / 2

! + 2 pts Compute correct solution of 0

QUESTION 2

Q2 9 pts

2.1 a 4 / 4

! + 1 pts Compatible A Matrix

! + 1 pts Compatible B Matrix

Showed $AB \neq BA$

! + 1 pts Computed AB Correctly

! + 1 pts Computed BA Correctly

2.2 b 3 / 3

Using Matrix Inverse $A = B^{-1}$

! + 1 pts Identified that the desired matrix A is the inverse of B i.e. $A = B^{-1}$

! + 1 pts Used the formula for finding the inverse of a 2×2 matrix: $\frac{1}{\det(B)}$

$\begin{bmatrix} 4 & -3 \\ -1 & 1 \end{bmatrix}$

! + 1 pts Correct final answer: $\begin{bmatrix} 4 & -3 \\ -1 & 1 \end{bmatrix}$

2.3 c 0 / 2

! + 0 pts Incorrect

QUESTION 3

3 Q3 9 / 9

! + 9 pts Computed correctly: $A^{-1} = \begin{bmatrix} 1/2 & -1/2 \\ -1/2 & 1/2 \end{bmatrix}$

$1/2 \quad -1/2 \quad -1/2 \quad 1/2$

$-1/2 \quad 1/2 \quad -1/2 \quad 1/2$

$-1/2 \ \& \ -1/2 \ \& \ 1/2 \ \& \ 1/2 \setminus \setminus$

$1/2 \ \& \ 1/2 \ \& \ 1/2 \ \& \ -1/2$

$\end{bmatrix}$ $\$ \$$

QUESTION 4

4 Q4 4 / 4

! + 1 pts *Wrote the system of linear equations in matrix form*

! + 1 pts *First Correct Row Operation*

! + 1 pts *Second Correct Row Operation*

! + 1 pts *Correct answer: $q = 4$*

QUESTION 5

Q5 3 pts

5.1 a 1 / 1

! + 1 pts *Correct*

5.2 b 0 / 1

! + 0 pts *Incorrect*

5.3 c 0 / 1

! + 0 pts *Incorrect*

