

Assignment 3

Saransh Bali

Abstract—This a simple document that explains how to find results using congruency of triangles.

Download all latex-tikz codes from

<https://github.com/saranshbali/EE5609/tree/master/Assignment3>

1 PROBLEM

ABCD is a quadrilateral in which $AD = BC$ and $\angle DAB = \angle CBA$. Prove that

- a) $\triangle ABD \cong \triangle BAC$ (1.0.1)
- b) $BD = AC$ (1.0.2)
- c) $\angle ABD = \angle BAC$ (1.0.3)

2 SOLUTION

In $\triangle ABD$ and $\triangle BAC$,

$$AD = BC \quad [Given] \quad (2.0.1)$$

$$\angle DAB = \angle CBA \quad [Given] \quad (2.0.2)$$

$$AB = BA \quad [Common Side] \quad (2.0.3)$$

Hence, by SAS Congruence rule, $\triangle ABD \cong \triangle BAC$ proving (a).

Now, since $\triangle ABD \cong \triangle BAC$, thus by CPCT (Corresponding Parts of Congruent Triangle)

$$BD = AC \quad (2.0.4)$$

$$\angle ABD = \angle BAC \quad (2.0.5)$$

proving (b) and (c).




Fig. 1

ABCD is a quadrilateral, where $AD=BC$ and $\angle DAB = \angle CBA$.