Day-18

Problem 1: Level order traversal of a binary tree. Given the root node of the tree and you have to print the value of the level of the node by level.

```
class TreeNode:
  def __init__(self, val=0, left=None, right=None):
    self.val = val
    self.left = left
    self.right = right
def levelOrder(root):
  if not root:
    return []
  result = []
  queue = [root]
  while queue:
    level = []
    level_size = len(queue)
    for _ in range(level_size):
      node = queue.pop(0)
      level.append(node.val)
      if node.left:
         queue.append(node.left)
      if node.right:
         queue.append(node.right)
    result.append(level)
```

return result

```
root = TreeNode(1)
root.left = TreeNode(2)
root.right = TreeNode(3)
root.left.left = TreeNode(4)
root.left.right = TreeNode(5)
root.right.left = TreeNode(6)
root.right.right = TreeNode(7)

result = levelOrder(root)
for level in result:
```

print(level)

TreeNode(5) 36 root. Sign Up input Login [2, 3] [4, 5, 6, 7]...Program finished with exit code 0 Press ENTER to exit console. **GOT AN OPINION** About • FAQ • Blog • Terms of Use • Contact Us • GDB Tutorial • Credits • Privacy © 2016 - 2023 GDB Online

Problem 2: Find the **Maximum Depth** of Binary Tree. Maximum Depth is the **count of nodes of the longest path** from the root node to the leaf node.


```
class TreeNode:
  def __init__(self, val=0, left=None, right=None):
    self.val = val
    self.left = left
    self.right = right
def maxDepth(root):
  if root is None:
    return 0
  left_depth = maxDepth(root.left)
  right_depth = maxDepth(root.right)
  return max(left_depth, right_depth) + 1
root = TreeNode(3)
root.left = TreeNode(9)
root.right = TreeNode(20)
root.right.left = TreeNode(15)
root.right.right = TreeNode(7)
depth = maxDepth(root)
print(depth)
      Sign Up
                                                          input
       Login
```

Problem 3: Find the Diameter of a Binary Tree. **Diameter** is the length of the longest path between any 2 nodes in the tree and this path may or may not pass from the root.

```
class Node:
  def __init__(self, data):
    self.data = data
    self.left = None
    self.right = None
def height(node):
  if node is None:
    return 0
  return max(height(node.left), height(node.right)) + 1
def diameter(node):
  if node is None:
    return 0
  left_height = height(node.left)
  right_height = height(node.right)
  left_diameter = diameter(node.left)
  right_diameter = diameter(node.right)
  return max(left_height + right_height + 1, max(left_diameter, right_diameter))
root = Node(1)
root.left = Node(2)
root.right = Node(3)
root.left.left = Node(4)
root.left.right = Node(5)
```

```
root.right.left = Node(6)
root.right.right = Node(7)
```

print("Diameter of the binary tree is:", diameter(root))



Problem 4: Check whether the given Binary Tree is a **Balanced Binary Tree** or not. A binary tree is balanced if, for all nodes in the tree, the difference between left and right subtree height is not more than 1.

```
class Node:
  def __init__(self, data):
    self.data = data
    self.left = None
    self.right = None
def height(node):
  if node is None:
    return 0
  return max(height(node.left), height(node.right)) + 1
def is_balanced(root):
  if root is None:
    return True
  left_height = height(root.left)
  right_height = height(root.right)
  if (
    abs(left_height - right_height) <= 1</pre>
    and is_balanced(root.left)
    and is_balanced(root.right)
  ):
    return True
  return False
```

```
root = Node(1)
root.left = Node(2)
root.right = Node(3)
root.left.left = Node(4)
root.left.right = Node(5)
print("Binary Tree is balanced:", is_balanced(root))

### Input
Binary Tree is balanced: True
...Program finished with exit code 0
```

Press ENTER to exit console.

Problem 5: Given a binary tree, Find the Lowest Common Ancestor for two given Nodes (x,y).

```
class Node:
  def __init__(self, value):
    self.value = value
    self.left = None
    self.right = None
def find_lowest_common_ancestor(root, x, y):
  if root is None:
    return None
  if root.value == x or root.value == y:
    return root.value
  left_lca = find_lowest_common_ancestor(root.left, x, y)
  right_lca = find_lowest_common_ancestor(root.right, x, y)
  if left_lca is not None and right_lca is not None:
    return root.value
  return left_lca if left_lca is not None else right_lca
root = Node(3)
root.left = Node(6)
root.right = Node(8)
root.left.left = Node(2)
root.left.right = Node(11)
root.left.right.left = Node(9)
root.left.right.right = Node(5)
root.right.right = Node(13)
root.right.right.left = Node(7)
```

```
x = 9
y = 5
lca = find_lowest_common_ancestor(root, x, y)
print("Lowest Common Ancestor of", x, "and", y, "is:", lca)
```

```
input

Lowest Common Ancestor of 9 and 5 is: 11

...Program finished with exit code 0

Press ENTER to exit console.
```


Problem 6: Given two Binary Tree. Write a program to check if two trees are identical or not.

```
class Node:
  def __init__(self, value):
    self.value = value
    self.left = None
    self.right = None
def are_identical(root1, root2):
  if root1 is None and root2 is None:
    return True
  if root1 is None or root2 is None:
    return False
  if root1.value != root2.value:
    return False
  return are_identical(root1.left, root2.left) and are_identical(root1.right,
root2.right)
tree1 = Node(1)
tree 1.left = Node(2)
tree1.right = Node(3)
```

```
tree1.left.left = Node(4)
tree1.left.right = Node(5)

tree2 = Node(1)
tree2.left = Node(2)
tree2.right = Node(3)
tree2.left.left = Node(4)
tree2.left.right = Node(5)

if are_identical(tree1, tree2):
    print("The trees are identical.")
else:
    print("The trees are not identical.")
```



Problem Statement: Given the root of a binary tree, return the zigzag level order traversal of Binary Tree. (i.e., from left to right, then right to left for the next level and alternate between).

```
class TreeNode:
  def __init__(self, val=0, left=None, right=None):
    self.val = val
    self.left = left
    self.right = right
def zigzagLevelOrder(root):
  if not root:
    return []
  result = []
  queue = [root]
  level = 0
  while queue:
    level_values = []
    level_size = len(queue)
    for _ in range(level_size):
```

```
node = queue.pop(0)
      level_values.append(node.val)
      if node.left:
        queue.append(node.left)
      if node.right:
        queue.append(node.right)
    if level % 2 == 1:
      level_values.reverse()
    result.append(level_values)
    level += 1
  return result
root = TreeNode(3)
root.left = TreeNode(9)
root.right = TreeNode(20)
root.right.left = TreeNode(15)
root.right.right = TreeNode(7)
result = zigzagLevelOrder(root)
print(result)
```

```
input
[[3], [20, 9], [15, 7]]

...Program finished with exit code 0

Press ENTER to exit console.
```

Problem Statement: BoundaryTraversal of a binary tree. Write a program for the Anti-Clockwise Boundary traversal of a binary tree.

```
class Node:
  def __init__(self, data):
    self.data = data
    self.left = None
    self.right = None
def boundary_traversal(root):
  if not root:
    return
  def print_leaves(node):
    if node:
      print(node.data, end=" ")
      print_leaves(node.left)
      print_leaves(node.right)
  def print_left_boundary(node):
    if node:
      if node.left:
        print(node.data, end=" ")
        print_left_boundary(node.left)
```

```
elif node.right:
        print(node.data, end=" ")
        print_left_boundary(node.right)
  def print_right_boundary(node):
    if node:
      if node.right:
        print_right_boundary(node.right)
        print(node.data, end=" ")
      elif node.left:
        print_right_boundary(node.left)
        print(node.data, end=" ")
  print(root.data, end=" ")
  print_left_boundary(root.left)
  print_leaves(root.left)
  print_leaves(root.right)
  print_right_boundary(root.right)
root = Node(1)
root.left = Node(2)
root.right = Node(3)
root.left.left = Node(4)
root.left.right = Node(5)
```

```
root.left.right.left = Node(8)
root.left.right.left.left = Node(10)
root.right.left = Node(6)
root.right.right = Node(7)
root.right.right.left = Node(9)
```

boundary_traversal(root)

```
input

1 2 2 4 5 8 10 3 6 7 9 7 3

...Program finished with exit code 0

Press ENTER to exit console.
```