Decision tree ML 03

March 15, 2022

```
[]: import pandas as pd
    df = pd.read_csv('mldata.csv')
    df.head()
Г1:
       age weight gender likeness
                                     height
        27
              76.0
                     Male Biryani
                                     170.688
    1
        41
              70.0
                     Male Biryani
                                         165
    2
        29
              80.0 Male Biryani
                                         171
    3
        27
             102.0 Male Biryani
                                         173
        29
              67.0
                     Male Biryani
                                         164
[]: df['gender'] = df['gender'].replace("Male", 1)
    df['gender'] = df['gender'].replace("Female", 0)
[]: #Slection of input and out puts
    X = df[['weight', 'gender']]
    y = df['likeness']
[]: X.head()
[]:
       weight gender
         76.0
    0
         70.0
    1
                     1
         80.0
    2
                     1
    3
        102.0
                     1
         67.0
                     1
[]: #MAchine Learning algo
    from sklearn.tree import DecisionTreeClassifier
    model = DecisionTreeClassifier().fit(X,y)
    #Prediction
    model.predict([[80,1]])
    C:\Users\Sartaj\AppData\Local\Programs\Python\Python39\lib\site-
    packages\sklearn\base.py:450: UserWarning: X does not have valid feature names,
    but DecisionTreeClassifier was fitted with feature names
      warnings.warn(
```

```
[]: array(['Biryani'], dtype=object)
[]: model.predict([[80,0]])
    C:\Users\Sartaj\AppData\Local\Programs\Python\Python39\lib\site-
    packages\sklearn\base.py:450: UserWarning: X does not have valid feature names,
    but DecisionTreeClassifier was fitted with feature names
      warnings.warn(
[]: array(['Biryani'], dtype=object)
[]: # How to check accurecy
    # Split data
    from sklearn.model_selection import train_test_split
    from sklearn.metrics import accuracy_score
[]: X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, ___
     →random_state=0)
[]: model = DecisionTreeClassifier().fit(X_train,y_train)
[]: pridicted_value = model.predict(X_test)
[]: pridicted_value
[]: array(['Biryani', 'Biryani', 'Pakora', 'Biryani', 'Samosa', 'Biryani',
            'Pakora', 'Biryani', 'Biryani', 'Samosa', 'Samosa',
           'Samosa', 'Pakora', 'Biryani', 'Biryani', 'Biryani',
           'Biryani', 'Pakora', 'Biryani', 'Biryani', 'Biryani',
           'Biryani', 'Biryani', 'Biryani', 'Samosa', 'Biryani', 'Samosa',
           'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Biryani',
           'Biryani', 'Biryani', 'Samosa', 'Biryani', 'Biryani', 'Biryani',
           'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Biryani',
           'Biryani'], dtype=object)
[]: #checking score
    score = accuracy score(y test, pridicted value)
    score
[]: 0.6122448979591837
[]: #How to train and save model
    import joblib
    model = DecisionTreeClassifier().fit(X,y)
    joblib.dump(model, "foodiee.joblib")
[]: ['foodiee.joblib']
```

```
[]: #How to import/run a stored model
loaded_model = joblib.load('foodiee.joblib')
result = loaded_model.score(X_test, y_test)
print(result)
```

0.7959183673469388

```
[]: #graph
from sklearn import tree
tree.export_graphviz(loaded_model,out_file='foodie.dot',

→feature_names=['age','gender'],class_names=sorted(y.unique()), label ='all',

→rounded=True, filled=True)
```

```
[]: from sklearn.tree import plot_tree
import matplotlib.pyplot as plt
p1 = plt.figure()
model = DecisionTreeClassifier().fit(X,y)
plot_tree(model, filled=True)
plt.title("Decision trained on age ")
plt.savefig("Decision tree.png",dpi=1500, facecolor='white',edgecolor='none')
plt.show()
plt.close()
```

Decision trained on age

```
pridicted_value = model.predict([[20,1]])
    pridicted_value
    C:\Users\Sartaj\AppData\Local\Programs\Python\Python39\lib\site-
    packages\sklearn\base.py:450: UserWarning: X does not have valid feature names,
    but DecisionTreeClassifier was fitted with feature names
      warnings.warn(
[]: array(['Biryani'], dtype=object)
[]: #checking score
    score = accuracy score(y test, pridicted value)
    score
[]: 0.6621621621621622
[]: X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.1, ___
     →random_state=0)
    model = DecisionTreeClassifier().fit(X_train,y_train)
    pridicted_value = model.predict(X_test)
    pridicted_value
[]: array(['Biryani', 'Biryani', 'Pakora', 'Biryani', 'Samosa', 'Biryani',
           'Pakora', 'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Samosa',
           'Samosa', 'Pakora', 'Biryani', 'Biryani', 'Biryani',
           'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Biryani',
           'Biryani'], dtype=object)
[]: #checking score
    score = accuracy_score(y_test, pridicted_value)
    score
[]: 0.6
[]: X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.5, ___
     →random_state=0)
    model = DecisionTreeClassifier().fit(X_train,y_train)
    pridicted_value = model.predict(X_test)
    pridicted_value
[]: array(['Pakora', 'Biryani', 'Pakora', 'Biryani', 'Biryani', 'Biryani',
           'Pakora', 'Biryani', 'Biryani', 'Samosa', 'Biryani',
           'Biryani', 'Pakora', 'Biryani', 'Biryani', 'Samosa', 'Biryani',
           'Biryani', 'Pakora', 'Biryani', 'Biryani', 'Samosa', 'Biryani',
           'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Samosa',
           'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Samosa',
           'Biryani', 'Biryani', 'Samosa', 'Samosa', 'Biryani', 'Biryani',
           'Biryani', 'Biryani', 'Biryani', 'Samosa', 'Pakora',
```

'Biryani', 'Biryani', 'Biryani', 'Samosa', 'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Biryani', 'Biryani',

[]: 0.5365853658536586