```
Assignment
class Stack {
  private int top;
  private int maxSize;
  private int[] arr;
  Stack(int maxSize) {
     this.top = -1;
     this.maxSize = maxSize;
    arr = new int[maxSize];
  }
  public boolean isFull() {
     return top >= (maxSize - 1);
  }
  public boolean push(int data) {
    if (isFull()) {
       return false;
     } else {
       arr[++top] = data;
       return true;
     }
```

```
}
public int peek() {
  if (isEmpty())
     return Integer.MIN_VALUE;
  else
    return arr[top];
}
public void display() {
  if (isEmpty())
    System.out.println("Stack is empty!");
  else {
     System.out.println("Displaying stack elements");
    for (int index = top; index \geq 0; index--) {
       System.out.println(arr[index]); // accessing element at position index
     }
}
public boolean isEmpty() {
  return top < 0;
}
public int pop() {
  if (isEmpty())
    return Integer.MIN_VALUE;
```

```
else
       return arr[top--];
  }
  public int size() {
     return top +1;
  }
}
class Tester {
  public static void main(String args[]) {
     Stack stack = new Stack(10);
     stack.push(15);
     stack.push(20);
     stack.push(30);
     stack.push(40);
     calculateSum(stack);
     System.out.println("Updated stack");
     stack.display();
  }
  public static void calculateSum(Stack stack) {
    // Step 1: Calculate the sum of all elements
```

```
int sum = 0;
    Stack tempStack = new Stack(stack.size());
    while (!stack.isEmpty()) {
      int value = stack.pop();
       sum += value;
      tempStack.push(value);
    }
    // Step 2: Push the sum at the bottom of the stack
    stack.push(sum);
    // Step 3: Push the remaining elements back to the original stack
    while (!tempStack.isEmpty()) {
      stack.push(tempStack.pop());
    }
}
```

```
C:\Users\Sarvesh\OneDrive\Desktop>java Tester5
Updated stack
Displaying stack elements
40
30
20
15
105
```