Gokul Sanharalingam Sundharam

November 28, 2013   1 minute read

Copy Objects from one Transport Request to Another(without Merge)

| Follow | RSS feed | Like |

What are transport Requests?

Transport Request is a 10 character alphanumeric code having the syntax <SID>KXXXXXX where the SID is the System ID in which the transport request was created. Transport request contains a list of objects that can me moved between systems. Transport Requests is a way in which you can record changes and move them across systems.

**Types of transport Requests:**

Workbench Requests:

Workbench requests and the tasks assigned to them are normally used to record changes to Repository objects and Customizing for all clients.

Customizing requests:

Customizing requests record client-specific Customizing settings made in a single client (the source client of the request).

Copying Transport Requests:

Consider there are two workbench requests as shown.

```
-□ -> CL5 Dummy System
   └─□ Modifiable
        ├─⊞ ▩▩K924675      ▩▩▩▩      Request 2
        └─⊞ ▩▩K924671      ▩▩▩▩      REQUEST 1
```

Select the request to which the objects are to be copied and press Ctrl+F11

```
└─□ -> CL5 Dummy System
   └─□ Modifiable
        ├─⊞ ▩▩K924675      ▩▩▩▩▩      Request 2
        └─⊞ ▩▩K924671    ▩   ▩▩▩▩      REQUEST 1
```

☞ Include Objects in Request Y57K924671   ☒

⦿ Object List from Request   ▩▩K924675   ☐ With documentation
○ Object Lists from Multiple Requests
○ Freely Selected Objects
○ Transportable Classifications of Objects in Request
○ Non-ABAP Object

                                                        ✔ 🗎 | ✖

Click the green tick or press Enter, you can find the object list added as shown.

Assigned tags

SAP NetWeaver Application Server | former jive document |

Related Blog Posts

How to move tasks from one Transport Request to another

By **Former Member** , Jun 03, 2013

[All About Transport Request](#)
By **Imran Khan** , Feb 17, 2016

[Hardware Migration of SAP Server](#)
By **Former Member** , Sep 12, 2013

Related Questions

[Function module to include multiple tasks into request](#)
By **Former Member** , Feb 06, 2013

[Including Objects in Request from Other System](#)
By **Former Member** , Mar 12, 2010

[transport type when copying transports to other system](#)
By **Former Member** , Jun 01, 2011

4 Comments

You must be **Logged on** to comment or reply to a post.

[Ramesh Babu Srikakollu](#)

[November 29, 2013 at 9:51 am](#)

Thanks for sharing the information.

regards,

Ramesh

Like (0)

Krishna Chaitanya

November 29, 2013 at 10:59 am

We can achieve it through the right click on the transport -> click on include objects -> give your transport number(request2).

Correct me if i was wrong.

Regards,

Krishna Chaitanya.

Like (0)

Former Member

February 29, 2016 at 11:06 am

Just in case you didn't notice it. In the pop up window title, we can see the system is Y57.

Thanks and regards

Like (0)

Former Member

April 28, 2016 at 1:56 pm

This is you . . .

Find us on

Privacy	Terms of Use
Legal Disclosure	Copyright
Trademark	Cookie Preferences
Newsletter	Support