Human Natural Structure Series

— The Operating System for Human Civilization —

Human Natural Structure Analytical Specification

HNS-864 · Version 1.1

Satoru Hara

Natural Structure Works (NSW)

May 2026

Revision Notice — Version 1.1

This version corrects four structural issues identified in the original specification:

(1) Chapter 3: The six Abstract Cognitive Categories are now assigned explicit identifiers (C1–C6), consistent with HNS-36. The category names (Civilization / Core / Module / Application / System / External) are unchanged — these are the HNS-36 structural categories, intentionally distinct from the HNS-144 observational categories (Identity / Function / State / Relation / Value / Context). See HNS_Category_Design_Rationale.md for the architectural justification.

(2) Chapter 7.2: The generative formula 36 × 2 × 2 × 6 = 864 is now presented as a normative expression in a dedicated formula block.

(3) Chapter 9.7: The Pathways vs Programs comparison is now formatted as a structured table for clarity and readability.

(4) References: HNS-144 (Observational Specification) has been added as a required reference, as HNS-864 builds directly on HNS-144's depth configuration system.

Copyright

Preamble

This document defines HNS-864: Analytical Specification, the analytical layer of the Human Natural Structure (HNS). HNS-864 establishes the formal analytical framework used to transform observed phenomena — positioned through HNS-36 and refined through HNS-144 — into high-resolution analytical configurations that reveal causal mechanisms, systemic dynamics, and cross-layer interactions.

This specification is normative. It defines the structural requirements, analytical dimensions, and integration rules that constitute the analytical engine of the Human Natural OS. All implementations claiming conformance to HNS-864 must adhere to the definitions, constraints, and structural boundaries described herein.

Series Overview

- **HNS-36** — Foundational Specification (Coordinate System)
- **HNS-144** — Observational Specification (Multiaxial Observation Framework)
- **HNS-864** — Analytical Specification (High-Resolution Analytical Framework) ← this volume

Together, these documents define the structural, observational, and analytical layers of the Human Natural OS.

Status and License

Version: HNS-864 v1.1 (2026) **|** Status: Proposed Standard **|** Author: Satoru Hara

Disclaimer

This specification defines the structural framework of HNS. It does not provide prescriptive methods, training systems, operational procedures, or domain-specific implementations. All interpretations, applications, and extensions are the responsibility of the user.

Intended Audience

Researchers, analysts, organizational designers, systems theorists, cognitive scientists, institutional architects, and practitioners working with human, social, or civilizational structure.

Contents

Chapter 1 — The Concept of Analysis in Human Natural Structure

Analysis within the Human Natural Structure (HNS) framework is a structural act. It is not interpretation, evaluation, or prediction. It is the process of transforming observed phenomena — already positioned within the 36-Matrix and refined through the 144 observational configurations — into high-resolution analytical structures that reveal causal mechanisms, systemic dynamics, and cross-layer interactions.

Human beings do not naturally analyze in a structurally consistent manner. They infer prematurely, compress complexity, and project internal assumptions onto external systems. These tendencies distort the causal and explanatory structure of the target.

For this reason, analysis must be separated from intuition and placed under a reproducible specification.

HNS-864 defines analysis as the act of applying six analytical modes to a phenomenon that has already been structurally positioned through observation. These modes — Layer Definition Structure, Hierarchical Ordering Structure, Cross-Layer Mapping Structure, Structural Coupling Dynamics, Inter-Layer Flow Dynamics, and Unified Integration Dynamics — constitute the analytical engine of HNS.

1.1 Three Preconditions for Analysis

- **Positional Accuracy** — The phenomenon must be correctly located within the 36-Matrix (Human Natural Layers × Abstract Cognitive Categories).
- **Depth Accuracy** — The phenomenon must be observed through the appropriate depth configuration (Abstract–Concrete × Fine–Coarse).
- **Mode Accuracy** — The correct analytical mode must be applied to the correct structural domain.

Without these preconditions, analysis collapses into interpretive drift.

1.2 Five Universal Analytical Failures

The purpose of defining analysis at the structural level is to eliminate five universal failures:

- **Causal Misidentification** — confusing emergent patterns with causal origins
- **Layer Drift** — shifting the causal domain during analysis
- **Category Misalignment** — applying the wrong explanatory axis
- **Depth Confusion** — mixing abstract and concrete levels
- **Resolution Collapse** — blending fine and coarse granularity improperly

Observation precedes analysis. Analysis precedes evaluation. Evaluation precedes decision-making. If analysis is distorted, everything that follows becomes unreliable.

Within the HNS architecture, analysis is positioned after observation and before implementation. HNS-144 provides the observational coordinate system; HNS-864 provides the analytical engine that operates on that coordinate system.

Chapter 2 — Human Natural Layers (6)

The Human Natural Layers constitute the causal architecture of HNS. They are causal strata — irreducible domains of origin from which all human, social, and civilizational phenomena emerge. In HNS-864, the Human Natural Layers serve as the primary analytical axis.

Each layer is distinct, non-overlapping, and vertically ordered. Together, they form the causal spine of the 36-Matrix and the analytical foundation of the 864 configurations.

2.1 Layer 1 — PhysicalOS

Causal domain: physical and biological foundations

PhysicalOS represents the substrate upon which all higher layers depend. It includes biological systems, neural structures, physiological constraints, material conditions, and physical limits of action and perception. In analysis, PhysicalOS defines what is physically possible, what is biologically constrained, and what cannot be altered by cognition, interaction, or culture.

2.2 Layer 2 — CognitiveOS

Causal domain: internal processing and representation

CognitiveOS transforms physical signals into structured cognition. It includes perception, memory, internal processing, interpretation, and decision-making. In analysis, CognitiveOS reveals how information is processed, how internal models are formed, and how meaning is constructed. Cognitive phenomena must not be mistaken for emotional, relational, or cultural ones.

2.3 Layer 3 — InteractionOS

Causal domain: behavioral exchange and interaction

InteractionOS is where cognition becomes action. It includes communication, cooperation, conflict, behavioral exchange, and human-environment interaction. In analysis, InteractionOS identifies observable behavior, reciprocal influence, and interactional patterns. It is distinct from both internal cognition and external environments.

2.4 Layer 4 — EnvironmentOS

Causal domain: structures surrounding human activity

EnvironmentOS consists of the external structures that shape human behavior: physical environments, social environments, institutional systems, and informational environments. In analysis, EnvironmentOS defines the constraints and affordances within which interactions occur. It is not behavior itself, but the structure that surrounds behavior.

2.5 Layer 5 — LoadOS

Causal domain: pressures, demands, and constraints

LoadOS represents the internal and external loads acting on individuals or systems: internal loads (stress, fatigue, cognitive load), external loads (demands, scarcity, pressure), and systemic loads (resource constraints, institutional burdens). In analysis, LoadOS reveals capacity, strain, and adaptive response. It explains why identical environments produce different outcomes under different loads.

2.6 Layer 6 — PatternOS

Causal domain: emergent outcomes and long-term regularities

PatternOS captures emergent structures: cultural norms, behavioral regularities, long-term trends, and systemic outcomes. In analysis, PatternOS identifies what emerges over time, what stabilizes, and what becomes self-reinforcing. PatternOS is not a cause; it is an emergent result of interactions across all lower layers.

2.7 The Role of Layers in HNS-864 Analysis

• **Causal Localization** — Every phenomenon must be assigned to its correct causal layer before analysis begins.

• **Analytical Boundary Control** — Layers prevent analysts from mixing causal domains.

• **Structural Input for Analytical Modes** — The six Analytical Modes operate on the layers, not instead of them.

2.8 Layer Summary Table

Layer	Name	Causal Domain
L1	PhysicalOS	Physical and biological foundations
L2	CognitiveOS	Internal processing and representation
L3	InteractionOS	Behavioral exchange and interaction
L4	EnvironmentOS	Structures surrounding human activity
L5	LoadOS	Pressures, demands, and constraints
L6	PatternOS	Emergent outcomes and long-term regularities

Chapter 3 — Abstract Cognitive Categories (6)

The Abstract Cognitive Categories constitute the explanatory axis of HNS. While the Human Natural Layers define where a phenomenon originates causally, the Categories define how that phenomenon is interpreted, framed, or understood.

In HNS-864, the Categories serve as the explanatory dimension of analysis. They do not describe content; they describe the lens through which content is interpreted. The six Categories are non-causal, non-hierarchical, and mutually exclusive.

> v1.1 Note: Explicit identifiers (C1–C6) have been assigned to each category for consistency with HNS-36. The category names used in HNS-864 (Civilization / Core / Module / Application / System / External) are the HNS-36 structural categories, intentionally distinct from the HNS-144 observational categories (Identity / Function / State / Relation / Value / Context). See HNS_Category_Design_Rationale.md for the full architectural justification.

3.1 Category 1 (C1) — Civilization Categories

Explanatory lens: macro-scale, historical, and civilizational framing

Civilization Categories interpret phenomena in terms of civilizational structures, historical transitions, macro-level dynamics, and epochal patterns. In analysis, this Category is used when the goal is to understand how a phenomenon fits into long-term civilizational processes rather than individual or organizational dynamics.

3.2 Category 2 (C2) — Core Categories

Explanatory lens: foundational principles and essential structures

Core Categories identify the fundamental logic of a phenomenon. They focus on essential structures, irreducible principles, foundational mechanisms, and conceptual kernels. In analysis, this Category answers: 'What is the essential structure behind this phenomenon?'

3.3 Category 3 (C3) — Module Categories

Explanatory lens: components, elements, and functional units

Module Categories break phenomena into discrete, analyzable units: components, elements, subsystems, and functional parts. In analysis, this Category is used to determine how a phenomenon is constructed from its constituent parts.

3.4 Category 4 (C4) — Application Categories

Explanatory lens: practical uses and applied contexts

Application Categories interpret phenomena in terms of practical use, applied function, operational context, and real-world implementation. In analysis, this Category answers: 'How is this phenomenon used or applied?'

3.5 Category 5 (C5) — System Categories

Explanatory lens: organized mechanisms and structured processes

System Categories explain phenomena as part of organized systems, mechanisms, institutional processes, and structured operations. In analysis, this Category reveals how a phenomenon operates as a system, not merely as a collection of parts.

3.6 Category 6 (C6) — External Categories

Explanatory lens: outer contextual factors and external influences

External Categories frame phenomena in terms of external conditions, contextual influences, surrounding constraints, and outer environmental factors. In analysis, this Category answers: 'What external factors shape or influence this phenomenon?'

3.7 Category Summary Table

ID	Name	Explanatory Lens
C1	Civilization	Macro-scale, historical, civilizational framing
C2	Core	Foundational principles and essential structures
C3	Module	Components, elements, and functional units
C4	Application	Practical uses and applied contexts
C5	System	Organized mechanisms and structured processes
C6	External	Outer contextual factors and external influences

Chapter 4 — The 36-Matrix Analytical Base (Layer × Category)

The 36-Matrix is the structural foundation upon which all analytical configurations in HNS-864 are built. It is the coordinate system that positions every phenomenon at the intersection of one Human Natural Layer and one Abstract Cognitive Category. This positional structure is inherited directly from the HNS-36 Foundational Specification.

In HNS-864, the 36-Matrix does not change. What changes is the analytical resolution applied to each of its 36 positions. The matrix remains the stable coordinate system; analysis is the dynamic process that operates on it.

4.1 Analytical Functions of the 36-Matrix

- **Causal Localization** — Identifies the causal origin of the phenomenon.
- **Explanatory Framing** — Determines the interpretive lens applied to the phenomenon.
- **Structural Boundary Control** — Prevents drift across layers or categories during analysis.

4.2 Cell Properties

- **Uniqueness** — No two cells share the same causal-explanatory domain.
- **Non-overlap** — A phenomenon cannot occupy multiple cells simultaneously.
- **Bidirectional Independence** — Cell meaning emerges from the intersection, not from either axis alone.
- **Interpretive Neutrality** — Cells define positions, not judgments or prescriptions.

4.3 Analytical Use of the 36-Matrix

- **Step 1 — Positional Verification**: Verify the phenomenon is correctly positioned.
- **Step 2 — Depth Assignment**: Assign depth configuration (Structural/Dynamic × Macro/Micro).
- **Step 3 — Mode Selection**: Apply one of the six Analytical Modes.
- **Step 4 — Configuration Generation**: Combination yields one of the 864 analytical configurations.

4.4 Why the Matrix Must Not Be Modified in Analysis

The 36-Matrix is defined in HNS-36 and is therefore normative. Analysis must not add new layers or categories, merge or split existing cells, redefine the meaning of any cell, or introduce diagonal or hybrid positions. HNS-864 operates on the matrix, not instead of it.

4.5 The 36-Matrix as the Base of the 864 Configurations

36 positions × 2 (Structural/Dynamic) × 2 (Macro/Micro) × 6 (Analytical Modes) = 864 configurations

Chapter 5 — Analytical Depth Axis I: Structural vs Dynamic Analysis (2)

The first analytical depth axis of HNS-864 distinguishes between Structural Analysis and Dynamic Analysis. This axis is derived from the Abstract–Concrete distinction defined in HNS-144, but in HNS-864 it is transformed into a deeper analytical function: the ability to separate what a phenomenon is from how it changes.

5.1 Structural Analysis

Analytical focus: stable architecture, invariant properties, causal form

Structural Analysis identifies the enduring structure of a phenomenon. It examines foundational architecture, stable causal mechanisms, invariant relationships, essential constraints, and structural boundaries. It answers: 'What is the stable structure of this phenomenon, independent of time or context?' Structural Analysis is the analytical equivalent of identifying the 'blueprint' of the system.

5.2 Dynamic Analysis

Analytical focus: change, variation, flow, adaptation, temporal behavior

Dynamic Analysis identifies the behavioral evolution of a phenomenon. It examines temporal changes, state transitions, adaptive responses, interaction-driven variation, and flow patterns across layers. It answers: 'How does this phenomenon change over time or under varying conditions?' Dynamic Analysis is the analytical equivalent of observing the 'motion' of the system.

5.3 Why Structural and Dynamic Analysis Must Be Separated

Without separation, analysts fall into five predictable errors:

- **Structural-Dynamic Collapse** — Treating dynamic behavior as if it were structural identity.
- **Temporal Projection** — Assuming future behavior based on past structure.
- **Structural Overreach** — Inferring stable properties from temporary states.
- **Dynamic Overgeneralization** — Treating momentary behavior as a permanent feature.
- **Causal Drift** — Mixing structural causes with dynamic effects.

5.4 Contribution to the 864 Configurations

The Structural-Dynamic axis provides the first doubling of analytical resolution: each of the 36 matrix positions is expanded into two analytical states — Cell(i,j)-Structural and Cell(i,j)-Dynamic. This axis ensures analysis can distinguish between what a phenomenon is and how it changes, without conflating the two.

Chapter 6 — Analytical Depth Axis II: Macro vs Micro Resolution (2)

The second analytical depth axis of HNS-864 distinguishes between Macro Resolution and Micro Resolution. This axis is derived from the Fine–Coarse Granularity distinction defined in HNS-144, but in HNS-864 it becomes a structural requirement for analytical precision.

6.1 Macro Resolution

Analytical focus: large-scale structures, aggregated patterns, systemic configurations

Macro Resolution examines phenomena at a broad scale. It focuses on aggregated patterns, systemic structures, large-scale interactions, long-term tendencies, and high-level causal architecture. It answers: 'What is the large-scale structure or pattern of this phenomenon?' Macro Resolution provides the 'wide-angle view' of the system.

6.2 Micro Resolution

Analytical focus: fine-grained mechanisms, detailed interactions, local dynamics

Micro Resolution examines phenomena at a detailed scale. It focuses on fine-grained mechanisms, local interactions, specific behaviors, detailed causal chains, and micro-level variation. It answers: 'What are the detailed mechanisms or interactions that produce this phenomenon?' Micro Resolution provides the 'close-up view' of the system.

6.3 The Four Combined Analytical States

The two depth axes combine to produce four analytical states per positional cell:

State	Code	Description
Macro-Structural	MS	Large-scale stable architecture — the 'blueprint at scale'
Micro-Structural	mS	Fine-grained stable mechanisms — the 'blueprint in detail'
Macro-Dynamic	MD	Large-scale temporal evolution — the 'motion at scale'
Micro-Dynamic	mD	Fine-grained temporal behavior — the 'motion in detail'

6.4 Why Macro and Micro Must Be Separated

- **Scale Collapse** — Treating micro-level events as if they were macro-level patterns.
- **Macro Overgeneralization** — Assuming large-scale patterns apply uniformly at the micro level.
- **Micro Overfitting** — Treating local variation as if it were a systemic rule.
- **Causal Scale Drift** — Mixing causal mechanisms across scales without justification.
- **Resolution Confusion** — Switching scales mid-analysis without structural control.

Chapter 7 — The Generative Principle of the 864 Analytical Configurations

HNS-864 is not a list of 864 items. It is a generative analytical space produced by the systematic combination of four structural dimensions: Layers (6), Categories (6), Analytical Depth Axes (2 × 2), and Analytical Modes (6).

7.1 The Four Generative Dimensions

- **Layers (6)** — The six layers define the vertical structure of the system.
- **Categories (6)** — The six categories define the horizontal classification. Together, Layers × Categories produce the 36-Matrix.
- **Analytical Depth Axes (2 × 2)** — Structural vs Dynamic × Macro vs Micro. These axes define how each positional cell is examined.
- **Analytical Modes (6)** — Define what kind of operation is performed on the selected cell and depth state.

7.2 The Normative Generative Formula [REVISED in v1.1]

v1.1 Revision: The generative formula is now presented as a normative expression.

36 positions × 2 (Structural/Dynamic) × 2 (Macro/Micro) × 6 (Analytical Modes) = 864 configurations

This formula expresses the dimensional architecture of the analytical OS. It is not merely arithmetic — each factor represents a structural requirement for complete, non-redundant analytical coverage.

7.3 Why the Space Must Be Generated, Not Listed

A list of 864 items would be unreadable, unmaintainable, and conceptually meaningless. HNS-864 avoids this by defining a generative grammar. Each configuration is produced by selecting: a position in the 36-Matrix, a depth state (Structural/Dynamic), a resolution level (Macro/Micro), and an analytical mode. This ensures completeness, non-redundancy, reproducibility, and structural purity.

7.4 The 864 Space as a Coordinate System

Each analytical configuration is represented as a 4-tuple: (Layer, Category, Depth State, Analytical Mode), where the Depth State is itself a 2-component structure: (Structural/Dynamic, Macro/Micro). This coordinate-based representation ensures every configuration is uniquely identifiable, the space is mathematically closed, and transitions between configurations are structurally defined.

7.5 Why 864 Is the Minimal Complete Space

864 is the minimal number that satisfies all structural constraints: full coverage of the 36-Matrix, dual depth analysis (structural/dynamic), dual resolution analysis (macro/micro), and six distinct analytical operations. Any smaller number would produce blind spots or analytical gaps. Any larger number would introduce redundancy or conceptual inflation.

Chapter 8 — Analytical Pathways: Navigating the 864 Analytical Space

HNS-864 defines a complete analytical space composed of 864 configurations. However, analysts do not use this space by enumerating configurations — they navigate it. An Analytical Pathway is a structured sequence of movements across the 864 space.

8.1 What Is an Analytical Pathway?

An Analytical Pathway is a directed traversal through the 864 space, defined by:

- **Starting Position** — A specific configuration in the 864 space.
- **Transition Rule** — A structural rule that determines the next configuration.
- **Sequence** — A chain of configurations generated by applying transition rules.
- **Termination Condition** — A point at which the analytical objective is achieved.

8.2 The Four Types of Pathway Transitions

Transition Type	Movement	Purpose
(1) Positional	Layer / Category changes across the 36-Matrix	Explore where the phenomenon sits
(2) Depth	Structural ↔ Dynamic, Macro ↔ Micro	Explore how the phenomenon behaves
(3) Mode	Switch across the six Analytical Modes	Change the operation being performed
(4) Composite	Simultaneous multi-dimension movement	Handle high-complexity phenomena

8.3 Pathway Templates

Template	Pattern	Purpose
Structural Descent	Macro-Structural → Micro-Structural	Identify fine-grained mechanisms underlying large-scale structu
Dynamic Expansion	Micro-Dynamic → Macro-Dynamic	Model how local changes scale into systemic dynamics
Cross-Layer Causal	Layer A → Layer B → Layer C	Trace causal flows across layers
Mode-Progression	Mapping → Structure → Dynamics → Integration	Full-cycle systemic analysis

8.4 Pathway Construction Rules

- **Continuity** — Each step must follow a defined transition rule.
- **Justification** — Every transition must have a reason grounded in the phenomenon.
- **Non-Redundancy** — No unnecessary loops or repeated states.
- **Termination** — The pathway must end when the analytical objective is achieved.
- **Traceability** — Every step must be reconstructible by another analyst.

8.5 Pathways as Analytical Programs

An Analytical Pathway functions like a program executed within the 864 OS: the starting configuration is the input, the transition rules are the instructions, the sequence is the execution, and the termination condition is the output. Pathways are the mechanism by which analysts navigate the 864 space to produce high-resolution, structurally grounded explanations.

Chapter 9 — Analytical Programs

Analytical Pathways define permissible transitions within the 864 analytical space. Analytical Programs formalize these transitions into deterministic, reusable, and domain-independent procedures.

An Analytical Program is a state-transition specification that operates on the 864 analytical space. It defines: the initial analytical state, the permitted transitions, the execution sequence, the termination conditions, and the expected analytical output.

9.1 Definition of an Analytical Program

An Analytical Program is a finite, ordered sequence of state transitions across the 864 analytical space, defined by a formal specification consisting of six components:

- **(1) Input Specification** — Positional coordinates, depth configuration, and analytical objective.
- **(2) Initial State** — A single configuration within the 864 space as the program's starting point.
- **(3) Transition Rules** — Deterministic constraints governing allowed and prohibited transitions.
- **(4) Execution Sequence** — A reproducible chain of transitions: S0 → S1 → S2 → … → Sn.
- **(5) Termination Conditions** — A formally defined condition indicating the analytical objective is achieved.
- **(6) Output Specification** — Defines the structural form: structural model, causal map, dynamic projection, or integration structure.

9.2 Program Architecture

- **Initialization Block** — Specifies: phenomenon, analytical objective, initial configuration, required depth state, required mode constraints.
- **Transition Engine** — A formal state-transition system: State Space (864 configurations), Transition Set (allowed transitions), Transition Conditions, Forbidden Transitions, Mode-Progression Rules, Depth-Shift Rules.
- **Execution Sequence** — Deterministic sequence: S0 → S1 → S2 → … → Sn, where each transition is permitted by the Transition Engine.
- **Termination Block** — Defines: completion criteria, required structural outputs, validation conditions.

9.3 Canonical Program Types

Program Type	Objective	Pattern
(1) Structural Analysis	Identify stable architecture	Macro-Structural → Micro-Structural → Structural Integration M
(2) Dynamic Projection	Model temporal evolution	Micro-Dynamic → Macro-Dynamic → Cross-Layer Dynamic Mo
(3) Mechanism Extraction	Identify fine-grained mechanisms	Micro-Structural → Micro-Dynamic → Cross-Layer Mapping Str
(4) System Integration	Unify multi-layer phenomena	Layer A → Layer B → Layer C → Integration Mode

9.4 Validity Requirements

A valid Analytical Program must satisfy: Determinism, Traceability, Completeness, Non-Redundancy, Scale Consistency, Mode Integrity, Layer and Category Compliance, and Termination Validity. Failure to satisfy any requirement invalidates the program.

9.5 Programs vs Pathways [REVISED in v1.1]

v1.1 Revision: The comparison is now formatted as a structured table for clarity.

Dimension	Pathway	Program
Purpose	Navigate the 864 space	Execute a defined analysis
Structure	Flexible	Formal and deterministic
Transition Rules	General	Strict and explicit
Reusability	Medium	High
Input Specification	Optional	Required
Output Specification	None	Required
Validation	Not required	Mandatory

Pathways are movement patterns. Programs are executable procedures. Programs transform HNS-864 into a fully operational analytical system with procedural rigor, structural integrity, reproducible workflows, domain-independent applicability, and OS-level execution semantics.

References [REVISED in v1.1]

> v1.1 Revision: HNS-144 has been added as a required reference. HNS-864 builds directly on HNS-144's depth configuration system (Abstract–Concrete × Fine–Coarse).

This specification draws upon the structural definitions established in:

• HNS-36 — Human Natural Structure Foundational Specification (v1.1, May 2026)

• HNS-144 — Human Natural Structure Observational Specification (v1.1, May 2026)

Series Roadmap

Stage	Specification	Role
1	HNS-36 (Foundational)	Coordinate system — defines the 36-Matrix
2	HNS-144 (Observational)	Observational OS — depth configurations
3	HNS-864 (Analytical)	Analytical engine — this volume

Future Volumes

• HNS-144 Volume 2 — Full 144 Observational Configurations

• HNS-864 Volume 2 — Full 864 Analytical Configurations

• HNS-HumanOS — Implementation and System Integration

Author's Note

The Human Natural Structure is designed as a long-term structural framework for understanding human, social, and civilizational systems. This specification is part of an ongoing effort to establish a coherent, standardized, and interoperable foundation for future research and development.

Licensing and Use

Satoru Hara | Natural Structure Works (NSW) | May 2026

https://github.com/satoru-hara/03_NSW

https://www.naturalstructureworks.com/