



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

SPEED POST/FAX

B-29016/04/07/IPC-I/

June 22, 2018

To

The Regional Director
Central Pollution Control Board
Parivesh Bhawan
Opp VMC Ward Office no 10
Subhanpura, Vadodara - 390 023

Sub: Verification of the compliance status of M/s SBL Colortech Pvt Ltd, Plot No. C-4, MIDC Industrial Area, Next to Bidhata Processing House, Badlapur, Thane, Maharashtra w.r.t. closure directions issued under section 5 of Environment (Protection) Act, 1986- reg.

Sir,


This has reference to the closure directions under section 5 of Environment (Protection) Act, 1986 issued to M/s SBL Colortech Pvt Ltd, Thane, Maharashtra dated May 24, 2018.

The unit has replied vide letter dated 12 June, 2018 regarding the compliance w.r.t. above stated directions. The copy of the letter from the unit is enclosed.

You are therefore requested to arrange to inspect the unit & verify the compliance status of directions issued by CPCB and submit the report within 15 days.

Encl: As above

Yours faithfully,


(Gurnam Singh)
AD & I/C IPC-I

SBL COLORTECH PVT.LTD.

**Manufactures & Exporters of: DYESTUFFS & INTERMEDIATES.
(Govt Recognised Export House) : ISO 9001:2015 Certified Company**

Plot No. C-4, MIDC Industrial Area, Badlapur (E), Dist- Thane – 421503, Maharashtra

Tel. 022-26860153/26862580 Fax: 022-26860352. Email.info@sblcolortech.com

CIN of Company : U24220MH1993PTC075266

Ref: SBL/MK/440/2018-19

Date: 12.06.2018

BY REGISTERED AD

To,
The Chairman & Member Secretary,
IPC-I Division
Central Pollution Control Board,
Parivesh Bhawan, East Arjun Nagar,
Delhi 110032

Subject :- Directions under Section 5 of the environment (Protection) Act, 1986.

Reference:- Your letter No. B-29016/04/IPC-I/2148 dated 24.5.2018.

Respected Sir,

Reference to your direction dated 24.5.2018, the status of compliance of the directions mentioned in the closure directions is as follows.

Sr. No	CPCB Directions	Compliance Status
1.	The unit shall augment, operate & maintain Effluent Treatment Plant in scientific manner so that treated effluent shall meet the prescribed standards.	<ol style="list-style-type: none">1. We have identified High COD/TDS & Low COD/LTDS streams.2. The HCOD/HTDS Effluent is segregate & collected in separate existing spare reactors and concentrated.3. The high TDS/coc. Residue cum salts are fed to centrifuge and salts are packed in bags and stored separately in HW storage area.4. The LCOD/LTDS Effluent stream treated in existing full fledge ETP comprises Primary, secondary followed by Tertiary treatment.
2.	The unit shall remove all effluent discharge outlets that are not specified in the consent to operate with immediate effect & shall ensure that there is no illegal discharge.	<ol style="list-style-type: none">1. We do not have any illegal discharge & strongly oppose this observation.2. The same has been observed by MIDC & MPCB.
3.	The unit shall ensure proper storage of raw materials and chemicals. Any leakage shall be stopped.	<ol style="list-style-type: none">1. The raw materials are stored properly. The leaking tanks have been repaired & there is no leakage of chemicals at present. A photograph of the storage tanks is enclosed at Annex I/1 &2.
4.	The unit shall store and dispose hazardous wastes in accordance with Hazardous and other wastes (Management and Transboundary Movement) Rules,2016	<ol style="list-style-type: none">1. The Hazardous wastes are stored in the Hazardous Wastes Storage Area well covered and the same disposed as per the Hazardous Wastes Rules to Trans Thane Creek Hazardous Wastes Management Association at Mahape. The Manifest is enclosed as Annex -II/1.2. The used plastic bags are shifted to the covered area and the same are reused. Photograph of the same is enclosed as Annex – I/3.

5.	The unit shall dismantle all the underground effluent storage tanks	<ol style="list-style-type: none"> 1. As per earlier CPCB directions the underground effluent collection & equalization tanks (4 nos) have been already dismantled long back & closed. 2. These tanks have been replaced with above ground Sintex Tanks. 3. Photographs enclosed at Annexure III/1&2. Only two more small tanks about 10 kl polishing & final tanks exists which cannot be brought above ground as the flow from the secondary treatment overflows into the polishing tank by gravity & by bringing the same above ground will hinder the collection of the overflow from this tank. However, these two tanks have been lined with water proof coating & acid proof tiles. CPCB is requested to kindly grant us exemption for the same.
6.	The unit shall operate only after receiving valid consent to operate from Maharashtra Pollution Control Board and shall follow the specified conditions mentioned therein.	<ol style="list-style-type: none"> 1. We have received consent to operate No. 1.0/BO/AST/UAN No.0000040113/R/CC-1805000638 Dated 15.5.2018 Copy of the renewed consent is enclosed as Annexure –VI. 2. The specified conditions mentioned in the renewed consent are being followed.

Further we would like to mention that we have taken all efforts to comply with CPCB directions issued earlier i.e No. B-29016/04/IPC-1/4141 dated 6.6.2017 & B-29016/04/IPC-I/15227 Dated 7.12.2017. compliance reports submitted vide letter no. **SBL/MK/427/2017-18 dated 19.06.2017 & letter No. SBL/MK/1355/2017-18 Dated 10.01.2018.**

From the above it can be seen that we put in our best efforts quickly to comply with the CPCB directions & we would assure you that we will continue our best efforts to rectify any shortcomings.

Further we would like to mention that we are a SSI unit & our treated effluent is let out to CETP, Badlapur & we further request you to revoke the Closure Direction issued to us vide CPCB letter No. **No. B-29016/04/IPC-I / 2148 dated 24.5.2018.**

Thanking you

Yours Truly,

Authorised Signatory
For SBL Colortech Pvt Ltd

Annexure – I/1



HCL Storage Tank without leakage.

Annexure-I/2



Oleum Storage Tank Non Leaking.



Hazardous Waste Storage Shed where Contaminated Plastic bags are stored.

TRANS THANE CREEK WASTE MANAGEMENT ASSOCIATION

FORM - 10 (See rule 19 (1))

HAZARDOUS WASTE MANIFEST

1.	Sender's Name, Mailing Address (Including Phone No. & Email)	SBL COLORTECH PVT LTD. Plot No.C-4,MIDC Ind. Area Nr.Vidhata Process House, Badlapur <small>GST NO.27AAACS5685G1Z3</small>			
2.	Sender's Authorisation No. :	<i>AST/RO-KN/EIC NO-KN-66845/0/CC/-2756</i>			
3.	Manifest Document No. :	42462			
4.	Transporter's Name and Address : (Including Phone No. & Email)	TTC Waste Management ASSO. Plot NO.P-128, TTC MIDC Indl. Area, Shil Mhape, Shil Mhape Road, Mhape, Navi Mumbai - 400710			
5.	Type of Vehicle :	(Truck / Tanker / Special Vehicle)			
6.	Transporter's Registration No. :	—			
7.	Vehicle Registration No. :	MH 43 BB 4251			
8.	Receiver's Name & Mailing Address (Including Phone No. and e-mail)	Trans Thane Creek Waste Management Association Plot No.P-128, TTC MIDC Indl. Area, Shil Mhape Road, Mhape, Navi Mumbai - 400 710. Phone : 022 - 27610153 / 27616131 / 32 • Email : info@ttcwastemanagement.com			
9.	Receiver's Authorisation No.	BO/RO(HQ)/HWMD/EIC NO.NM-4786-13/CR/CC-231			
10.	Waste Description	ETP SLUDGE			
11.	Total Quantity No. of Containers	6.070 m ³ or MT 01 Nos.			
12.	Physical Form	(Solid / Semi Solid / Sludge / Oily / Tarry / Slurry/ Liquid)			
13.	Special Handling Instruction & Additional Information	Safety shoes / handgloves / nose mask etc.			
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked and labeled and are in all respects in proper condition for transport by Road according to applicable national government regulations.			
SBL COLORTECH PVT LTD Plot No.C-4,MIDC Ind. Area Nr.Vidhata Process House, Name & Stamp: Badlapur GST NO.27AAACS5685G1Z3		Signature:	<i>PY Marwari</i>		
			Month	Day	Year
			04	04	2018
15.	Transporter Acknowledgment of Receipt of Waste TRANS THANE CREEK WASTE MANAGEMENT ASSOCIATION				
Name & Stamp: P. D. Marwari, Date: 04/04/2018 Tel : 022 - 27616131, 27616132, 27610153		Signature:	<i>H121TP</i>		
			Month	Day	Year
			04	04	2018
16.	Receiver's Certification for Receipt of Hazardous and other Waste				
Name & Stamp		Signature:			
			Month	Day	Year
			04	04	2018

Note: A) Please attach Comprehensive Analysis report Photocopy.
 B) For each type of waste use separate Manifest Form (Form-10)

Copy 2 of 7

YELLOW : To be retained by the sender after taking signature on it from the Transporter and the rest of the five signed copies to be carried by the Transporter.



Annexure III/1 - Underground ETP Tanks replaced with above ground tanks.



Annexure III/2 – Underground Storage Tanks Closed.

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
 /4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
 Scheme Road No. 8, Opp. Cine Planet Cinema, Near
 Sion Circle, Sion (E),
 Mumbai - 400 022

Red/SSI

Consent No: Format 1.0/BO/AST/UAN No.0000040113/R/CC-1805000638

To,
M/s SBL Colortech Pvt. Ltd.
Plot No. C-4, MIDC Industrial Area,
Next to Bidhata Processing House,
Badalapur (E), Dist-Thane

Sub: Renewal of Consent to Operate under Red/SSI category.

Ref: 1. Consent to Operate granted vide No. Format 1.0/AS(T)/RO-KN-6682-15/O/CC-2756 dated 11/3/2015

2. Environmental Clearance granted vide No. J-11011/40/2003-IA.II(I) dated 05/6/2003

Your application: 0000040113

Dated: 12/01/2018

For Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous & Other Wastes (M & T M) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The Consent to Operate is granted for a period upto 31/12/2019
2. The capital investment of the industry is Rs. 17.19 Crs (Existing- 13.36 Cr + Increased- 3.83 Cr) as per C.A. Certificate submitted by industry.
3. The Consent is valid for the manufacture of –

Sr. No.	Product / By-Product Name	Maximum Quantity	UOM
A	Reactive Dyes		
1	Reactive Yellow 4G	02	MT/M
2	Reactive Red 5B	03	MT/M
3	Reactive Scarlet 3G	05	MT/M
4	Reactive Blue 3G	04	MT/M
5	Reactive Black ML	06	MT/M
B	Dispersive Dyes		
1	Disperse Blue F2GBL	02	MT/M
2	Disperse Yellow 3GY	01	MT/M
3	Disperse Red F3L	02	MT/M
Total production shall not exceed 25 MT/M			

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	35	As per Schedule –I	CETP
2.	Domestic effluent	6.4	As per Schedule –I	Soaked in soak pit

5. Conditions under Air (P & CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Baby Boiler	1	As per Schedule –II
2	Baby Boiler	1	As per Schedule –II
3	Baby Boiler (Standby)	1	As per Schedule –II
4	Hot Air Generator	1	As per Schedule –II
5	Spray Dryer	1	As per Schedule –II
6	DG Set (100 KVA)	1	As per Schedule –II
7	DG Set (200 KVA)	1	As per Schedule –II
8	Process Reactor	1	As per Schedule –II

6. Conditions under Hazardous and other Waste (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:


- 1) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Waste & residue containing Oil	5.2	100	Kg/M	-	CHWTSDF
2	Spent Acid	26.3	100	Kg/M	-	CHWTSDF
3	Chemical sludge from wastewater treatment	35.3	1000	Kg/M	-	CHWTSDF

7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
9. The applicant shall properly collect, transport & regularly dispose of the hazardous waste to CHWTSDF, in compliance of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and keep proper manifest thereof.
10. The applicant shall not carry out any excess production or produce new products without consent of the Board and without an Environment Clearance wherever it requires.
11. The applicant shall comply with the condition of the Environmental Clearance granted by SEIAA, GoM vide letter No. J-11011/40/2003-IA.II(I) dated 05/6/2003

12. This consent is issued as per the delegation of power to HOD's vide Board Office Order No. 31/2013 dtd.1/03/2013

For and on behalf of the
Maharashtra Pollution Control Board


P.K. Mirashe
Assistant Secretary (Tech.)

Received Consent fee of –

Sr. No.	Amount(Rs.)	Transaction No.	Date	Drawn On
1	Rs. 1,00,000/-	7603527	19/1/2018	RTGS-SBI
2	Rs. 15,000/-	7606393	26/3/2018	NEFT-BOI

Copy to:

1. Regional Officer, Kalyan and Sub-Regional Officer-Kalyan-II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided Effluent Treatment Plant (ETP) comprising primary, Secondary & Tertiary treatment system for treatment of trade effluent 35 CMD
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Standards prescribed by Board (If any) Limiting concentration in mg/L except for pH
01	pH	5.5 to 9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	30
04	Total Suspended Solids	100
05	COD	250
06	Mercury (as Hg)	0.01
07	Hexvalent (as Cr)	0.1
08	Chromium (Total Chromium (as Cr))	2.0
09	Copper (as Cu)	3.0
10	Zinc (as Zn)	5.0
11	Nickel (as Ni)	3.0
12	Cadmium (as Cd)	2.0
13	Chloride (as Cl)	600
14	Sulphate (as SO ₄)	1000
15	Phenolic Compounds (as C ₆ H ₅ OH)	1.0
16	Bio-Assay Test (with 1:8 dilution of effluents)	90% survival of Test animals after 96 hours

C] The treated effluent shall be recycled/ reused into process upto maximum extent and remaining shall be discharged into CETP for further treatment. In no case effluent shall find its way for outside factory premises.

D] Industry shall operate & ensure the connectivity of online monitoring system to Boards server.

- 2) A] As per your consent application, you have provided septic tank followed by soak pit for the treatment of 6.4 CMD sewage.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- (1) Suspended Solids. Not to exceed 100 mg/l.
- (2) BOD 3 days 27°C. Not to exceed 100 mg/l.

- C] The treated sewage shall be soaked in soak pit and overflow if any shall be used on land for gardening by achieving the above prescribed standards.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system and/or extension or addition thereto.
 - 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
 - 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	15.0
2.	Domestic purpose	8.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	40.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	---
5.	i) Gardening	1.0

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

- As per your application, you have proposed to install/ provided the Air pollution control (APC)system and also proposed to erect / erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Qty & UoM	SO ₂ Kg/Day
1	Baby Boiler	Stack	25.0	FO	0.75 MT/Day	67.5
2	Baby Boiler	Stack	20.0			
3	Baby Boiler (standby)	Stack	20.0			
4	Hot Air Generator	Stack	20.0			
5	Spray Dryer	Dust collector	3.0 *	---	---	--
6	DG Set (100 KVA)	Acoustic enclosure	3.5 *	HSD	0.03 Kg/Day	
7	DG Set (200 KVA)	Acoustic enclosure	3.5 *			
8	Process Reactor	Wet Scrubber	8.0	---	---	---

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time.
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
Acid Mist/ HCl	Not to exceed	35 mg/Nm ³ .

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III
Details of Bank Guarantee in Force

Sr. No	BG Imposed for C to O/ Directions	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs. 1 lakh	Existing (Extended)	Towards pollution system	O&M of control	31/12/2019

M
P.

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed / reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control

- system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 28) The industry shall recycle/reprocess/reuse/recover hazardous waste as per the provision contained in the HW(M,H & TM) Rules 2008, which can be recycled/ processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which cannot be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose in order to reduce load on incineration and landfill site/ environment.

