

## SBML Model Report

# Model name: “Caydasi2012 - Regulation of Tem1 by the GAP complex in spindle position cell cycle checkpoint - Ubiquitous association model”



May 21, 2018

## 1 General Overview

This is a document in SBML Level 2 Version 4 format. This model was created by the following two authors: Matthieu MAIRE<sup>1</sup> and Maiko Lohel<sup>2</sup> at February ninth 2012 at 1:51 p. m. and last time modified at May eleventh 2018 at 5:08 p. m. Table 1 provides an overview of the quantities of all components of this model.

Table 1: Number of components in this model, which are described in the following sections.

Element	Quantity	Element	Quantity
compartment types	0	compartments	2
species types	0	species	36
events	1	constraints	0
reactions	48	function definitions	32
global parameters	23	unit definitions	4
rules	12	initial assignments	0

## Model Notes

Caydasi2012 - Inhibition of Tem1 by the GAPcomplex in spindle position cell cycle checkpoint

<sup>1</sup>EMBL-EBI, [matt.maire@free.fr](mailto:matt.maire@free.fr)

<sup>2</sup>Deutsches Krebsforschungszentrum Heidelberg, [m.lohel@dkfz.de](mailto:m.lohel@dkfz.de)

This model is described in the article: [A dynamical model of the spindle position checkpoint](#). Caydasi AK, Lohel M, Grnert G, Dittrich P, Pereira G, Ibrahim B. Mol. Syst. Biol. 2012; 8: 582

Abstract:

The orientation of the mitotic spindle with respect to the polarity axis is crucial for the accuracy of asymmetric cell division. In budding yeast, a surveillance mechanism called the spindle position checkpoint (SPOC) prevents exit from mitosis when the mitotic spindle fails to align along the mother-to-daughter polarity axis. SPOC arrest relies upon inhibition of the GTPase Tem1 by the GTPase-activating protein (GAP) complex Bfa1-Bub2. Importantly, reactions signaling mitotic exit take place at yeast centrosomes (named spindle pole bodies, SPBs) and the GAP complex also promotes SPB localization of Tem1. Yet, whether the regulation of Tem1 by Bfa1-Bub2 takes place only at the SPBs remains elusive. Here, we present a quantitative analysis of Bfa1-Bub2 and Tem1 localization at the SPBs. Based on the measured SPB-bound protein levels, we introduce a dynamical model of the SPOC that describes the regulation of Bfa1 and Tem1. Our model suggests that Bfa1 interacts with Tem1 in the cytoplasm as well as at the SPBs to provide efficient Tem1 inhibition.

This model is hosted on [BioModels Database](#) and identified by: [BIOMD0000000699](#).

To cite BioModels Database, please use: [Chelliah V et al. BioModels: ten-year anniversary. Nucl. Acids Res. 2015, 43\(Database issue\):D542-8.](#)

To the extent possible under law, all copyright and related or neighbouring rights to this encoded model have been dedicated to the public domain worldwide. Please refer to [CC0 Public Domain Dedication](#) for more information.

## 2 Unit Definitions

This is an overview of eight unit definitions of which four are predefined by SBML and not mentioned in the model.

### 2.1 Unit `time`

**Name** time

**Definition** 60 s

### 2.2 Unit `unit_0`

**Name** l/(mol\*s)

**Definition**  $\text{mol}^{-1} \cdot \text{l} \cdot \text{s}^{-1}$

### 2.3 Unit `unit_1`

**Name** 1/s

**Definition**  $\text{s}^{-1}$

## 2.4 Unit `unit_2`

**Name** 1

**Definition** dimensionless<sup>0</sup>

## 2.5 Unit `substance`

**Notes** Mole is the predefined SBML unit for substance.

**Definition** mol

## 2.6 Unit `volume`

**Notes** Litre is the predefined SBML unit for volume.

**Definition** l

## 2.7 Unit `area`

**Notes** Square metre is the predefined SBML unit for area since SBML Level 2 Version 1.

**Definition** m<sup>2</sup>

## 2.8 Unit `length`

**Notes** Metre is the predefined SBML unit for length since SBML Level 2 Version 1.

**Definition** m

# 3 Compartments

This model contains two compartments.

Table 2: Properties of all compartments.

Id	Name	SBO	Spatial Dimensions	Size	Unit	Constant	Outside
c2	Cytosol		3	$10^{-13}$	l	<input checked="" type="checkbox"/>	
c3	SPB		3	$3 \cdot 10^{-18}$	l	<input checked="" type="checkbox"/>	

### 3.1 Compartment `c2`

This is a three dimensional compartment with a constant size of  $10^{-13}$  litre.

**Name** Cytosol

### 3.2 Compartment $c_3$

This is a three dimensional compartment with a constant size of  $3 \cdot 10^{-18}$  litre.

**Name** SPB

## 4 Species

This model contains 36 species. The boundary condition of twelve of these species is set to `true` so that these species' amount cannot be changed by any reaction. Section 10 provides further details and the derived rates of change of each species.

Table 3: Properties of each species.

Id	Name	Compartment	Derived Unit	Constant	Boundary Condi- tion
SPB_B	B	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
SPB_T	T	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Bfa1	Bfa1	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Bfa1P4	Bfa1P4	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Bfa1P5	Bfa1P5	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Tem1GTP	Tem1GTP	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Tem1GDP	Tem1GDP	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
B_Bfa1	B-Bfa1	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
B_Bfa1P4	B-Bfa1P4	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
B_Bfa1P5	B-Bfa1P5	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
T_Tem1GTP	T-Tem1GTP	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
T_Tem1GDP	T-Tem1GDP	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
B_Bfa1_Tem1GTP	B-Bfa1-Tem1GTP	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
B_Bfa1P4_Tem1GTP	B-Bfa1P4-Tem1GTP	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
B_Bfa1P5_Tem1GTP	B-Bfa1P5-Tem1GTP	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
B_Bfa1_Tem1GDP	B-Bfa1-Tem1GDP	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
B_Bfa1P4_Tem1GDP	B-Bfa1P4-Tem1GDP	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
B_Bfa1P5_Tem1GDP	B-Bfa1P5-Tem1GDP	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Bfa1_Tem1GTP	Bfa1-Tem1GTP	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Bfa1P4_Tem1GTP	Bfa1P4-Tem1GTP	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>

Id	Name	Compartment	Derived Unit	Constant	Boundary Condition
Bfa1P5_Tem1GTP	Bfa1P5-Tem1GTP	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Bfa1_Tem1GDP	Bfa1-Tem1GDP	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Bfa1P4_Tem1GDP	Bfa1P4-Tem1GDP	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Bfa1P5_Tem1GDP	Bfa1P5-Tem1GDP	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
Active_Bfa1_at-_the_SPB	Active Bfa1 at the SPB	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Active_Bfa1_at-_the_Cytosol	Active Bfa1 at the Cytosol	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Active_Tem1_at-_the_SPB	Active Tem1 at the SPB	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Active_Tem1_in-_the_Cytosol	Active Tem1 in the Cytosol	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Inactive_Bfa1_at-_the_SPB	Inactive Bfa1 at the SPB	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Inactive_Bfa1_in-_the_cytosol	Inactive Bfa1 in the cytosol	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Inactive_Tem1_at-_the_SPB	Inactive Tem1 at the SPB	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Inactive_Tem1_in-_the_cytosol	Inactive Tem1 in the cytosol	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Total_Bfa1_at_the-_SPB	Total Bfa1 at the SPB	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Total_Bfa1_in.the-_Cytosol	Total Bfa1 in the Cytosol	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Total_Tem1_at_the-_SPB	Total Tem1 at the SPB	c3	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Id	Name	Compartment	Derived Unit	Constant	Boundary Condition
Total_Tem1_in_the_Cytosol	Total Tem1 in the Cytosol	c2	$\text{mol} \cdot \text{l}^{-1}$	<input type="checkbox"/>	<input checked="" type="checkbox"/>

## 5 Parameters

This model contains 23 global parameters.

Table 4: Properties of each parameter.

Id	Name	SBO	Value	Unit	Constant
konB	konB		1250000.000	$\text{mol}^{-1} \cdot \text{l} \cdot \text{s}^{-1}$	<input checked="" type="checkbox"/>
koffB	koffB		0.001	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
konB4	konB4		20000.000	$\text{mol}^{-1} \cdot \text{l} \cdot \text{s}^{-1}$	<input checked="" type="checkbox"/>
koffB4	koffB4		0.037	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
konBT	konBT		$3.65 \cdot 10^7$	$\text{mol}^{-1} \cdot \text{l} \cdot \text{s}^{-1}$	<input checked="" type="checkbox"/>
konB4T	konB4T		$3.65 \cdot 10^7$	$\text{mol}^{-1} \cdot \text{l} \cdot \text{s}^{-1}$	<input checked="" type="checkbox"/>
konB5T	konB5T		7000000.000	$\text{mol}^{-1} \cdot \text{l} \cdot \text{s}^{-1}$	<input checked="" type="checkbox"/>
koffBT	koffBT		0.183	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
konT	konT		1900000.000	$\text{mol}^{-1} \cdot \text{l} \cdot \text{s}^{-1}$	<input checked="" type="checkbox"/>
koffT	koffT		0.183	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
kfKin4	kfKin4		1000.000	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
kfKin4Cyto	kfKin4Cyto		0.090	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
krKin4	krKin4		0.025	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
kfCdc5	kfCdc5		1.000	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
krCdc5	krCdc5		0.010	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
khyd	khyd		0.002	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
knex	knex		0.014	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
khydBT	khydBT		2.000	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
khydB4T	khydB4T		2.000	$\text{s}^{-1}$	<input checked="" type="checkbox"/>
u	u		1.000	dimensionless <sup>0</sup>	<input type="checkbox"/>
alpha	alpha		1.000	dimensionless <sup>0</sup>	<input checked="" type="checkbox"/>
q	q		1.000	dimensionless <sup>0</sup>	<input checked="" type="checkbox"/>
avogadro	avogadro		$6.0221415 \cdot 10^{23}$		<input checked="" type="checkbox"/>

## 6 Function definitions

This is an overview of 32 function definitions.

### 6.1 Function definition `Function_for_R21_Rev_association_of_Tem1GDP-with_Cdc5_phosphorylated_Bfa1`

**Name** Function for R21: Rev. association of Tem1GDP with Cdc5-phosphorylated Bfa1

**Arguments** [Bfa1P5], [Bfa1P5\_Tem1GDP], [Tem1GDP], alpha, koffBT, konB5T



### Mathematical Expression

$$\alpha \cdot \text{konB5T} \cdot [\text{Bfa1P5}] \cdot [\text{Tem1GDP}] - \text{koffBT} \cdot [\text{Bfa1P5\_Tem1GDP}] \quad (1)$$

### 6.2 Function definition [Function\\_for\\_R22\\_Rev\\_SPB\\_association\\_of\\_Tem1GTP](#)

**Name** Function for R22: Rev. SPB-association of Tem1GTP

**Arguments** [SPB\_T], [T\_Tem1GTP], [Tem1GTP], vol(c3), koffT, konT

### Mathematical Expression

$$\text{vol}(c3) \cdot (\text{konT} \cdot [\text{SPB\_T}] \cdot [\text{Tem1GTP}] - \text{koffT} \cdot [\text{T\_Tem1GTP}]) \quad (2)$$

### 6.3 Function definition [Function\\_for\\_R23\\_Rev\\_SPB\\_association\\_of\\_Tem1GDP](#)

**Name** Function for R23: Rev. SPB-association of Tem1GDP

**Arguments** [SPB\_T], [T\_Tem1GDP], [Tem1GDP], vol(c3), koffT, konT

### Mathematical Expression

$$\text{vol}(c3) \cdot (\text{konT} \cdot [\text{SPB\_T}] \cdot [\text{Tem1GDP}] - \text{koffT} \cdot [\text{T\_Tem1GDP}]) \quad (3)$$

### 6.4 Function definition

[Function\\_for\\_R24\\_Phosphorylation\\_of\\_SPB\\_bound\\_Bfa1\\_by\\_Kin4](#)

**Name** Function for R24: Phosphorylation of SPB-bound Bfa1 by Kin4

**Arguments** [B\_Bfa1], kfKin4, u

### Mathematical Expression

$$u \cdot \text{kfKin4} \cdot [\text{B\_Bfa1}] \quad (4)$$

### 6.5 Function definition

[Function\\_for\\_R25\\_Phosphorylation\\_of\\_SPB\\_bound\\_Bfa1\\_Tem1GTP\\_by\\_Kin4](#)

**Name** Function for R25: Phosphorylation of SPB-bound Bfa1:Tem1GTP by Kin4

**Arguments** [B\_Bfa1\_Tem1GTP], kfKin4, u

### Mathematical Expression

$$u \cdot \text{kfKin4} \cdot [\text{B\_Bfa1\_Tem1GTP}] \quad (5)$$

## 6.6 Function definition

[Function\\_for\\_R26\\_\\_Phosphorylation\\_of\\_SPB\\_bound\\_Bfa1\\_Tem1GDP\\_by\\_Kin4](#)

**Name** Function for R26: Phosphorylation of SPB-bound Bfa1:Tem1GDP by Kin4

**Arguments** [B\_Bfa1\_Tem1GDP], kfKin4, u

**Mathematical Expression**

$$u \cdot \text{kfKin4} \cdot [\text{B\_Bfa1\_Tem1GDP}] \quad (6)$$

## 6.7 Function definition

[Function\\_for\\_R30\\_\\_Phosphorylation\\_of\\_Bfa1\\_by\\_cytosolic\\_Kin4](#)

**Name** Function for R30: Phosphorylation of Bfa1 by cytosolic Kin4

**Arguments** [Bfa1], kfKin4Cyto, u

**Mathematical Expression**

$$u \cdot \text{kfKin4Cyto} \cdot [\text{Bfa1}] \quad (7)$$

## 6.8 Function definition [Function\\_for\\_R36\\_\\_Dephosphorylation\\_of\\_Cdc5-phosphorylated\\_Bfa1\\_presumably\\_by\\_PP2A](#)

**Name** Function for R36: Dephosphorylation of Cdc5-phosphorylated Bfa1 presumably by PP2A

**Arguments** [Bfa1P5], krCdc5, u

**Mathematical Expression**

$$u \cdot \text{krCdc5} \cdot [\text{Bfa1P5}] \quad (8)$$

## 6.9 Function definition [Function\\_for\\_R37\\_\\_Dephosphorylation\\_of\\_Cdc5-phosphorylated\\_Bfa1\\_presumably\\_by\\_PP2A](#)

**Name** Function for R37: Dephosphorylation of Cdc5-phosphorylated Bfa1 presumably by PP2A

**Arguments** [Bfa1P5\_Tem1GTP], krCdc5, u

**Mathematical Expression**

$$u \cdot \text{krCdc5} \cdot [\text{Bfa1P5\_Tem1GTP}] \quad (9)$$

### 6.10 Function definition [Function\\_for\\_R31\\_\\_Phosphorylation\\_of\\_Bfa1-\\_Tem1GTP\\_by\\_cytosolic\\_Kin4](#)

**Name** Function for R31: Phosphorylation of Bfa1:Tem1GTP by cytosolic Kin4

**Arguments** [Bfa1\_Tem1GTP], kfKin4Cyto, u

**Mathematical Expression**

$$u \cdot \text{kfKin4Cyto} \cdot [\text{Bfa1\_Tem1GTP}] \quad (10)$$

### 6.11 Function definition [Function\\_for\\_R38\\_\\_Dephosphorylation\\_of\\_Cdc5-\\_phosphorylated\\_Bfa1\\_presumably\\_by\\_PP2A](#)

**Name** Function for R38: Dephosphorylation of Cdc5-phosphorylated Bfa1 presumably by PP2A

**Arguments** [Bfa1P5\_Tem1GDP], krCdc5, u

**Mathematical Expression**

$$u \cdot \text{krCdc5} \cdot [\text{Bfa1P5\_Tem1GDP}] \quad (11)$$

### 6.12 Function definition [Function\\_for\\_R32\\_\\_Phosphorylation\\_of\\_Bfa1-\\_Tem1GDP\\_by\\_cytosolic\\_Kin4](#)

**Name** Function for R32: Phosphorylation of Bfa1:Tem1GDP by cytosolic Kin4

**Arguments** [Bfa1\_Tem1GDP], kfKin4Cyto, u

**Mathematical Expression**

$$u \cdot \text{kfKin4Cyto} \cdot [\text{Bfa1\_Tem1GDP}] \quad (12)$$

### 6.13 Function definition [Function\\_for\\_R18\\_\\_Rev\\_\\_association\\_of\\_Tem1GTP-\\_with\\_Cdc5\\_phosphorylated\\_Bfa1](#)

**Name** Function for R18: Rev. association of Tem1GTP with Cdc5-phosphorylated Bfa1

**Arguments** [Bfa1P5], [Bfa1P5\_Tem1GTP], [Tem1GTP], alpha, koffBT, konB5T

**Mathematical Expression**

$$\text{alpha} \cdot \text{konB5T} \cdot [\text{Bfa1P5}] \cdot [\text{Tem1GTP}] - \text{koffBT} \cdot [\text{Bfa1P5\_Tem1GTP}] \quad (13)$$

### 6.14 Function definition

[Function\\_for\\_R19\\_Rev\\_association\\_of\\_Tem1GDP\\_with\\_Bfa1](#)

**Name** Function for R19: Rev. association of Tem1GDP with Bfa1

**Arguments** [Bfa1], [Bfa1\_Tem1GDP], [Tem1GDP], alpha, koffBT, konBT

**Mathematical Expression**

$$\alpha \cdot \text{konBT} \cdot [\text{Bfa1}] \cdot [\text{Tem1GDP}] - \text{koffBT} \cdot [\text{Bfa1\_Tem1GDP}] \quad (14)$$

### 6.15 Function definition [Function\\_for\\_R20\\_Rev\\_association\\_of\\_Tem1GDP\\_with\\_Kin4\\_phosphorylated\\_Bfa1](#)

**Name** Function for R20: Rev. association of Tem1GDP with Kin4-phosphorylated Bfa1

**Arguments** [Bfa1P4], [Bfa1P4\_Tem1GDP], [Tem1GDP], alpha, koffBT, konB4T

**Mathematical Expression**

$$\alpha \cdot \text{konB4T} \cdot [\text{Bfa1P4}] \cdot [\text{Tem1GDP}] - \text{koffBT} \cdot [\text{Bfa1P4\_Tem1GDP}] \quad (15)$$

### 6.16 Function definition

[Function\\_for\\_R16\\_Rev\\_association\\_of\\_Tem1GTP\\_with\\_Bfa1](#)

**Name** Function for R16: Rev. association of Tem1GTP with Bfa1

**Arguments** [Bfa1], [Bfa1\_Tem1GTP], [Tem1GTP], alpha, koffBT, konBT

**Mathematical Expression**

$$\alpha \cdot \text{konBT} \cdot [\text{Bfa1}] \cdot [\text{Tem1GTP}] - \text{koffBT} \cdot [\text{Bfa1\_Tem1GTP}] \quad (16)$$

### 6.17 Function definition [Function\\_for\\_R17\\_Rev\\_association\\_of\\_Tem1GTP\\_with\\_Kin4\\_phosphorylated\\_Bfa1](#)

**Name** Function for R17: Rev. association of Tem1GTP with Kin4-phosphorylated Bfa1

**Arguments** [Bfa1P4], [Bfa1P4\_Tem1GTP], [Tem1GTP], alpha, koffBT, konB4T

**Mathematical Expression**

$$\alpha \cdot \text{konB4T} \cdot [\text{Bfa1P4}] \cdot [\text{Tem1GTP}] - \text{koffBT} \cdot [\text{Bfa1P4\_Tem1GTP}] \quad (17)$$

### 6.18 Function definition [Function\\_for\\_R6\\_Rev\\_SPB\\_association\\_of\\_Cdc5-phosphorylated\\_Bfa1\\_Tem1GTP\\_complex](#)

**Name** Function for R6: Rev. SPB-association of Cdc5-phosphorylated Bfa1-Tem1GTP complex

**Arguments** [B\_Bfa1P5\_Tem1GTP], [Bfa1P5\_Tem1GTP], [SPB\_B], vol(c3), koffB, konB

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1P5\_Tem1GTP}] - \text{koffB} \cdot [\text{B\_Bfa1P5\_Tem1GTP}]) \quad (18)$$

### 6.19 Function definition

[Function\\_for\\_R2\\_Rev\\_SPB\\_association\\_of\\_Kin4\\_phosphorylated\\_Bfa1](#)

**Name** Function for R2: Rev. SPB-association of Kin4-phosphorylated Bfa1

**Arguments** [B\_Bfa1P4], [Bfa1P4], [SPB\_B], vol(c3), koffB4, konB4

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB4} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1P4}] - \text{koffB4} \cdot [\text{B\_Bfa1P4}]) \quad (19)$$

### 6.20 Function definition [Function\\_for\\_R1\\_Rev\\_SPB\\_association\\_of\\_Bfa1](#)

**Name** Function for R1: Rev. SPB-association of Bfa1

**Arguments** [B\_Bfa1], [Bfa1], [SPB\_B], vol(c3), koffB, konB

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1}] - \text{koffB} \cdot [\text{B\_Bfa1}]) \quad (20)$$

### 6.21 Function definition

[Function\\_for\\_R3\\_Rev\\_SPB\\_association\\_of\\_Cdc5\\_phosphorylated\\_Bfa1](#)

**Name** Function for R3: Rev. SPB-association of Cdc5-phosphorylated Bfa1

**Arguments** [B\_Bfa1P5], [Bfa1P5], [SPB\_B], vol(c3), koffB, konB

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1P5}] - \text{koffB} \cdot [\text{B\_Bfa1P5}]) \quad (21)$$

## 6.22 Function definition

[Function\\_for\\_R4\\_Rev\\_SPB\\_association\\_of\\_Bfa1\\_Tem1GTP\\_complex](#)

**Name** Function for R4: Rev. SPB-association of Bfa1-Tem1GTP complex

**Arguments** [B\_Bfa1\_Tem1GTP], [Bfa1\_Tem1GTP], [SPB\_B], vol(c3), koffB, konB

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1\_Tem1GTP}] - \text{koffB} \cdot [\text{B\_Bfa1\_Tem1GTP}]) \quad (22)$$

## 6.23 Function definition [Function\\_for\\_R5\\_Rev\\_SPB\\_association\\_of\\_Kin4-phosphorylated\\_Bfa1\\_Tem1GTP\\_complex](#)

**Name** Function for R5: Rev. SPB-association of Kin4-phosphorylated Bfa1-Tem1GTP complex

**Arguments** [B\_Bfa1P4\_Tem1GTP], [Bfa1P4\_Tem1GTP], [SPB\_B], vol(c3), koffB4, konB4

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB4} \cdot [\text{Bfa1P4\_Tem1GTP}] \cdot [\text{SPB\_B}] - \text{koffB4} \cdot [\text{B\_Bfa1P4\_Tem1GTP}]) \quad (23)$$

## 6.24 Function definition

[Function\\_for\\_R7\\_Rev\\_SPB\\_association\\_of\\_Bfa1\\_Tem1GDP\\_complex](#)

**Name** Function for R7: Rev. SPB-association of Bfa1-Tem1GDP complex

**Arguments** [B\_Bfa1\_Tem1GDP], [Bfa1\_Tem1GDP], [SPB\_B], vol(c3), koffB, konB

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1\_Tem1GDP}] - \text{koffB} \cdot [\text{B\_Bfa1\_Tem1GDP}]) \quad (24)$$

## 6.25 Function definition [Function\\_for\\_R8\\_Rev\\_SPB\\_association\\_of\\_Kin4-phosphorylated\\_Bfa1\\_Tem1GDP\\_complex](#)

**Name** Function for R8: Rev. SPB-association of Kin4 phosphorylated Bfa1-Tem1GDP complex

**Arguments** [B\_Bfa1P4\_Tem1GDP], [Bfa1P4\_Tem1GDP], [SPB\_B], vol(c3), koffB4, konB4

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB4} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1P4\_Tem1GDP}] - \text{koffB4} \cdot [\text{B\_Bfa1P4\_Tem1GDP}]) \quad (25)$$

### 6.26 Function definition [Function\\_for\\_R9\\_Rev\\_SPB\\_association\\_of\\_Cdc5-phosphorylated\\_Bfa1\\_Tem1GDP\\_complex](#)

**Name** Function for R9: Rev. SPB-association of Cdc5-phosphorylated Bfa1-Tem1GDP complex

**Arguments** [B\_Bfa1P5\_Tem1GDP], [Bfa1P5\_Tem1GDP], [SPB\_B], vol(c3), koffB, konB

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1P5\_Tem1GDP}] - \text{koffB} \cdot [\text{B\_Bfa1P5\_Tem1GDP}]) \quad (26)$$

### 6.27 Function definition

[Function\\_for\\_R10\\_Rev\\_association\\_of\\_Tem1GTP\\_with\\_SPB\\_bound\\_Bfa1](#)

**Name** Function for R10: Rev. association of Tem1GTP with SPB-bound Bfa1

**Arguments** [B\_Bfa1], [B\_Bfa1\_Tem1GTP], [Tem1GTP], vol(c3), koffBT, konBT

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konBT} \cdot [\text{B\_Bfa1}] \cdot [\text{Tem1GTP}] - \text{koffBT} \cdot [\text{B\_Bfa1\_Tem1GTP}]) \quad (27)$$

### 6.28 Function definition [Function\\_for\\_R11\\_Rev\\_association\\_of\\_Tem1GTP-with\\_SPB\\_bound\\_Kin4\\_phosphorylated\\_Bfa1](#)

**Name** Function for R11: Rev. association of Tem1GTP with SPB-bound Kin4-phosphorylated Bfa1

**Arguments** [B\_Bfa1P4], [B\_Bfa1P4\_Tem1GTP], [Tem1GTP], vol(c3), koffBT, konB4T

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB4T} \cdot [\text{B\_Bfa1P4}] \cdot [\text{Tem1GTP}] - \text{koffBT} \cdot [\text{B\_Bfa1P4\_Tem1GTP}]) \quad (28)$$

### 6.29 Function definition [Function\\_for\\_R12\\_Rev\\_association\\_of\\_Tem1GTP-with\\_SPB\\_bound\\_Cdc5\\_phosphorylated\\_Bfa1](#)

**Name** Function for R12: Rev. association of Tem1GTP with SPB-bound Cdc5-phosphorylated Bfa1

**Arguments** [B\_Bfa1P5], [B\_Bfa1P5\_Tem1GTP], [Tem1GTP], vol(c3), koffBT, konB5T

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB5T} \cdot [\text{B\_Bfa1P5}] \cdot [\text{Tem1GTP}] - \text{koffBT} \cdot [\text{B\_Bfa1P5\_Tem1GTP}]) \quad (29)$$

### 6.30 Function definition

[Function\\_for\\_R13\\_Rev\\_association\\_of\\_Tem1GDP\\_with\\_SPB\\_bound\\_Bfa1](#)

**Name** Function for R13: Rev. association of Tem1GDP with SPB-bound Bfa1

**Arguments** [B\_Bfa1], [B\_Bfa1\_Tem1GDP], [Tem1GDP], vol(c3), koffBT, konBT

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konBT} \cdot [\text{B\_Bfa1}] \cdot [\text{Tem1GDP}] - \text{koffBT} \cdot [\text{B\_Bfa1\_Tem1GDP}]) \quad (30)$$

### 6.31 Function definition [Function\\_for\\_R14\\_Rev\\_association\\_of\\_Tem1GDP\\_with\\_SPB\\_bound\\_Kin4\\_phosphorylated\\_Bfa1](#)

**Name** Function for R14: Rev. association of Tem1GDP with SPB-bound Kin4-phosphorylated Bfa1

**Arguments** [B\_Bfa1P4], [B\_Bfa1P4\_Tem1GDP], [Tem1GDP], vol(c3), koffBT, konB4T

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB4T} \cdot [\text{B\_Bfa1P4}] \cdot [\text{Tem1GDP}] - \text{koffBT} \cdot [\text{B\_Bfa1P4\_Tem1GDP}]) \quad (31)$$

### 6.32 Function definition [Function\\_for\\_R15\\_Rev\\_association\\_of\\_Tem1GDP\\_with\\_SPB\\_bound\\_Cdc5\\_phosphorylated\\_Bfa1](#)

**Name** Function for R15: Rev. association of Tem1GDP with SPB-bound Cdc5-phosphorylated Bfa1

**Arguments** [B\_Bfa1P5], [B\_Bfa1P5\_Tem1GDP], [Tem1GDP], vol(c3), koffBT, konB5T

**Mathematical Expression**

$$\text{vol}(c3) \cdot (\text{konB5T} \cdot [\text{B\_Bfa1P5}] \cdot [\text{Tem1GDP}] - \text{koffBT} \cdot [\text{B\_Bfa1P5\_Tem1GDP}]) \quad (32)$$

## 7 Rules

This is an overview of twelve rules.

### 7.1 Rule [Active\\_Bfa1\\_at\\_the\\_Cytosol](#)

Rule [Active\\_Bfa1\\_at\\_the\\_Cytosol](#) is an assignment rule for species [Active\\_Bfa1\\_at\\_the\\_Cytosol](#):

$$\begin{aligned} \text{Active\_Bfa1\_at\_the\_Cytosol} = & (q \cdot ([\text{Bfa1}] + [\text{Bfa1\_Tem1GTP}] + [\text{Bfa1\_Tem1GDP}] \\ & + [\text{Bfa1P4}] + [\text{Bfa1P4\_Tem1GTP}] + [\text{Bfa1P4\_Tem1GDP}]) \\ & \cdot \text{vol}(c2) \cdot \text{avogadro} \end{aligned} \quad (33)$$



## 7.2 Rule Active\_Tem1\_at\_the\_SPB

Rule Active\_Tem1\_at\_the\_SPB is an assignment rule for species Active\_Tem1\_at\_the\_SPB:

$$\begin{aligned} \text{Active\_Tem1\_at\_the\_SPB} = & ([\text{T\_Tem1GTP}] + [\text{B\_Bfa1\_Tem1GTP}] + [\text{B\_Bfa1P4\_Tem1GTP}] \\ & + [\text{B\_Bfa1P5\_Tem1GTP}]) \cdot \text{vol}(c3) \cdot \text{avogadro} \end{aligned} \quad (34)$$

## 7.3 Rule Active\_Tem1\_in\_the\_Cytosol

Rule Active\_Tem1\_in\_the\_Cytosol is an assignment rule for species Active\_Tem1\_in\_the\_Cytosol:

$$\begin{aligned} \text{Active\_Tem1\_in\_the\_Cytosol} = & ([\text{Tem1GTP}] + [\text{Bfa1\_Tem1GTP}] + [\text{Bfa1P4\_Tem1GTP}] \\ & + [\text{Bfa1P5\_Tem1GTP}]) \cdot \text{vol}(c2) \cdot \text{avogadro} \end{aligned} \quad (35)$$

## 7.4 Rule Active\_Bfa1\_at\_the\_SPB

Rule Active\_Bfa1\_at\_the\_SPB is an assignment rule for species Active\_Bfa1\_at\_the\_SPB:

$$\begin{aligned} \text{Active\_Bfa1\_at\_the\_SPB} = & (q \cdot ([\text{B\_Bfa1}] + [\text{B\_Bfa1\_Tem1GTP}] + [\text{B\_Bfa1\_Tem1GDP}]) \\ & + [\text{B\_Bfa1P4}] + [\text{B\_Bfa1P4\_Tem1GTP}] + [\text{B\_Bfa1P4\_Tem1GDP}]) \\ & \cdot \text{vol}(c3) \cdot \text{avogadro} \end{aligned} \quad (36)$$

## 7.5 Rule Inactive\_Bfa1\_at\_the\_SPB

Rule Inactive\_Bfa1\_at\_the\_SPB is an assignment rule for species Inactive\_Bfa1\_at\_the\_SPB:

$$\begin{aligned} \text{Inactive\_Bfa1\_at\_the\_SPB} = & ((1 - q) \cdot ([\text{B\_Bfa1}] + [\text{B\_Bfa1\_Tem1GTP}] + [\text{B\_Bfa1\_Tem1GDP}]) \\ & + [\text{B\_Bfa1P5}] + [\text{B\_Bfa1P5\_Tem1GTP}] + [\text{B\_Bfa1P5\_Tem1GDP}]) \\ & \cdot \text{vol}(c3) \cdot \text{avogadro} \end{aligned} \quad (37)$$

## 7.6 Rule Inactive\_Bfa1\_in\_the\_cytosol

Rule Inactive\_Bfa1\_in\_the\_cytosol is an assignment rule for species Inactive\_Bfa1\_in\_the\_cytosol:

$$\begin{aligned} \text{Inactive\_Bfa1\_in\_the\_cytosol} = & ((1 - q) \cdot ([\text{Bfa1}] + [\text{Bfa1\_Tem1GDP}] + [\text{Bfa1\_Tem1GTP}]) \\ & + [\text{Bfa1P5}] + [\text{Bfa1P5\_Tem1GTP}] + [\text{Bfa1P5\_Tem1GDP}]) \\ & \cdot \text{vol}(c2) \cdot \text{avogadro} \end{aligned} \quad (38)$$

### 7.7 Rule Inactive\_Tem1\_at\_the\_SPB

Rule Inactive\_Tem1\_at\_the\_SPB is an assignment rule for species Inactive\_Tem1\_at\_the\_SPB:

$$\text{Inactive\_Tem1\_at\_the\_SPB} = ([\text{T\_Tem1GDP}] + [\text{B\_Bfa1\_Tem1GDP}] + [\text{B\_Bfa1P4\_Tem1GDP}] + [\text{B\_Bfa1P5\_Tem1GDP}]) \cdot \text{vol}(c3) \cdot \text{avogadro} \quad (39)$$

### 7.8 Rule Inactive\_Tem1\_in\_the\_cytosol

Rule Inactive\_Tem1\_in\_the\_cytosol is an assignment rule for species Inactive\_Tem1\_in\_the\_cytosol:

$$\text{Inactive\_Tem1\_in\_the\_cytosol} = ([\text{Tem1GDP}] + [\text{Bfa1\_Tem1GDP}] + [\text{Bfa1P4\_Tem1GDP}] + [\text{Bfa1P5\_Tem1GDP}]) \cdot \text{vol}(c2) \cdot \text{avogadro} \quad (40)$$

### 7.9 Rule Total\_Tem1\_at\_the\_SPB

Rule Total\_Tem1\_at\_the\_SPB is an assignment rule for species Total\_Tem1\_at\_the\_SPB:

$$\text{Total\_Tem1\_at\_the\_SPB} = [\text{Active\_Tem1\_at\_the\_SPB}] + [\text{Inactive\_Tem1\_at\_the\_SPB}] \quad (41)$$

**Derived unit**  $\text{mol} \cdot \text{l}^{-1}$

### 7.10 Rule Total\_Bfa1\_in\_the\_Cytosol

Rule Total\_Bfa1\_in\_the\_Cytosol is an assignment rule for species Total\_Bfa1\_in\_the\_Cytosol:

$$\text{Total\_Bfa1\_in\_the\_Cytosol} = [\text{Active\_Bfa1\_at\_the\_Cytosol}] + [\text{Inactive\_Bfa1\_in\_the\_cytosol}] \quad (42)$$

**Derived unit**  $\text{mol} \cdot \text{l}^{-1}$

### 7.11 Rule Total\_Bfa1\_at\_the\_SPB

Rule Total\_Bfa1\_at\_the\_SPB is an assignment rule for species Total\_Bfa1\_at\_the\_SPB:

$$\text{Total\_Bfa1\_at\_the\_SPB} = [\text{Active\_Bfa1\_at\_the\_SPB}] + [\text{Inactive\_Bfa1\_at\_the\_SPB}] \quad (43)$$

**Derived unit**  $\text{mol} \cdot \text{l}^{-1}$

### 7.12 Rule Total\_Tem1\_in\_the\_Cytosol

Rule Total\_Tem1\_in\_the\_Cytosol is an assignment rule for species Total\_Tem1\_in\_the\_Cytosol:

$$\text{Total\_Tem1\_in\_the\_Cytosol} = [\text{Active\_Tem1\_in\_the\_Cytosol}] + [\text{Inactive\_Tem1\_in\_the\_cytosol}] \quad (44)$$

**Derived unit**  $\text{mol} \cdot \text{l}^{-1}$

## 8 Event

This is an overview of one event. Each event is initiated whenever its trigger condition switches from `false` to `true`. A delay function postpones the effects of an event to a later time point. At the time of execution, an event can assign values to species, parameters or compartments if these are not set to constant.

### 8.1 Event `SPOC_deactivation_upon_correct_spindle_alignment`

**Name** SPOC deactivation upon correct spindle alignment

**Trigger condition**  $\text{time} \geq 1800$  (45)

**Delay**  $0$  (46)

**Assignment**  $u = 0$  (47)

## 9 Reactions

This model contains 48 reactions. All reactions are listed in the following table and are subsequently described in detail. If a reaction is affected by a modifier, the identifier of this species is written above the reaction arrow.

Table 5: Overview of all reactions

Nº	Id	Name	Reaction Equation	SBO
1	R1	R1: Rev. SPB-association of Bfa1	$\text{SPB\_B} + \text{Bfa1} \rightleftharpoons \text{B\_Bfa1}$	
2	R2	R2: Rev. SPB-association of Kin4-phosphorylated Bfa1	$\text{Bfa1P4} + \text{SPB\_B} \rightleftharpoons \text{B\_Bfa1P4}$	
3	R3	R3: Rev. SPB-association of Cdc5-phosphorylated Bfa1	$\text{Bfa1P5} + \text{SPB\_B} \rightleftharpoons \text{B\_Bfa1P5}$	
4	R4	R4: Rev. SPB-association of Bfa1-Tem1GTP complex	$\text{Bfa1\_Tem1GTP} + \text{SPB\_B} \rightleftharpoons \text{B\_Bfa1\_Tem1GTP}$	
5	R5	R5: Rev. SPB-association of Kin4-phosphorylated Bfa1-Tem1GTP complex	$\text{Bfa1P4\_Tem1GTP} + \text{SPB\_B} \rightleftharpoons \text{B\_Bfa1P4\_Tem1GTP}$	+
6	R6	R6: Rev. SPB-association of Cdc5-phosphorylated Bfa1-Tem1GTP complex	$\text{Bfa1P5\_Tem1GTP} + \text{SPB\_B} \rightleftharpoons \text{B\_Bfa1P5\_Tem1GTP}$	+
7	R7	R7: Rev. SPB-association of Bfa1-Tem1GDP complex	$\text{Bfa1\_Tem1GDP} + \text{SPB\_B} \rightleftharpoons \text{B\_Bfa1\_Tem1GDP}$	
8	R8	R8: Rev. SPB-association of Kin4 phosphorylated Bfa1-Tem1GDP complex	$\text{Bfa1P4\_Tem1GDP} + \text{SPB\_B} \rightleftharpoons \text{B\_Bfa1P4\_Tem1GDP}$	+
9	R9	R9: Rev. SPB-association of Cdc5-phosphorylated Bfa1-Tem1GDP complex	$\text{Bfa1P5\_Tem1GDP} + \text{SPB\_B} \rightleftharpoons \text{B\_Bfa1P5\_Tem1GDP}$	+
10	R10	R10: Rev. association of Tem1GTP with SPB-bound Bfa1	$\text{Tem1GTP} + \text{B\_Bfa1} \rightleftharpoons \text{B\_Bfa1\_Tem1GTP}$	
11	R11	R11: Rev. association of Tem1GTP with SPB-bound Kin4-phosphorylated Bfa1	$\text{Tem1GTP} + \text{B\_Bfa1P4} \rightleftharpoons \text{B\_Bfa1P4\_Tem1GTP}$	

Nº	Id	Name	Reaction Equation	SBO
12	R12	R12: Rev. association of Tem1GTP with SPB-bound Cdc5-phosphorylated Bfa1	$\text{Tem1GTP} + \text{B\_Bfa1P5} \rightleftharpoons \text{B\_Bfa1P5\_Tem1GTP}$	
13	R13	R13: Rev. association of Tem1GDP with SPB-bound Bfa1	$\text{Tem1GDP} + \text{B\_Bfa1} \rightleftharpoons \text{B\_Bfa1\_Tem1GDP}$	
14	R14	R14: Rev. association of Tem1GDP with SPB-bound Kin4-phosphorylated Bfa1	$\text{Tem1GDP} + \text{B\_Bfa1P4} \rightleftharpoons \text{B\_Bfa1P4\_Tem1GDP}$	
15	R15	R15: Rev. association of Tem1GDP with SPB-bound Cdc5-phosphorylated Bfa1	$\text{Tem1GDP} + \text{B\_Bfa1P5} \rightleftharpoons \text{B\_Bfa1P5\_Tem1GDP}$	
16	R16	R16: Rev. association of Tem1GTP with Bfa1	$\text{Bfa1} + \text{Tem1GTP} \rightleftharpoons \text{Bfa1\_Tem1GTP}$	
17	R17	R17: Rev. association of Tem1GTP with Kin4-phosphorylated Bfa1	$\text{Bfa1P4} + \text{Tem1GTP} \rightleftharpoons \text{Bfa1P4\_Tem1GTP}$	
18	R18	R18: Rev. association of Tem1GTP with Cdc5-phosphorylated Bfa1	$\text{Bfa1P5} + \text{Tem1GTP} \rightleftharpoons \text{Bfa1P5\_Tem1GTP}$	
19	R19	R19: Rev. association of Tem1GDP with Bfa1	$\text{Bfa1} + \text{Tem1GDP} \rightleftharpoons \text{Bfa1\_Tem1GDP}$	
20	R20	R20: Rev. association of Tem1GDP with Kin4-phosphorylated Bfa1	$\text{Bfa1P4} + \text{Tem1GDP} \rightleftharpoons \text{Bfa1P4\_Tem1GDP}$	
21	R21	R21: Rev. association of Tem1GDP with Cdc5-phosphorylated Bfa1	$\text{Bfa1P5} + \text{Tem1GDP} \rightleftharpoons \text{Bfa1P5\_Tem1GDP}$	
22	R22	R22: Rev. SPB-association of Tem1GTP	$\text{Tem1GTP} + \text{SPB\_T} \rightleftharpoons \text{T\_Tem1GTP}$	
23	R23	R23: Rev. SPB-association of Tem1GDP	$\text{Tem1GDP} + \text{SPB\_T} \rightleftharpoons \text{T\_Tem1GDP}$	
24	R24	R24: Phosphorylation of SPB-bound Bfa1 by Kin4	$\text{B\_Bfa1} \longrightarrow \text{B\_Bfa1P4}$	
25	R25	R25: Phosphorylation of SPB-bound Bfa1:Tem1GTP by Kin4	$\text{B\_Bfa1\_Tem1GTP} \longrightarrow \text{B\_Bfa1P4\_Tem1GTP}$	
26	R26	R26: Phosphorylation of SPB-bound Bfa1:Tem1GDP by Kin4	$\text{B\_Bfa1\_Tem1GDP} \longrightarrow \text{B\_Bfa1P4\_Tem1GDP}$	
27	R27	R27: Phosphorylation of SPB-bound Bfa1 by Cdc5	$\text{B\_Bfa1} \longrightarrow \text{B\_Bfa1P5}$	

Nº	Id	Name	Reaction Equation	SBO
28	R28	R28: Phosphorylation of SPB-bound Bfa1:Tem1GTP by Cdc5	$B\_Bfa1\_Tem1GTP \longrightarrow B\_Bfa1P5\_Tem1GTP$	
29	R29	R29: Phosphorylation of SPB-bound Bfa1:Tem1GDP by Cdc5	$B\_Bfa1\_Tem1GDP \longrightarrow B\_Bfa1P5\_Tem1GDP$	
30	R47	R47: GAP-accelerated GTP-hydrolysis	$B\_Bfa1P4\_Tem1GTP \longrightarrow B\_Bfa1P4\_Tem1GDP$	
31	R46	R46: GAP-accelerated GTP-hydrolysis	$B\_Bfa1\_Tem1GTP \longrightarrow B\_Bfa1\_Tem1GDP$	
32	R48	R48: GTP-hydrolysis with intrinsic GTPase activity	$B\_Bfa1P5\_Tem1GTP \longrightarrow B\_Bfa1P5\_Tem1GDP$	
33	R30	R30: Phosphorylation of Bfa1 by cytosolic Kin4	$Bfa1 \longrightarrow Bfa1P4$	
34	R33	R33: Dephosphorylation of Bfa1 by a yet unidentified phosphatase counteracting Kin4	$Bfa1P4 \longrightarrow Bfa1$	
35	R36	R36: Dephosphorylation of Cdc5-phosphorylated Bfa1 presumably by PP2A	$Bfa1P5 \longrightarrow Bfa1$	
36	R40	R40: GDP- for GTP nucleotide exchange	$Tem1GDP \longrightarrow Tem1GTP$	
37	R39	R39: GTP-hydrolysis with intrinsic GTPase activity	$Tem1GTP \longrightarrow Tem1GDP$	
38	R42	R42: GDP- for GTP nucleotide exchange	$T\_Tem1GDP \longrightarrow T\_Tem1GTP$	
39	R41	R41: GTP-hydrolysis with intrinsic GTPase activity	$T\_Tem1GTP \longrightarrow T\_Tem1GDP$	
40	R44	R44: GAP-accelerated GTP-hydrolysis	$Bfa1P4\_Tem1GTP \longrightarrow Bfa1P4\_Tem1GDP$	
41	R43	R43: GAP-accelerated GTP-hydrolysis	$Bfa1\_Tem1GTP \longrightarrow Bfa1\_Tem1GDP$	
42	R45	R45: GTP-hydrolysis with intrinsic GTPase activity	$Bfa1P5\_Tem1GTP \longrightarrow Bfa1P5\_Tem1GDP$	
43	R34	R34: Dephosphorylation of Bfa1 by a yet unidentified phosphatase counteracting Kin4	$Bfa1P4\_Tem1GTP \longrightarrow Bfa1\_Tem1GTP$	
44	R37	R37: Dephosphorylation of Cdc5-phosphorylated Bfa1 presumably by PP2A	$Bfa1P5\_Tem1GTP \longrightarrow Bfa1\_Tem1GTP$	

Nº	Id	Name	Reaction Equation	SBO
45	R31	R31: Phosphorylation of Bfa1:Tem1GTP by cytosolic Kin4	$\text{Bfa1\_Tem1GTP} \longrightarrow \text{Bfa1P4\_Tem1GTP}$	
46	R35	R35: Dephosphorylation of Bfa1 by a yet unidentified phosphatase counteracting Kin4	$\text{Bfa1P4\_Tem1GDP} \longrightarrow \text{Bfa1\_Tem1GDP}$	
47	R38	R38: Dephosphorylation of Cdc5-phosphorylated Bfa1 presumably by PP2A	$\text{Bfa1P5\_Tem1GDP} \longrightarrow \text{Bfa1\_Tem1GDP}$	
48	R32	R32: Phosphorylation of Bfa1:Tem1GDP by cytosolic Kin4	$\text{Bfa1\_Tem1GDP} \longrightarrow \text{Bfa1P4\_Tem1GDP}$	

## 9.1 Reaction R1

This is a reversible reaction of two reactants forming one product.

**Name** R1: Rev. SPB-association of Bfa1

### Reaction equation



### Reactants

Table 6: Properties of each reactant.

Id	Name	SBO
SPB_B	B	
Bfa1	Bfa1	

### Product

Table 7: Properties of each product.

Id	Name	SBO
B_Bfa1	B-Bfa1	

### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_1 = \text{Function\_for\_R1\_Rev\_SPB\_association\_of\_Bfa1} ([\text{B\_Bfa1}], [\text{Bfa1}], [\text{SPB\_B}], \text{vol}(c3), \text{koffB}, \text{konB}) \quad (49)$$

$$\text{Function\_for\_R1\_Rev\_SPB\_association\_of\_Bfa1} ([\text{B\_Bfa1}], [\text{Bfa1}], [\text{SPB\_B}], \text{vol}(c3), \text{koffB}, \text{konB}) = \text{vol}(c3) \cdot (\text{konB} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1}] - \text{koffB} \cdot [\text{B\_Bfa1}]) \quad (50)$$


## 9.2 Reaction R2

This is a reversible reaction of two reactants forming one product.

**Name** R2: Rev. SPB-association of Kin4-phosphorylated Bfa1



### Reaction equation



### Reactants

Table 8: Properties of each reactant.

Id	Name	SBO
Bfa1P4	Bfa1P4	
SPB_B	B	

### Product

Table 9: Properties of each product.

Id	Name	SBO
B_Bfa1P4	B-Bfa1P4	

### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_2 = \text{Function\_for\_R2\_Rev\_SPB\_association\_of\_Kin4\_phosphorylated\_Bfa1} ([\text{B\_Bfa1P4}], [\text{Bfa1P4}], [\text{SPB\_B}], \text{vol}(\text{c3}), \text{koffB4}, \text{konB4}) \quad (52)$$

$$\begin{aligned} &\text{Function\_for\_R2\_Rev\_SPB\_association\_of\_Kin4\_phosphorylated\_Bfa1} ([\text{B\_Bfa1P4}], \\ &[\text{Bfa1P4}], [\text{SPB\_B}], \text{vol}(\text{c3}), \text{koffB4}, \text{konB4}) = \text{vol}(\text{c3}) \\ &\cdot (\text{konB4} \cdot [\text{SPB\_B}] \cdot [\text{Bfa1P4}] - \text{koffB4} \cdot [\text{B\_Bfa1P4}]) \end{aligned} \quad (53)$$

## 9.3 Reaction R3

This is a reversible reaction of two reactants forming one product.

**Name** R3: Rev. SPB-association of Cdc5-phosphorylated Bfa1

### Reaction equation



### Reactants

Table 10: Properties of each reactant.

Id	Name	SBO
Bfa1P5	Bfa1P5	
SPB_B	B	

## Product

Table 11: Properties of each product.

Id	Name	SBO
B_Bfa1P5	B-Bfa1P5	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_3 = \text{Function\_for\_R3\_Rev\_SPB\_association\_of\_Cdc5\_phosphorylated\_Bfa1} ([B\_Bfa1P5], [Bfa1P5], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) \quad (55)$$


$$\begin{aligned} &\text{Function\_for\_R3\_Rev\_SPB\_association\_of\_Cdc5\_phosphorylated\_Bfa1} ([B\_Bfa1P5], \\ &[Bfa1P5], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) = \text{vol}(c3) \\ &\cdot (\text{konB} \cdot [SPB\_B] \cdot [Bfa1P5] - \text{koffB} \cdot [B\_Bfa1P5]) \end{aligned} \quad (56)$$

## 9.4 Reaction R4

This is a reversible reaction of two reactants forming one product.

**Name** R4: Rev. SPB-association of Bfa1-Tem1GTP complex

### Reaction equation



## Reactants

Table 12: Properties of each reactant.

Id	Name	SBO
Bfa1_Tem1GTP	Bfa1-Tem1GTP	
SPB_B	B	

## Product

Table 13: Properties of each product.

Id	Name	SBO
B_Bfa1_Tem1GTP	B-Bfa1-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_4 = \text{Function\_for\_R4\_Rev\_SPB\_association\_of\_Bfa1\_Tem1GTP\_complex}([B\_Bfa1\_Tem1GTP], [Bfa1\_Tem1GTP], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) \quad (58)$$

$$\begin{aligned} &\text{Function\_for\_R4\_Rev\_SPB\_association\_of\_Bfa1\_Tem1GTP\_complex}([B\_Bfa1\_Tem1GTP], \\ &[Bfa1\_Tem1GTP], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) = \text{vol}(c3) \\ &\cdot (\text{konB} \cdot [SPB\_B] \cdot [Bfa1\_Tem1GTP] - \text{koffB} \cdot [B\_Bfa1\_Tem1GTP]) \end{aligned} \quad (59)$$

## 9.5 Reaction R5

This is a reversible reaction of two reactants forming one product.

**Name** R5: Rev. SPB-association of Kin4-phosphorylated Bfa1-Tem1GTP complex

### Reaction equation



## Reactants

Table 14: Properties of each reactant.

Id	Name	SBO
Bfa1P4_Tem1GTP	Bfa1P4-Tem1GTP	
SPB_B	B	

## Product

Table 15: Properties of each product.

Id	Name	SBO
B_Bfa1P4_Tem1GTP	B-Bfa1P4-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$\begin{aligned} v_5 &= \text{Function\_for\_R5\_Rev\_SPB\_association\_of\_Kin4\_phosphorylated\_Bfa1\_Tem1GTP\_complex}([B\_Bfa1P4\_Tem1GTP], \\ &[Bfa1P4\_Tem1GTP], [SPB\_B], \text{vol}(c3), \text{koffB4}, \text{konB4}) \end{aligned} \quad (61)$$

$$\begin{aligned} &\text{Function\_for\_R5\_Rev\_SPB\_association\_of\_Kin4\_phosphorylated\_Bfa1\_Tem1GTP\_complex}([B\_Bfa1P4\_Tem1GTP], \\ &[Bfa1P4\_Tem1GTP], [SPB\_B], \text{vol}(c3), \text{koffB4}, \text{konB4}) \\ &= \text{vol}(c3) \cdot (\text{konB4} \cdot [Bfa1P4\_Tem1GTP] \cdot [SPB\_B] - \text{koffB4} \cdot [B\_Bfa1P4\_Tem1GTP]) \end{aligned} \quad (62)$$

## 9.6 Reaction R6

This is a reversible reaction of two reactants forming one product.

**Name** R6: Rev. SPB-association of Cdc5-phosphorylated Bfa1-Tem1GTP complex

## Reaction equation



## Reactants

Table 16: Properties of each reactant.

Id	Name	SBO
Bfa1P5_Tem1GTP	Bfa1P5-Tem1GTP	
SPB_B	B	

## Product

Table 17: Properties of each product.

Id	Name	SBO
B_Bfa1P5_Tem1GTP	B-Bfa1P5-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$\begin{aligned} v_6 &= \text{Function\_for\_R6\_Rev\_SPB\_association\_of\_Cdc5\_phosphorylated\_Bfa1\_Tem1GTP\_complex} ([B\_Bfa1P5\_Tem1GTP], \\ &[Bfa1P5\_Tem1GTP], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) \end{aligned} \quad (64)$$

$$\begin{aligned} &\text{Function\_for\_R6\_Rev\_SPB\_association\_of\_Cdc5\_phosphorylated\_Bfa1\_Tem1GTP\_complex} ([B\_Bfa1P5\_Tem1GTP], \\ &[Bfa1P5\_Tem1GTP], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) \\ &= \text{vol}(c3) \cdot (\text{konB} \cdot [SPB\_B] \cdot [Bfa1P5\_Tem1GTP] - \text{koffB} \cdot [B\_Bfa1P5\_Tem1GTP]) \end{aligned} \quad (65)$$

## 9.7 Reaction R7

This is a reversible reaction of two reactants forming one product.

**Name** R7: Rev. SPB-association of Bfa1-Tem1GDP complex

## Reaction equation



## Reactants

Table 18: Properties of each reactant.

Id	Name	SBO
Bfa1_Tem1GDP	Bfa1-Tem1GDP	
SPB_B	B	

## Product

Table 19: Properties of each product.

Id	Name	SBO
B_Bfa1_Tem1GDP	B-Bfa1-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_7 = \text{Function\_for\_R7\_Rev\_SPB\_association\_of\_Bfa1\_Tem1GDP\_complex}([B\_Bfa1\_Tem1GDP], [Bfa1\_Tem1GDP], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) \quad (67)$$

$$\begin{aligned} &\text{Function\_for\_R7\_Rev\_SPB\_association\_of\_Bfa1\_Tem1GDP\_complex}([B\_Bfa1\_Tem1GDP], \\ &[Bfa1\_Tem1GDP], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) = \text{vol}(c3) \\ &\quad \cdot (\text{konB} \cdot [SPB\_B] \cdot [Bfa1\_Tem1GDP] - \text{koffB} \cdot [B\_Bfa1\_Tem1GDP]) \end{aligned} \quad (68)$$

## 9.8 Reaction R8

This is a reversible reaction of two reactants forming one product.

**Name** R8: Rev. SPB-association of Kin4 phosphorylated Bfa1-Tem1GDP complex

### Reaction equation



## Reactants

Table 20: Properties of each reactant.

Id	Name	SBO
Bfa1P4_Tem1GDP	Bfa1P4-Tem1GDP	
SPB_B	B	

## Product

Table 21: Properties of each product.

Id	Name	SBO
B_Bfa1P4_Tem1GDP	B-Bfa1P4-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_8 = \text{Function\_for\_R8\_Rev\_SPB\_association\_of\_Kin4\_phosphorylated\_Bfa1\_Tem1GDP\_complex}([B\_Bfa1P4\_Tem1GDP], [Bfa1P4\_Tem1GDP], [SPB\_B], \text{vol}(c3), \text{koffB4}, \text{konB4}) \quad (70)$$

$$\begin{aligned} &\text{Function\_for\_R8\_Rev\_SPB\_association\_of\_Kin4\_phosphorylated\_Bfa1\_Tem1GDP\_complex}([B\_Bfa1P4\_Tem1GDP], [Bfa1P4\_Tem1GDP], [SPB\_B], \text{vol}(c3), \text{koffB4}, \text{konB4}) \\ &= \text{vol}(c3) \cdot (\text{konB4} \cdot [SPB\_B] \cdot [Bfa1P4\_Tem1GDP] - \text{koffB4} \cdot [B\_Bfa1P4\_Tem1GDP]) \end{aligned}$$

## 9.9 Reaction R9

This is a reversible reaction of two reactants forming one product.

**Name** R9: Rev. SPB-association of Cdc5-phosphorylated Bfa1-Tem1GDP complex

## Reaction equation



## Reactants

Table 22: Properties of each reactant.

Id	Name	SBO
Bfa1P5_Tem1GDP	Bfa1P5-Tem1GDP	
SPB_B	B	

## Product

Table 23: Properties of each product.

Id	Name	SBO
B_Bfa1P5_Tem1GDP	B-Bfa1P5-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$\begin{aligned} v_9 &= \text{Function\_for\_R9\_Rev\_SPB\_association\_of\_Cdc5\_phosphorylated\_Bfa1\_Tem1GDP\_complex} ([B\_Bfa1P5\_Tem1GDP], [Bfa1P5\_Tem1GDP], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) \end{aligned} \quad (73)$$

$$\begin{aligned} &\text{Function\_for\_R9\_Rev\_SPB\_association\_of\_Cdc5\_phosphorylated\_Bfa1\_Tem1GDP\_complex} ([B\_Bfa1P5\_Tem1GDP], [Bfa1P5\_Tem1GDP], [SPB\_B], \text{vol}(c3), \text{koffB}, \text{konB}) \\ &= \text{vol}(c3) \cdot (\text{konB} \cdot [SPB\_B] \cdot [Bfa1P5\_Tem1GDP] - \text{koffB} \cdot [B\_Bfa1P5\_Tem1GDP]) \end{aligned} \quad (74)$$

## 9.10 Reaction R10

This is a reversible reaction of two reactants forming one product.

**Name** R10: Rev. association of Tem1GTP with SPB-bound Bfa1

## Reaction equation



## Reactants



Table 24: Properties of each reactant.

Id	Name	SBO
Tem1GTP	Tem1GTP	
B_Bfa1	B-Bfa1	

## Product

Table 25: Properties of each product.

Id	Name	SBO
B_Bfa1_Tem1GTP	B-Bfa1-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{10} = \text{Function\_for\_R10\_Rev\_association\_of\_Tem1GTP\_with\_SPB\_bound\_Bfa1} ([B\_Bfa1], [B\_Bfa1\_Tem1GTP], [Tem1GTP], \text{vol}(c3), \text{koffBT}, \text{konBT}) \quad (76)$$

$$\begin{aligned} &\text{Function\_for\_R10\_Rev\_association\_of\_Tem1GTP\_with\_SPB\_bound\_Bfa1} ([B\_Bfa1], \\ &[B\_Bfa1\_Tem1GTP], [Tem1GTP], \text{vol}(c3), \text{koffBT}, \text{konBT}) = \text{vol}(c3) \\ &\cdot (\text{konBT} \cdot [B\_Bfa1] \cdot [Tem1GTP] - \text{koffBT} \cdot [B\_Bfa1\_Tem1GTP]) \end{aligned} \quad (77)$$

## 9.11 Reaction R11

This is a reversible reaction of two reactants forming one product.

**Name** R11: Rev. association of Tem1GTP with SPB-bound Kin4-phosphorylated Bfa1

## Reaction equation



## Reactants

Table 26: Properties of each reactant.

Id	Name	SBO
Tem1GTP	Tem1GTP	
B_Bfa1P4	B-Bfa1P4	

Product

Table 27: Properties of each product.

Id	Name	SBO
B_Bfa1P4_Tem1GTP	B-Bfa1P4-Tem1GTP	

Kinetic Law

Derived unit  $s^{-1} \cdot \text{mol}$

$v_{11}$  (79)  
= Function\_for\_R11\_Rev\_association\_of\_Tem1GTP\_with\_SPB\_bound\_Kin4\_phosphorylated\_Bfa1 ([B\_Bfa1P4], [B\_Bfa1P4\_Tem1GTP], [Tem1GTP], vol(c3), koffBT, konB4T)


Function\_for\_R11\_Rev\_association\_of\_Tem1GTP\_with\_SPB\_bound\_Kin4\_phosphorylated\_Bfa1 (80)  
([B\_Bfa1P4], [B\_Bfa1P4\_Tem1GTP], [Tem1GTP], vol(c3), koffBT, konB4T)  
= vol(c3) · (konB4T · [B\_Bfa1P4] · [Tem1GTP] – koffBT · [B\_Bfa1P4\_Tem1GTP])

9.12 Reaction R12

This is a reversible reaction of two reactants forming one product.

**Name** R12: Rev. association of Tem1GTP with SPB-bound Cdc5-phosphorylated Bfa1

Reaction equation



Reactants

Table 28: Properties of each reactant.

Id	Name	SBO
Tem1GTP	Tem1GTP	
B_Bfa1P5	B-Bfa1P5	

Product

Table 29: Properties of each product.

Id	Name	SBO
B_Bfa1P5_Tem1GTP	B-Bfa1P5-Tem1GTP	

Kinetic Law

Derived unit  $\text{s}^{-1} \cdot \text{mol}$

$$v_{12} = \text{Function\_for\_R12\_Rev\_association\_of\_Tem1GTP\_with\_SPB\_bound\_Cdc5\_phosphorylated\_Bfa1}([B\_Bfa1P5], [B\_Bfa1P5\_Tem1GTP], [Tem1GTP], vol(c3), koffBT, konB5T) \tag{82}$$


$$\begin{aligned} &\text{Function\_for\_R12\_Rev\_association\_of\_Tem1GTP\_with\_SPB\_bound\_Cdc5\_phosphorylated\_Bfa1}([B\_Bfa1P5], \\ &[B\_Bfa1P5\_Tem1GTP], [Tem1GTP], vol(c3), koffBT, konB5T) \\ &= vol(c3) \cdot (konB5T \cdot [B\_Bfa1P5] \cdot [Tem1GTP] - koffBT \cdot [B\_Bfa1P5\_Tem1GTP]) \end{aligned}$$

9.13 Reaction R13

This is a reversible reaction of two reactants forming one product.

**Name** R13: Rev. association of Tem1GDP with SPB-bound Bfa1

Reaction equation



Reactants

Table 30: Properties of each reactant.

Id	Name	SBO
Tem1GDP	Tem1GDP	
B_Bfa1	B-Bfa1	

## Product

Table 31: Properties of each product.

Id	Name	SBO
B_Bfa1_Tem1GDP	B-Bfa1-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{13} = \text{Function\_for\_R13\_Rev\_association\_of\_Tem1GDP\_with\_SPB\_bound\_Bfa1} ([B\_Bfa1], [B\_Bfa1\_Tem1GDP], [Tem1GDP], \text{vol}(c3), \text{koffBT}, \text{konBT}) \quad (85)$$


$$\begin{aligned} &\text{Function\_for\_R13\_Rev\_association\_of\_Tem1GDP\_with\_SPB\_bound\_Bfa1} ([B\_Bfa1], \\ &[B\_Bfa1\_Tem1GDP], [Tem1GDP], \text{vol}(c3), \text{koffBT}, \text{konBT}) = \text{vol}(c3) \\ &\cdot (\text{konBT} \cdot [B\_Bfa1] \cdot [Tem1GDP] - \text{koffBT} \cdot [B\_Bfa1\_Tem1GDP]) \end{aligned} \quad (86)$$

## 9.14 Reaction R14

This is a reversible reaction of two reactants forming one product.

**Name** R14: Rev. association of Tem1GDP with SPB-bound Kin4-phosphorylated Bfa1

## Reaction equation



## Reactants

Table 32: Properties of each reactant.

Id	Name	SBO
Tem1GDP	Tem1GDP	
B_Bfa1P4	B-Bfa1P4	

Product

Table 33: Properties of each product.

Id	Name	SBO
B_Bfa1P4_Tem1GDP	B-Bfa1P4-Tem1GDP	

Kinetic Law

Derived unit  $\text{s}^{-1} \cdot \text{mol}$

$v_{14}$  (88)  
= Function\_for\_R14\_Rev\_association\_of\_Tem1GDP\_with\_SPB\_bound\_Kin4\_phosphorylated\_Bfa1 ([B\_Bfa1P4], [B\_Bfa1P4\_Tem1GDP], [Tem1GDP], vol(c3), koffBT, konB4T)


Function\_for\_R14\_Rev\_association\_of\_Tem1GDP\_with\_SPB\_bound\_Kin4\_phosphorylated\_Bfa1 ([B\_Bfa1P4], [B\_Bfa1P4\_Tem1GDP], [Tem1GDP], vol(c3), koffBT, konB4T)  
= vol(c3) · (konB4T · [B\_Bfa1P4] · [Tem1GDP] − koffBT · [B\_Bfa1P4\_Tem1GDP])

9.15 Reaction R15

This is a reversible reaction of two reactants forming one product.

**Name** R15: Rev. association of Tem1GDP with SPB-bound Cdc5-phosphorylated Bfa1

Reaction equation



Reactants

Table 34: Properties of each reactant.

Id	Name	SBO
Tem1GDP	Tem1GDP	
B_Bfa1P5	B-Bfa1P5	

Product

Table 35: Properties of each product.

Id	Name	SBO
B_Bfa1P5_Tem1GDP	B-Bfa1P5-Tem1GDP	

Kinetic Law

Derived unit  $s^{-1} \cdot \text{mol}$

$v_{15}$  (91)  
= Function\_for\_R15\_Rev\_association\_of\_Tem1GDP\_with\_SPB\_bound\_Cdc5\_phosphorylated\_Bfa1 ([B\_Bfa1P5], [B\_Bfa1P5\_Tem1GDP], [Tem1GDP], vol(c3), koffBT, konB5T)


Function\_for\_R15\_Rev\_association\_of\_Tem1GDP\_with\_SPB\_bound\_Cdc5\_phosphorylated\_Bfa1 ([B\_Bfa1P5], [B\_Bfa1P5\_Tem1GDP], [Tem1GDP], vol(c3), koffBT, konB5T)  
= vol(c3) · (konB5T · [B\_Bfa1P5] · [Tem1GDP] – koffBT · [B\_Bfa1P5\_Tem1GDP])

9.16 Reaction R16

This is a reversible reaction of two reactants forming one product.

**Name** R16: Rev. association of Tem1GTP with Bfa1

Reaction equation



Reactants

Table 36: Properties of each reactant.

Id	Name	SBO
Bfa1	Bfa1	
Tem1GTP	Tem1GTP	

## Product

Table 37: Properties of each product.

Id	Name	SBO
Bfa1_Tem1GTP	Bfa1-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{16} = \text{vol}(c2) \cdot \text{Function\_for\_R16\_Rev\_association\_of\_Tem1GTP\_with\_Bfa1}([Bfa1], [Bfa1\_Tem1GTP], [Tem1GTP], \alpha, \text{koffBT}, \text{konBT}) \quad (94)$$

$$\begin{aligned} \text{Function\_for\_R16\_Rev\_association\_of\_Tem1GTP\_with\_Bfa1}([Bfa1], \\ [Bfa1\_Tem1GTP], [Tem1GTP], \alpha, \text{koffBT}, \text{konBT}) = \alpha \\ \cdot \text{konBT} \cdot [Bfa1] \cdot [Tem1GTP] - \text{koffBT} \cdot [Bfa1\_Tem1GTP] \end{aligned} \quad (95)$$


$$\begin{aligned} \text{Function\_for\_R16\_Rev\_association\_of\_Tem1GTP\_with\_Bfa1}([Bfa1], \\ [Bfa1\_Tem1GTP], [Tem1GTP], \alpha, \text{koffBT}, \text{konBT}) = \alpha \\ \cdot \text{konBT} \cdot [Bfa1] \cdot [Tem1GTP] - \text{koffBT} \cdot [Bfa1\_Tem1GTP] \end{aligned} \quad (96)$$

## 9.17 Reaction R17

This is a reversible reaction of two reactants forming one product.

**Name** R17: Rev. association of Tem1GTP with Kin4-phosphorylated Bfa1

## Reaction equation



## Reactants

Table 38: Properties of each reactant.

Id	Name	SBO
Bfa1P4	Bfa1P4	
Tem1GTP	Tem1GTP	

## Product

Table 39: Properties of each product.

Id	Name	SBO
Bfa1P4_Tem1GTP	Bfa1P4-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{17} = \text{vol}(c2) \quad (98)$$

·Function\_for\_R17\_Rev\_association\_of\_Tem1GTP\_with\_Kin4\_phosphorylated\_Bfa1 ([Bfa1P4], [Bfa1P4\_Tem1GTP], [Tem1GTP], alpha, koffBT, konB4T)

$$\begin{aligned} &\text{Function\_for\_R17\_Rev\_association\_of\_Tem1GTP\_with\_Kin4\_phosphorylated\_Bfa1} ([Bfa1P4], \\ &[Bfa1P4\_Tem1GTP], [Tem1GTP], \alpha, \text{koffBT}, \text{konB4T}) = \alpha \\ &\cdot \text{konB4T} \cdot [Bfa1P4] \cdot [Tem1GTP] - \text{koffBT} \cdot [Bfa1P4\_Tem1GTP] \end{aligned} \quad (99)$$


$$\begin{aligned} &\text{Function\_for\_R17\_Rev\_association\_of\_Tem1GTP\_with\_Kin4\_phosphorylated\_Bfa1} ([Bfa1P4], \\ &[Bfa1P4\_Tem1GTP], [Tem1GTP], \alpha, \text{koffBT}, \text{konB4T}) = \alpha \\ &\cdot \text{konB4T} \cdot [Bfa1P4] \cdot [Tem1GTP] - \text{koffBT} \cdot [Bfa1P4\_Tem1GTP] \end{aligned} \quad (100)$$

## 9.18 Reaction R18

This is a reversible reaction of two reactants forming one product.

**Name** R18: Rev. association of Tem1GTP with Cdc5-phosphorylated Bfa1

## Reaction equation



## Reactants



Table 40: Properties of each reactant.

Id	Name	SBO
Bfa1P5	Bfa1P5	
Tem1GTP	Tem1GTP	

## Product

Table 41: Properties of each product.

Id	Name	SBO
Bfa1P5_Tem1GTP	Bfa1P5-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{18} = \text{vol}(c2) \quad (102)$$

·Function\_for\_R18\_Rev\_association\_of\_Tem1GTP\_with\_Cdc5\_phosphorylated\_Bfa1 ([Bfa1P5], [Bfa1P5\_Tem1GTP], [Tem1GTP], alpha, koffBT, konB5T)

$$\text{Function\_for\_R18\_Rev\_association\_of\_Tem1GTP\_with\_Cdc5\_phosphorylated\_Bfa1} ([Bfa1P5], [Bfa1P5\_Tem1GTP], [Tem1GTP], \alpha, \text{koffBT}, \text{konB5T}) = \alpha \cdot \text{konB5T} \cdot [Bfa1P5] \cdot [Tem1GTP] - \text{koffBT} \cdot [Bfa1P5\_Tem1GTP] \quad (103)$$


$$\text{Function\_for\_R18\_Rev\_association\_of\_Tem1GTP\_with\_Cdc5\_phosphorylated\_Bfa1} ([Bfa1P5], [Bfa1P5\_Tem1GTP], [Tem1GTP], \alpha, \text{koffBT}, \text{konB5T}) = \alpha \cdot \text{konB5T} \cdot [Bfa1P5] \cdot [Tem1GTP] - \text{koffBT} \cdot [Bfa1P5\_Tem1GTP] \quad (104)$$

## 9.19 Reaction R19

This is a reversible reaction of two reactants forming one product.

**Name** R19: Rev. association of Tem1GDP with Bfa1

## Reaction equation



## Reactants

Table 42: Properties of each reactant.

Id	Name	SBO
Bfa1	Bfa1	
Tem1GDP	Tem1GDP	

## Product

Table 43: Properties of each product.

Id	Name	SBO
Bfa1_Tem1GDP	Bfa1-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{19} = \text{vol}(c2) \cdot \text{Function\_for\_R19\_Rev\_association\_of\_Tem1GDP\_with\_Bfa1}([Bfa1], [Bfa1\_Tem1GDP], [Tem1GDP], \alpha, \text{koffBT}, \text{konBT}) \quad (106)$$

$$\begin{aligned} &\text{Function\_for\_R19\_Rev\_association\_of\_Tem1GDP\_with\_Bfa1}([Bfa1], \\ &[Bfa1\_Tem1GDP], [Tem1GDP], \alpha, \text{koffBT}, \text{konBT}) = \alpha \\ &\quad \cdot \text{konBT} \cdot [Bfa1] \cdot [Tem1GDP] - \text{koffBT} \cdot [Bfa1\_Tem1GDP] \end{aligned} \quad (107)$$


$$\begin{aligned} &\text{Function\_for\_R19\_Rev\_association\_of\_Tem1GDP\_with\_Bfa1}([Bfa1], \\ &[Bfa1\_Tem1GDP], [Tem1GDP], \alpha, \text{koffBT}, \text{konBT}) = \alpha \\ &\quad \cdot \text{konBT} \cdot [Bfa1] \cdot [Tem1GDP] - \text{koffBT} \cdot [Bfa1\_Tem1GDP] \end{aligned} \quad (108)$$

## 9.20 Reaction R20

This is a reversible reaction of two reactants forming one product.

**Name** R20: Rev. association of Tem1GDP with Kin4-phosphorylated Bfa1

## Reaction equation



## Reactants

Table 44: Properties of each reactant.

Id	Name	SBO
Bfa1P4	Bfa1P4	
Tem1GDP	Tem1GDP	

## Product

Table 45: Properties of each product.

Id	Name	SBO
Bfa1P4_Tem1GDP	Bfa1P4-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{20} = \text{vol}(c2) \quad (110)$$

·Function\_for\_R20\_Rev\_association\_of\_Tem1GDP\_with\_Kin4\_phosphorylated\_Bfa1 ([Bfa1P4], [Bfa1P4\_Tem1GDP], [Tem1GDP], alpha, koffBT, konB4T)

$$\begin{aligned} &\text{Function\_for\_R20\_Rev\_association\_of\_Tem1GDP\_with\_Kin4\_phosphorylated\_Bfa1} ([Bfa1P4], \\ &[Bfa1P4\_Tem1GDP], [Tem1GDP], \alpha, \text{koffBT}, \text{konB4T}) = \alpha \\ &\cdot \text{konB4T} \cdot [Bfa1P4] \cdot [Tem1GDP] - \text{koffBT} \cdot [Bfa1P4\_Tem1GDP] \end{aligned} \quad (111)$$

$$\begin{aligned} &\text{Function\_for\_R20\_Rev\_association\_of\_Tem1GDP\_with\_Kin4\_phosphorylated\_Bfa1} ([Bfa1P4], \\ &[Bfa1P4\_Tem1GDP], [Tem1GDP], \alpha, \text{koffBT}, \text{konB4T}) = \alpha \\ &\cdot \text{konB4T} \cdot [Bfa1P4] \cdot [Tem1GDP] - \text{koffBT} \cdot [Bfa1P4\_Tem1GDP] \end{aligned} \quad (112)$$

## 9.21 Reaction R21

This is a reversible reaction of two reactants forming one product.

**Name** R21: Rev. association of Tem1GDP with Cdc5-phosphorylated Bfa1

## Reaction equation



## Reactants

Table 46: Properties of each reactant.

Id	Name	SBO
Bfa1P5	Bfa1P5	
Tem1GDP	Tem1GDP	

## Product

Table 47: Properties of each product.

Id	Name	SBO
Bfa1P5_Tem1GDP	Bfa1P5-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{21} = \text{vol}(c2) \quad (114)$$

·Function\_for\_R21\_Rev\_association\_of\_Tem1GDP\_with\_Cdc5\_phosphorylated\_Bfa1 ([Bfa1P5], [Bfa1P5\_Tem1GDP], [Tem1GDP], alpha, koffBT, konB5T)

$$\begin{aligned} &\text{Function\_for\_R21\_Rev\_association\_of\_Tem1GDP\_with\_Cdc5\_phosphorylated\_Bfa1} ([Bfa1P5], \\ &[Bfa1P5\_Tem1GDP], [Tem1GDP], \alpha, \text{koffBT}, \text{konB5T}) = \alpha \\ &\cdot \text{konB5T} \cdot [Bfa1P5] \cdot [Tem1GDP] - \text{koffBT} \cdot [Bfa1P5\_Tem1GDP] \end{aligned} \quad (115)$$

$$\begin{aligned} &\text{Function\_for\_R21\_Rev\_association\_of\_Tem1GDP\_with\_Cdc5\_phosphorylated\_Bfa1} ([Bfa1P5], \\ &[Bfa1P5\_Tem1GDP], [Tem1GDP], \alpha, \text{koffBT}, \text{konB5T}) = \alpha \\ &\cdot \text{konB5T} \cdot [Bfa1P5] \cdot [Tem1GDP] - \text{koffBT} \cdot [Bfa1P5\_Tem1GDP] \end{aligned} \quad (116)$$

## 9.22 Reaction R22

This is a reversible reaction of two reactants forming one product.

**Name** R22: Rev. SPB-association of Tem1GTP

## Reaction equation



## Reactants

Table 48: Properties of each reactant.

Id	Name	SBO
Tem1GTP	Tem1GTP	
SPB_T	T	

## Product

Table 49: Properties of each product.

Id	Name	SBO
T_Tem1GTP	T-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{22} = \text{Function\_for\_R22\_Rev\_SPB\_association\_of\_Tem1GTP}([\text{SPB\_T}], [\text{T\_Tem1GTP}], [\text{Tem1GTP}], \text{vol}(\text{c3}), \text{koffT}, \text{konT}) \quad (118)$$

$$\begin{aligned} &\text{Function\_for\_R22\_Rev\_SPB\_association\_of\_Tem1GTP}([\text{SPB\_T}], \\ &[\text{T\_Tem1GTP}], [\text{Tem1GTP}], \text{vol}(\text{c3}), \text{koffT}, \text{konT}) = \text{vol}(\text{c3}) \\ &\cdot (\text{konT} \cdot [\text{SPB\_T}] \cdot [\text{Tem1GTP}] - \text{koffT} \cdot [\text{T\_Tem1GTP}]) \end{aligned} \quad (119)$$

### 9.23 Reaction R23

This is a reversible reaction of two reactants forming one product.

**Name** R23: Rev. SPB-association of Tem1GDP

## Reaction equation



## Reactants

Table 50: Properties of each reactant.

Id	Name	SBO
Tem1GDP	Tem1GDP	
SPB.T	T	

## Product

Table 51: Properties of each product.

Id	Name	SBO
T_Tem1GDP	T-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{23} = \text{Function\_for\_R23\_Rev\_SPB\_association\_of\_Tem1GDP}([SPB.T], [T\_Tem1GDP], [Tem1GDP], \text{vol}(c3), \text{koffT}, \text{konT}) \quad (121)$$

$$\begin{aligned} &\text{Function\_for\_R23\_Rev\_SPB\_association\_of\_Tem1GDP}([SPB.T], \\ &[T\_Tem1GDP], [Tem1GDP], \text{vol}(c3), \text{koffT}, \text{konT}) = \text{vol}(c3) \\ &\cdot (\text{konT} \cdot [SPB.T] \cdot [Tem1GDP] - \text{koffT} \cdot [T\_Tem1GDP]) \end{aligned} \quad (122)$$

## 9.24 Reaction R24

This is an irreversible reaction of one reactant forming one product.

**Name** R24: Phosphorylation of SPB-bound Bfa1 by Kin4

## Reaction equation



## Reactant

Table 52: Properties of each reactant.

Id	Name	SBO
B_Bfa1	B-Bfa1	

## Product

Table 53: Properties of each product.

Id	Name	SBO
B_Bfa1P4	B-Bfa1P4	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{24} = \text{vol}(c3) \cdot \text{Function\_for\_R24\_Phosphorylation\_of\_SPB\_bound\_Bfa1\_by\_Kin4}([B\_Bfa1], \text{kfKin4}, u) \quad (124)$$

$$\text{Function\_for\_R24\_Phosphorylation\_of\_SPB\_bound\_Bfa1\_by\_Kin4}([B\_Bfa1], \text{kfKin4}, u) = u \cdot \text{kfKin4} \cdot [B\_Bfa1] \quad (125)$$


$$\text{Function\_for\_R24\_Phosphorylation\_of\_SPB\_bound\_Bfa1\_by\_Kin4}([B\_Bfa1], \text{kfKin4}, u) = u \cdot \text{kfKin4} \cdot [B\_Bfa1] \quad (126)$$

## 9.25 Reaction R25

This is an irreversible reaction of one reactant forming one product.

**Name** R25: Phosphorylation of SPB-bound Bfa1:Tem1GTP by Kin4

## Reaction equation



## Reactant

Table 54: Properties of each reactant.

Id	Name	SBO
B_Bfa1_Tem1GTP	B-Bfa1-Tem1GTP	

## Product

Table 55: Properties of each product.

Id	Name	SBO
B_Bfa1P4_Tem1GTP	B-Bfa1P4-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{25} = \text{vol}(c3) \cdot \text{Function\_for\_R25\_Phosphorylation\_of\_SPB\_bound\_Bfa1\_Tem1GTP\_by\_Kin4}([B\_Bfa1\_Tem1GTP], \text{kfKin4}, u) \quad (128)$$

$$\text{Function\_for\_R25\_Phosphorylation\_of\_SPB\_bound\_Bfa1\_Tem1GTP\_by\_Kin4}([B\_Bfa1\_Tem1GTP], \text{kfKin4}, u) = u \cdot \text{kfKin4} \cdot [B\_Bfa1\_Tem1GTP] \quad (129)$$


$$\text{Function\_for\_R25\_Phosphorylation\_of\_SPB\_bound\_Bfa1\_Tem1GTP\_by\_Kin4}([B\_Bfa1\_Tem1GTP], \text{kfKin4}, u) = u \cdot \text{kfKin4} \cdot [B\_Bfa1\_Tem1GTP] \quad (130)$$

## 9.26 Reaction R26

This is an irreversible reaction of one reactant forming one product.

**Name** R26: Phosphorylation of SPB-bound Bfa1:Tem1GDP by Kin4

## Reaction equation



## Reactant



Table 56: Properties of each reactant.

Id	Name	SBO
B_Bfa1_Tem1GDP	B-Bfa1-Tem1GDP	

## Product

Table 57: Properties of each product.

Id	Name	SBO
B_Bfa1P4_Tem1GDP	B-Bfa1P4-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{26} = \text{vol}(c3) \cdot \text{Function\_for\_R26\_Phosphorylation\_of\_SPB\_bound\_Bfa1\_Tem1GDP\_by\_Kin4}([B\_Bfa1\_Tem1GDP], \text{kfKin4}, u) \quad (132)$$

$$\text{Function\_for\_R26\_Phosphorylation\_of\_SPB\_bound\_Bfa1\_Tem1GDP\_by\_Kin4}([B\_Bfa1\_Tem1GDP], \text{kfKin4}, u) = u \cdot \text{kfKin4} \cdot [B\_Bfa1\_Tem1GDP] \quad (133)$$

$$\text{Function\_for\_R26\_Phosphorylation\_of\_SPB\_bound\_Bfa1\_Tem1GDP\_by\_Kin4}([B\_Bfa1\_Tem1GDP], \text{kfKin4}, u) = u \cdot \text{kfKin4} \cdot [B\_Bfa1\_Tem1GDP] \quad (134)$$

## 9.27 Reaction R27

This is an irreversible reaction of one reactant forming one product.

**Name** R27: Phosphorylation of SPB-bound Bfa1 by Cdc5

## Reaction equation



## Reactant

Table 58: Properties of each reactant.

Id	Name	SBO
B_Bfa1	B-Bfa1	

## Product

Table 59: Properties of each product.

Id	Name	SBO
B_Bfa1P5	B-Bfa1P5	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$


$$v_{27} = \text{vol}(\text{c3}) \cdot \text{kfCdc5} \cdot [\text{B\_Bfa1}] \quad (136)$$

## 9.28 Reaction R28

This is an irreversible reaction of one reactant forming one product.

**Name** R28: Phosphorylation of SPB-bound Bfa1:Tem1GTP by Cdc5

## Reaction equation



## Reactant

Table 60: Properties of each reactant.

Id	Name	SBO
B_Bfa1_Tem1GTP	B-Bfa1-Tem1GTP	

## Product

Table 61: Properties of each product.

Id	Name	SBO
B_Bfa1P5_Tem1GTP	B-Bfa1P5-Tem1GTP	

### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$


$$v_{28} = \text{vol}(c3) \cdot \text{kfCdc5} \cdot [\text{B\_Bfa1\_Tem1GTP}] \quad (138)$$

## 9.29 Reaction R29

This is an irreversible reaction of one reactant forming one product.

**Name** R29: Phosphorylation of SPB-bound Bfa1:Tem1GDP by Cdc5

### Reaction equation



### Reactant

Table 62: Properties of each reactant.

Id	Name	SBO
B_Bfa1_Tem1GDP	B-Bfa1-Tem1GDP	

### Product

Table 63: Properties of each product.

Id	Name	SBO
B_Bfa1P5_Tem1GDP	B-Bfa1P5-Tem1GDP	

### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$


$$v_{29} = \text{vol}(c3) \cdot \text{kfCdc5} \cdot [\text{B\_Bfa1\_Tem1GDP}] \quad (140)$$

### 9.30 Reaction R47

This is an irreversible reaction of one reactant forming one product.

**Name** R47: GAP-accelerated GTP-hydrolysis

#### Reaction equation



#### Reactant

Table 64: Properties of each reactant.

Id	Name	SBO
B_Bfa1P4_Tem1GTP	B-Bfa1P4-Tem1GTP	

#### Product

Table 65: Properties of each product.

Id	Name	SBO
B_Bfa1P4_Tem1GDP	B-Bfa1P4-Tem1GDP	

#### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{30} = \text{vol}(c3) \cdot \text{khydB4T} \cdot [\text{B\_Bfa1P4\_Tem1GTP}] \quad (142)$$

### 9.31 Reaction R46

This is an irreversible reaction of one reactant forming one product.

**Name** R46: GAP-accelerated GTP-hydrolysis

#### Reaction equation



#### Reactant

Table 66: Properties of each reactant.

Id	Name	SBO
B_Bfa1_Tem1GTP	B-Bfa1-Tem1GTP	

## Product

Table 67: Properties of each product.

Id	Name	SBO
B_Bfa1_Tem1GDP	B-Bfa1-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$


$$v_{31} = \text{vol}(c3) \cdot \text{khydBT} \cdot [\text{B\_Bfa1\_Tem1GTP}] \quad (144)$$

## 9.32 Reaction R48

This is an irreversible reaction of one reactant forming one product.

**Name** R48: GTP-hydrolysis with intrinsic GTPase activity

## Reaction equation



## Reactant

Table 68: Properties of each reactant.

Id	Name	SBO
B_Bfa1P5_Tem1GTP	B-Bfa1P5-Tem1GTP	

## Product

Table 69: Properties of each product.

Id	Name	SBO
B_Bfa1P5_Tem1GDP	B-Bfa1P5-Tem1GDP	

### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{32} = \text{vol}(\text{c3}) \cdot \text{khyd} \cdot [\text{B\_Bfa1P5\_Tem1GTP}] \quad (146)$$

### 9.33 Reaction R30

This is an irreversible reaction of one reactant forming one product.

**Name** R30: Phosphorylation of Bfa1 by cytosolic Kin4

### Reaction equation



### Reactant

Table 70: Properties of each reactant.

Id	Name	SBO
Bfa1	Bfa1	

### Product

Table 71: Properties of each product.

Id	Name	SBO
Bfa1P4	Bfa1P4	

### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{33} = \text{vol}(c2) \cdot \text{Function\_for\_R30\_Phosphorylation\_of\_Bfa1\_by\_cytosolic\_Kin4}([Bfa1], \text{kfKin4Cyto}, u) \quad (148)$$

$$\begin{aligned} &\text{Function\_for\_R30\_Phosphorylation\_of\_Bfa1\_by\_cytosolic\_Kin4}([Bfa1], \text{kfKin4Cyto}, u) \\ &= u \cdot \text{kfKin4Cyto} \cdot [Bfa1] \end{aligned} \quad (149)$$

$$\begin{aligned} &\text{Function\_for\_R30\_Phosphorylation\_of\_Bfa1\_by\_cytosolic\_Kin4}([Bfa1], \text{kfKin4Cyto}, u) \\ &= u \cdot \text{kfKin4Cyto} \cdot [Bfa1] \end{aligned} \quad (150)$$

### 9.34 Reaction R33

This is an irreversible reaction of one reactant forming one product.

**Name** R33: Dephosphorylation of Bfa1 by a yet unidentified phosphatase counteracting Kin4

#### Reaction equation



#### Reactant

Table 72: Properties of each reactant.

Id	Name	SBO
Bfa1P4	Bfa1P4	

#### Product

Table 73: Properties of each product.

Id	Name	SBO
Bfa1	Bfa1	

#### Kinetic Law

**Derived unit**  $s^{-1} \cdot \text{mol}$

$$v_{34} = \text{vol}(c2) \cdot \text{krKin4} \cdot [Bfa1P4] \quad (152)$$

### 9.35 Reaction R36

This is an irreversible reaction of one reactant forming one product.

**Name** R36: Dephosphorylation of Cdc5-phosphorylated Bfa1 presumably by PP2A

#### Reaction equation



#### Reactant

Table 74: Properties of each reactant.

Id	Name	SBO
Bfa1P5	Bfa1P5	

#### Product

Table 75: Properties of each product.

Id	Name	SBO
Bfa1	Bfa1	

#### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{35} = \text{vol}(c2) \cdot \text{Function\_for\_R36\_Dephosphorylation\_of\_Cdc5\_phosphorylated\_Bfa1\_presumably\_by\_PP2A}([Bfa1P5], krCdc5, u) \quad (154)$$

$$\text{Function\_for\_R36\_Dephosphorylation\_of\_Cdc5\_phosphorylated\_Bfa1\_presumably\_by\_PP2A}([Bfa1P5], krCdc5, u) = u \cdot krCdc5 \cdot [Bfa1P5]$$

$$\text{Function\_for\_R36\_Dephosphorylation\_of\_Cdc5\_phosphorylated\_Bfa1\_presumably\_by\_PP2A}([Bfa1P5], krCdc5, u) = u \cdot krCdc5 \cdot [Bfa1P5]$$

### 9.36 Reaction R40

This is an irreversible reaction of one reactant forming one product.

**Name** R40: GDP- for GTP nucleotide exchange



Reaction equation



Reactant

Table 76: Properties of each reactant.

Id	Name	SBO
Tem1GDP	Tem1GDP	

Product

Table 77: Properties of each product.

Id	Name	SBO
Tem1GTP	Tem1GTP	

Kinetic Law

Derived unit  $\text{s}^{-1} \cdot \text{mol}$

$$v_{36} = \text{vol}(c2) \cdot \text{knex} \cdot [\text{Tem1GDP}]$$

(158)

9.37 Reaction R39

This is an irreversible reaction of one reactant forming one product.

**Name** R39: GTP-hydrolysis with intrinisc GTPase activity

Reaction equation



Reactant

Table 78: Properties of each reactant.

Id	Name	SBO
Tem1GTP	Tem1GTP	

## Product

Table 79: Properties of each product.

Id	Name	SBO
Tem1GDP	Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{37} = \text{vol}(\text{c2}) \cdot \text{khyd} \cdot [\text{Tem1GTP}] \quad (160)$$

## 9.38 Reaction R42

This is an irreversible reaction of one reactant forming one product.

**Name** R42: GDP- for GTP nucleotide exchange

## Reaction equation



## Reactant

Table 80: Properties of each reactant.

Id	Name	SBO
T_Tem1GDP	T-Tem1GDP	

## Product

Table 81: Properties of each product.

Id	Name	SBO
T_Tem1GTP	T-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{38} = \text{vol}(c3) \cdot \text{k}_{\text{nex}} \cdot [\text{T\_Tem1GDP}] \quad (162)$$

### 9.39 Reaction R41

This is an irreversible reaction of one reactant forming one product.

**Name** R41: GTP-hydrolysis with intrinsic GTPase activity

#### Reaction equation



#### Reactant

Table 82: Properties of each reactant.

Id	Name	SBO
T_Tem1GTP	T-Tem1GTP	

#### Product

Table 83: Properties of each product.

Id	Name	SBO
T_Tem1GDP	T-Tem1GDP	

#### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{39} = \text{vol}(c3) \cdot \text{k}_{\text{hyd}} \cdot [\text{T\_Tem1GTP}] \quad (164)$$

### 9.40 Reaction R44

This is an irreversible reaction of one reactant forming one product.

**Name** R44: GAP-accelerated GTP-hydrolysis

#### Reaction equation



**Reactant**

Table 84: Properties of each reactant.

Id	Name	SBO
Bfa1P4_Tem1GTP	Bfa1P4-Tem1GTP	

## Product

Table 85: Properties of each product.

Id	Name	SBO
Bfa1P4_Tem1GDP	Bfa1P4-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{40} = \text{vol}(c2) \cdot \text{khyd}B4T \cdot [\text{Bfa1P4\_Tem1GTP}] \quad (166)$$

## 9.41 Reaction R43

This is an irreversible reaction of one reactant forming one product.

**Name** R43: GAP-accelerated GTP-hydrolysis

## Reaction equation



## Reactant

Table 86: Properties of each reactant.

Id	Name	SBO
Bfa1_Tem1GTP	Bfa1-Tem1GTP	

## Product

Table 87: Properties of each product.

Id	Name	SBO
Bfa1_Tem1GDP	Bfa1-Tem1GDP	

### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{41} = \text{vol}(c2) \cdot \text{khydBT} \cdot [\text{Bfa1\_Tem1GTP}] \quad (168)$$

## 9.42 Reaction R45

This is an irreversible reaction of one reactant forming one product.

**Name** R45: GTP-hydrolysis with intrinsic GTPase activity

### Reaction equation



### Reactant

Table 88: Properties of each reactant.

Id	Name	SBO
Bfa1P5_Tem1GTP	Bfa1P5-Tem1GTP	

### Product

Table 89: Properties of each product.

Id	Name	SBO
Bfa1P5_Tem1GDP	Bfa1P5-Tem1GDP	

### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$


$$v_{42} = \text{vol}(c2) \cdot \text{khyd} \cdot [\text{Bfa1P5\_Tem1GTP}] \quad (170)$$

### 9.43 Reaction R34

This is an irreversible reaction of one reactant forming one product.

**Name** R34: Dephosphorylation of Bfa1 by a yet unidentified phosphatase counteracting Kin4

#### Reaction equation



#### Reactant

Table 90: Properties of each reactant.

Id	Name	SBO
Bfa1P4\_Tem1GTP	Bfa1P4-Tem1GTP	

#### Product

Table 91: Properties of each product.

Id	Name	SBO
Bfa1\_Tem1GTP	Bfa1-Tem1GTP	

#### Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$


$$v_{43} = \text{vol}(c2) \cdot \text{krKin4} \cdot [\text{Bfa1P4\_Tem1GTP}] \quad (172)$$

### 9.44 Reaction R37

This is an irreversible reaction of one reactant forming one product.

**Name** R37: Dephosphorylation of Cdc5-phosphorylated Bfa1 presumably by PP2A

#### Reaction equation



#### Reactant

Table 92: Properties of each reactant.		
Id	Name	SBO
Bfa1P5_Tem1GTP	Bfa1P5-Tem1GTP	

Product

Table 93: Properties of each product.		
Id	Name	SBO
Bfa1_Tem1GTP	Bfa1-Tem1GTP	

Kinetic Law

Derived unit  $s^{-1} \cdot mol$

$$v_{44} = vol(c2) \cdot Function\_for\_R37\_Dephosphorylation\_of\_Cdc5\_phosphorylated\_Bfa1\_presumably\_by\_PP2A([Bfa1P5\_Tem1GTP],krCdc5,u) \tag{174}$$

$$Function\_for\_R37\_Dephosphorylation\_of\_Cdc5\_phosphorylated\_Bfa1\_presumably\_by\_PP2A([Bfa1P5\_Tem1GTP],krCdc5,u) = u \cdot krCdc5 \cdot [Bfa1P5\_Tem1GTP]$$


$$Function\_for\_R37\_Dephosphorylation\_of\_Cdc5\_phosphorylated\_Bfa1\_presumably\_by\_PP2A([Bfa1P5\_Tem1GTP],krCdc5,u) = u \cdot krCdc5 \cdot [Bfa1P5\_Tem1GTP]$$

9.45 Reaction R31

This is an irreversible reaction of one reactant forming one product.

**Name** R31: Phosphorylation of Bfa1:Tem1GTP by cytosolic Kin4

Reaction equation



Reactant



Table 94: Properties of each reactant.

Id	Name	SBO
Bfa1_Tem1GTP	Bfa1-Tem1GTP	

## Product

Table 95: Properties of each product.

Id	Name	SBO
Bfa1P4_Tem1GTP	Bfa1P4-Tem1GTP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{45} = \text{vol}(c2) \cdot \text{Function\_for\_R31\_Phosphorylation\_of\_Bfa1\_Tem1GTP\_by\_cytosolic\_Kin4}([Bfa1\_Tem1GTP], \text{kfKin4Cyto}, u) \quad (178)$$

$$\text{Function\_for\_R31\_Phosphorylation\_of\_Bfa1\_Tem1GTP\_by\_cytosolic\_Kin4}([Bfa1\_Tem1GTP], \text{kfKin4Cyto}, u) = u \cdot \text{kfKin4Cyto} \cdot [Bfa1\_Tem1GTP] \quad (179)$$


$$\text{Function\_for\_R31\_Phosphorylation\_of\_Bfa1\_Tem1GTP\_by\_cytosolic\_Kin4}([Bfa1\_Tem1GTP], \text{kfKin4Cyto}, u) = u \cdot \text{kfKin4Cyto} \cdot [Bfa1\_Tem1GTP] \quad (180)$$

## 9.46 Reaction R35

This is an irreversible reaction of one reactant forming one product.

**Name** R35: Dephosphorylation of Bfa1 by a yet unidentified phosphatase counteracting Kin4

## Reaction equation



## Reactant

Table 96: Properties of each reactant.

Id	Name	SBO
Bfa1P4_Tem1GDP	Bfa1P4-Tem1GDP	

## Product

Table 97: Properties of each product.

Id	Name	SBO
Bfa1_Tem1GDP	Bfa1-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$


$$v_{46} = \text{vol}(c2) \cdot \text{krKin4} \cdot [\text{Bfa1P4\_Tem1GDP}] \quad (182)$$

## 9.47 Reaction R38

This is an irreversible reaction of one reactant forming one product.

**Name** R38: Dephosphorylation of Cdc5-phosphorylated Bfa1 presumably by PP2A

## Reaction equation



## Reactant

Table 98: Properties of each reactant.

Id	Name	SBO
Bfa1P5_Tem1GDP	Bfa1P5-Tem1GDP	

## Product

Table 99: Properties of each product.		
Id	Name	SBO
Bfa1_Tem1GDP	Bfa1-Tem1GDP	

Kinetic Law

Derived unit  $\text{s}^{-1} \cdot \text{mol}$

$$v_{47} = \text{vol}(c2) \cdot \text{Function\_for\_R38\_Dephosphorylation\_of\_Cdc5\_phosphorylated\_Bfa1\_presumably\_by\_PP2A}([Bfa1P5\_Tem1GDP], krCdc5, u) \tag{184}$$

$$\text{Function\_for\_R38\_Dephosphorylation\_of\_Cdc5\_phosphorylated\_Bfa1\_presumably\_by\_PP2A}([Bfa1P5\_Tem1GDP], krCdc5, u) = u \cdot krCdc5 \cdot [Bfa1P5\_Tem1GDP] \tag{185}$$


$$\text{Function\_for\_R38\_Dephosphorylation\_of\_Cdc5\_phosphorylated\_Bfa1\_presumably\_by\_PP2A}([Bfa1P5\_Tem1GDP], krCdc5, u) = u \cdot krCdc5 \cdot [Bfa1P5\_Tem1GDP] \tag{186}$$

9.48 Reaction R32

This is an irreversible reaction of one reactant forming one product.

**Name** R32: Phosphorylation of Bfa1:Tem1GDP by cytosolic Kin4

Reaction equation



Reactant

Table 100: Properties of each reactant.		
Id	Name	SBO
Bfa1_Tem1GDP	Bfa1-Tem1GDP	

Product

Table 101: Properties of each product.

Id	Name	SBO
Bfa1P4_Tem1GDP	Bfa1P4-Tem1GDP	

## Kinetic Law

**Derived unit**  $\text{s}^{-1} \cdot \text{mol}$

$$v_{48} = \text{vol}(\text{c2}) \quad (188)$$

$$\cdot \text{Function\_for\_R32\_Phosphorylation\_of\_Bfa1\_Tem1GDP\_by\_cytosolic\_Kin4}([\text{Bfa1\_Tem1GDP}], \text{kfKin4Cyto}, u)$$

$$\text{Function\_for\_R32\_Phosphorylation\_of\_Bfa1\_Tem1GDP\_by\_cytosolic\_Kin4}([\text{Bfa1\_Tem1GDP}], \text{kfKin4Cyto}, u) = u \cdot \text{kfKin4Cyto} \cdot [\text{Bfa1\_Tem1GDP}] \quad (189)$$

$$\text{Function\_for\_R32\_Phosphorylation\_of\_Bfa1\_Tem1GDP\_by\_cytosolic\_Kin4}([\text{Bfa1\_Tem1GDP}], \text{kfKin4Cyto}, u) = u \cdot \text{kfKin4Cyto} \cdot [\text{Bfa1\_Tem1GDP}] \quad (190)$$

## 10 Derived Rate Equations

When interpreted as an ordinary differential equation framework, this model implies the following set of equations for the rates of change of each species.

### 10.1 Species SPB\_B

**Name** B

**Notes** Binding site for Bfa1 in SPB

**Initial concentration**  $8.33 \cdot 10^{-5} \text{ mol} \cdot \text{l}^{-1}$

This species takes part in nine reactions (as a reactant in [R1](#), [R2](#), [R3](#), [R4](#), [R5](#), [R6](#), [R7](#), [R8](#), [R9](#)).

$$\frac{d}{dt} \text{SPB\_B} = -v_1 - v_2 - v_3 - v_4 - v_5 - v_6 - v_7 - v_8 - v_9 \quad (191)$$

## 10.2 Species SPB\_T

**Name** T

**Notes** Binding site for Tem1 in SPB

**Initial concentration**  $1.66 \cdot 10^{-4} \text{ mol} \cdot \text{l}^{-1}$

This species takes part in two reactions (as a reactant in [R22](#), [R23](#)).

$$\frac{d}{dt} \text{SPB\_T} = -v_{22} - v_{23} \quad (192)$$

## 10.3 Species Bfa1

**Name** Bfa1

**Initial concentration**  $2.03 \cdot 10^{-8} \text{ mol} \cdot \text{l}^{-1}$

This species takes part in six reactions (as a reactant in [R1](#), [R16](#), [R19](#), [R30](#) and as a product in [R33](#), [R36](#)).

$$\frac{d}{dt} \text{Bfa1} = v_{34} + v_{35} - v_1 - v_{16} - v_{19} - v_{33} \quad (193)$$

## 10.4 Species Bfa1P4

**Name** Bfa1P4

**Initial concentration**  $0 \text{ mol} \cdot \text{l}^{-1}$

This species takes part in five reactions (as a reactant in [R2](#), [R17](#), [R20](#), [R33](#) and as a product in [R30](#)).

$$\frac{d}{dt} \text{Bfa1P4} = v_{33} - v_2 - v_{17} - v_{20} - v_{34} \quad (194)$$

## 10.5 Species Bfa1P5

**Name** Bfa1P5

**Initial concentration**  $0 \text{ mol} \cdot \text{l}^{-1}$

This species takes part in four reactions (as a reactant in [R3](#), [R18](#), [R21](#), [R36](#)).

$$\frac{d}{dt} \text{Bfa1P5} = -v_3 - v_{18} - v_{21} - v_{35} \quad (195)$$

## 10.6 Species Tem1GTP

**Name** Tem1GTP

**Initial concentration**  $4.91 \cdot 10^{-8} \text{ mol} \cdot \text{l}^{-1}$

This species takes part in nine reactions (as a reactant in R10, R11, R12, R16, R17, R18, R22, R39 and as a product in R40).

$$\frac{d}{dt} \text{Tem1GTP} = v_{36} - v_{10} - v_{11} - v_{12} - v_{16} - v_{17} - v_{18} - v_{22} - v_{37} \quad (196)$$

## 10.7 Species Tem1GDP

**Name** Tem1GDP

**Initial concentration**  $7.99 \cdot 10^{-9} \text{ mol} \cdot \text{l}^{-1}$

This species takes part in nine reactions (as a reactant in R13, R14, R15, R19, R20, R21, R23, R40 and as a product in R39).

$$\frac{d}{dt} \text{Tem1GDP} = v_{37} - v_{13} - v_{14} - v_{15} - v_{19} - v_{20} - v_{21} - v_{23} - v_{36} \quad (197)$$

## 10.8 Species B\_Bfa1

**Name** B-Bfa1

**Initial concentration**  $8.33 \cdot 10^{-5} \text{ mol} \cdot \text{l}^{-1}$

This species takes part in five reactions (as a reactant in R10, R13, R24, R27 and as a product in R1).

$$\frac{d}{dt} \text{B\_Bfa1} = v_1 - v_{10} - v_{13} - v_{24} - v_{27} \quad (198)$$

## 10.9 Species B\_Bfa1P4

**Name** B-Bfa1P4

**Initial concentration**  $0 \text{ mol} \cdot \text{l}^{-1}$

This species takes part in four reactions (as a reactant in R11, R14 and as a product in R2, R24).

$$\frac{d}{dt} \text{B\_Bfa1P4} = v_2 + v_{24} - v_{11} - v_{14} \quad (199)$$

### 10.10 Species B\_Bfa1P5

**Name** B-Bfa1P5

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in four reactions (as a reactant in [R12](#), [R15](#) and as a product in [R3](#), [R27](#)).

$$\frac{d}{dt}B\_Bfa1P5 = v_3 + v_{27} - v_{12} - v_{15} \quad (200)$$

### 10.11 Species T\_Tem1GTP

**Name** T-Tem1GTP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in three reactions (as a reactant in [R41](#) and as a product in [R22](#), [R42](#)).

$$\frac{d}{dt}T\_Tem1GTP = v_{22} + v_{38} - v_{39} \quad (201)$$

### 10.12 Species T\_Tem1GDP

**Name** T-Tem1GDP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in three reactions (as a reactant in [R42](#) and as a product in [R23](#), [R41](#)).

$$\frac{d}{dt}T\_Tem1GDP = v_{23} + v_{39} - v_{38} \quad (202)$$

### 10.13 Species B\_Bfa1\_Tem1GTP

**Name** B-Bfa1-Tem1GTP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in five reactions (as a reactant in [R25](#), [R28](#), [R46](#) and as a product in [R4](#), [R10](#)).

$$\frac{d}{dt}B\_Bfa1\_Tem1GTP = v_4 + v_{10} - v_{25} - v_{28} - v_{31} \quad (203)$$

### 10.14 Species B\_Bfa1P4\_Tem1GTP

**Name** B-Bfa1P4-Tem1GTP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in four reactions (as a reactant in [R47](#) and as a product in [R5](#), [R11](#), [R25](#)).

$$\frac{d}{dt}B\_Bfa1P4\_Tem1GTP = v_5 + v_{11} + v_{25} - v_{30} \quad (204)$$

### 10.15 Species B\_Bfa1P5\_Tem1GTP

**Name** B-Bfa1P5-Tem1GTP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in four reactions (as a reactant in [R48](#) and as a product in [R6](#), [R12](#), [R28](#)).

$$\frac{d}{dt} \text{B\_Bfa1P5\_Tem1GTP} = v_6 + v_{12} + v_{28} - v_{32} \quad (205)$$

### 10.16 Species B\_Bfa1\_Tem1GDP

**Name** B-Bfa1-Tem1GDP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in five reactions (as a reactant in [R26](#), [R29](#) and as a product in [R7](#), [R13](#), [R46](#)).

$$\frac{d}{dt} \text{B\_Bfa1\_Tem1GDP} = v_7 + v_{13} + v_{31} - v_{26} - v_{29} \quad (206)$$

### 10.17 Species B\_Bfa1P4\_Tem1GDP

**Name** B-Bfa1P4-Tem1GDP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in four reactions (as a product in [R8](#), [R14](#), [R26](#), [R47](#)).

$$\frac{d}{dt} \text{B\_Bfa1P4\_Tem1GDP} = v_8 + v_{14} + v_{26} + v_{30} \quad (207)$$

### 10.18 Species B\_Bfa1P5\_Tem1GDP

**Name** B-Bfa1P5-Tem1GDP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in four reactions (as a product in [R9](#), [R15](#), [R29](#), [R48](#)).

$$\frac{d}{dt} \text{B\_Bfa1P5\_Tem1GDP} = v_9 + v_{15} + v_{29} + v_{32} \quad (208)$$



### 10.19 Species Bfa1\_Tem1GTP

**Name** Bfa1-Tem1GTP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in six reactions (as a reactant in R4, R43, R31 and as a product in R16, R34, R37).

$$\frac{d}{dt}\text{Bfa1\_Tem1GTP} = v_{16} + v_{43} + v_{44} - v_4 - v_{41} - v_{45} \quad (209)$$

### 10.20 Species Bfa1P4\_Tem1GTP

**Name** Bfa1P4-Tem1GTP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in five reactions (as a reactant in R5, R44, R34 and as a product in R17, R31).

$$\frac{d}{dt}\text{Bfa1P4\_Tem1GTP} = v_{17} + v_{45} - v_5 - v_{40} - v_{43} \quad (210)$$

### 10.21 Species Bfa1P5\_Tem1GTP

**Name** Bfa1P5-Tem1GTP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in four reactions (as a reactant in R6, R45, R37 and as a product in R18).

$$\frac{d}{dt}\text{Bfa1P5\_Tem1GTP} = v_{18} - v_6 - v_{42} - v_{44} \quad (211)$$

### 10.22 Species Bfa1\_Tem1GDP

**Name** Bfa1-Tem1GDP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in six reactions (as a reactant in R7, R32 and as a product in R19, R43, R35, R38).

$$\frac{d}{dt}\text{Bfa1\_Tem1GDP} = v_{19} + v_{41} + v_{46} + v_{47} - v_7 - v_{48} \quad (212)$$

### 10.23 Species Bfa1P4\_Tem1GDP

**Name** Bfa1P4-Tem1GDP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in five reactions (as a reactant in R8, R35 and as a product in R20, R44, R32).

$$\frac{d}{dt}\text{Bfa1P4\_Tem1GDP} = v_{20} + v_{40} + v_{48} - v_8 - v_{46} \quad (213)$$

### 10.24 Species Bfa1P5\_Tem1GDP

**Name** Bfa1P5-Tem1GDP

**Initial concentration** 0 mol · l<sup>-1</sup>

This species takes part in four reactions (as a reactant in R9, R38 and as a product in R21, R45).

$$\frac{d}{dt}\text{Bfa1P5\_Tem1GDP} = v_{21} + v_{42} - v_9 - v_{47} \quad (214)$$

### 10.25 Species Active\_Bfa1\_at\_the\_SPB

**Name** Active Bfa1 at the SPB

**Initial concentration** 150.493316085 mol · l<sup>-1</sup>

**Involved in rule** Active\_Bfa1\_at\_the\_SPB

One rule determines the species' quantity.

### 10.26 Species Active\_Bfa1\_at\_the\_Cytosol

**Name** Active Bfa1 at the Cytosol

**Initial concentration** 1222.4947245 mol · l<sup>-1</sup>

**Involved in rule** Active\_Bfa1\_at\_the\_Cytosol

One rule determines the species' quantity.

### 10.27 Species Active\_Tem1\_at\_the\_SPB

**Name** Active Tem1 at the SPB

**Initial concentration** 0 mol · l<sup>-1</sup>

**Involved in rule** Active\_Tem1\_at\_the\_SPB

One rule determines the species' quantity.

### 10.28 Species [Active\\_Tem1\\_in\\_the\\_Cytosol](#)

**Name** Active Tem1 in the Cytosol

**Initial concentration** 2956.8714765 mol · l<sup>-1</sup>

**Involved in rule** [Active\\_Tem1\\_in\\_the\\_Cytosol](#)

One rule determines the species' quantity.

### 10.29 Species [Inactive\\_Bfa1\\_at\\_the\\_SPB](#)

**Name** Inactive Bfa1 at the SPB

**Initial concentration** 0 mol · l<sup>-1</sup>

**Involved in rule** [Inactive\\_Bfa1\\_at\\_the\\_SPB](#)

One rule determines the species' quantity.

### 10.30 Species [Inactive\\_Bfa1\\_in\\_the\\_cytosol](#)

**Name** Inactive Bfa1 in the cytosol

**Initial concentration** 0 mol · l<sup>-1</sup>

**Involved in rule** [Inactive\\_Bfa1\\_in\\_the\\_cytosol](#)

One rule determines the species' quantity.

### 10.31 Species [Inactive\\_Tem1\\_at\\_the\\_SPB](#)

**Name** Inactive Tem1 at the SPB

**Initial concentration** 0 mol · l<sup>-1</sup>

**Involved in rule** [Inactive\\_Tem1\\_at\\_the\\_SPB](#)

One rule determines the species' quantity.

### 10.32 Species [Inactive\\_Tem1\\_in\\_the\\_cytosol](#)

**Name** Inactive Tem1 in the cytosol

**Initial concentration** 481.16910585 mol · l<sup>-1</sup>

**Involved in rule** [Inactive\\_Tem1\\_in\\_the\\_cytosol](#)

One rule determines the species' quantity.

### 10.33 Species [Total\\_Bfa1\\_at\\_the\\_SPB](#)

**Name** Total Bfa1 at the SPB

**Initial concentration** 150.493316085 mol · l<sup>-1</sup>

**Involved in rule** [Total\\_Bfa1\\_at\\_the\\_SPB](#)

One rule determines the species' quantity.

### 10.34 Species [Total\\_Bfa1\\_in\\_the\\_Cytosol](#)

**Name** Total Bfa1 in the Cytosol

**Initial concentration** 1222.4947245 mol · l<sup>-1</sup>

**Involved in rule** [Total\\_Bfa1\\_in\\_the\\_Cytosol](#)

One rule determines the species' quantity.

### 10.35 Species [Total\\_Tem1\\_at\\_the\\_SPB](#)

**Name** Total Tem1 at the SPB

**Initial concentration** 0 mol · l<sup>-1</sup>

**Involved in rule** [Total\\_Tem1\\_at\\_the\\_SPB](#)

One rule determines the species' quantity.

### 10.36 Species [Total\\_Tem1\\_in\\_the\\_Cytosol](#)

**Name** Total Tem1 in the Cytosol

**Initial concentration** 3438.04058235 mol · l<sup>-1</sup>

**Involved in rule** [Total\\_Tem1\\_in\\_the\\_Cytosol](#)

One rule determines the species' quantity.

SBML<sup>2</sup>TeX was developed by Andreas Dräger<sup>a</sup>, Hannes Planatscher<sup>a</sup>, Dieudonné M Wouamba<sup>a</sup>, Adrian Schröder<sup>a</sup>, Michael Hucka<sup>b</sup>, Lukas Endler<sup>c</sup>, Martin Golebiewski<sup>d</sup> and Andreas Zell<sup>a</sup>. Please see <http://www.ra.cs.uni-tuebingen.de/software/SBML2LaTeX> for more information.

<sup>a</sup>Center for Bioinformatics Tübingen (ZBIT), Germany

<sup>b</sup>California Institute of Technology, Beckman Institute BNMC, Pasadena, United States

<sup>c</sup>European Bioinformatics Institute, Wellcome Trust Genome Campus, Hinxton, United Kingdom

<sup>d</sup>EML Research gGmbH, Heidelberg, Germany