

produce the observed LFQPO (Ingram et al. 2009). Because there is a misalignment between the hot accretion flow and the accretion disk, the reflection fraction changes with the hot accretion flow precession. The variation of the reflection fraction with LFQPO phases strongly depends on the inclination angle and the truncated disk radius (You et al. 2020).

In an alternative accretion geometry, the so-called lamppost geometry, a point corona lies above the black hole which illuminates the accretion disk. If the precession of the disk is the proposed mechanism to produce the LFQPO under this accretion geometry (Schnittman et al. 2006), the modulation in the Compton component at high energy band (say, e.g., above 100 keV) is not expected unless the corona is partially obscured by the precessing disk.

Besides, oscillation of the corona has also been proposed to explain the observed LFQPOs (Cabanac et al. 2010). However, the variations of the corona properties such as the electron temperature predicted by this model was not observed. In addition, an increasing trend of the RMS variability with energy relation predicted by this model is not seen either. Our results rule out the oscillation of the corona as the cause of the LFQPOs.

We have also noticed that the Two-Compton Advection Flow (TCAF) is used to explain the X-ray spectral and timing properties of black hole binaries in the hard state. The post-shock region in this model acts as a Compton cloud, and the oscillation of the Compton cloud causes the LFQPO (Chakrabarti et al. 2008). The Keplerian disk is situated outside the shock location and should be very far away from the central black hole (hundreds of r_g) in order to match the observed LFQPO frequency (Debnath et al. 2014). It would be very difficult to produce a strong disk reflection component and the potential oscillation of the Compton cloud further out in such a scenario.

Jet can also act like a corona which produces Compton photons (Markoff et al. 2005). MHD simulations have shown that a precessing jet can be formed and precession of the jet might be responsible for the LFQPO (Liska et al. 2018). Our results are rather consistent with such an idea that the Compton emission from the jet or jet base illuminates the accretion disk and produces the reflection component (e.g. Dauser et al. 2013; Kara et al. 2016). Other proposals which attribute the broadband X-ray LFQPOs as due to processing jet alone (Ma et al. 2020; Ferreira et al. 2022) is not supported by our spectral analysis, as a reflection component with strong effect of reflection fraction is required.

4 CONCLUSION

By performing LFQPO phase-dependent spectral analysis, we found the most varied parameter between the energy spectra corresponding to the peak phase and the trough phase of the black hole LFQPOs is the normalization $norm$ in the Comptonization model we applied, and the second most varied parameter is the reflection fraction \mathcal{R} . Both the Compton and reflection spectral components contribute to the LFQPOs observed in broadband X-rays. In the spectral model applied in our spectral analysis, the difference in the normalization $norm$ represents the variation in the Compton emission component, and the parameter reflection fraction \mathcal{R} serves as an apparent amplification of the incident Compton component into the resulted reflection component, adding additional modulation in the reflection component with the LFQPO phase. Our investigation implies that the original timing signals or beats that are responsible for the LFQPOs lie in the Compton emission component, and the energy-dependent behavior of the LFQPOs at softer energies ($\lesssim 30$ keV) is the result of

the reflection component with a rather large reflection fraction. If the LFQPOs are due to Lense-Thirring precession, the phase information of precession then lies in the Compton component rather than in the reflection component.

ACKNOWLEDGEMENTS

We would like to thank Andrzej Niedzwiecki and Bei You for the helpful discussion about the reflection model. This work was supported in part by the National Natural Science Foundation of China (grant Nos. U1838203). Z.Y. was supported in part by the National Natural Science Foundation of China (grant Nos. U1938114), the Youth Innovation Promotion Association of CAS (id 2020265) and funds for key programs of the Shanghai Astronomical Observatory.

DATA AVAILABILITY

The public data used in this work can be downloaded in the *Insight-HXMT* official website (<http://hxmten.ihep.ac.cn/>)

REFERENCES

- Atri P., et al., 2020, *Monthly Notices of the Royal Astronomical Society*, 493, L81
- Belloni T. M., Motta S. E., 2016, *arXiv*, 440, 61
- Buisson D. J. K., et al., 2019, *Monthly Notices of the Royal Astronomical Society*, 490, 1350
- Cabanac C., Henri G., Petrucci P.-O., Malzac J., Ferreira J., Belloni T. M., 2010, *Monthly Notices of the Royal Astronomical Society*, 404, 738
- Casella P., Belloni T., Homan J., Stella L., 2004, *Astronomy & Astrophysics*, 426, 587
- Chakrabarti S. K., Debnath D., Nandi A., Pal P. S., 2008, *Astronomy & Astrophysics*, 489, L41
- Dauser T., Garcia J., Wilms J., Böck M., Brenneman L. W., Falanga M., Fukumura K., Reynolds C. S., 2013, *Monthly Notices of the Royal Astronomical Society*, 430, 1694
- Debnath D., Chakrabarti S. K., Mondal S., 2014, *Monthly Notices of the Royal Astronomical Society: Letters*, 440, L121
- Done C., Gierlinski M., Kubota A., 2007, *The Astronomy and Astrophysics Review*, 15, 1
- Dziela M. A., Zdziarski A. A., Szanecki M., De Marco B., Niedzwiecki A., Markowitz A., 2019, *Monthly Notices of the Royal Astronomical Society*, 485, 3845
- Esin A. A., McClintock J. E., Narayan R., 1997, *The Astrophysical Journal*, 489, 865
- Fabian A. C., Ross R. R., 2010, *Space science reviews*, 157, 167
- Ferreira J., et al., 2022, *Astronomy & Astrophysics*, 660, A66
- Foreman-Mackey D., Hogg D. W., Lang D., Goodman J., 2013, *Publications of the Astronomical Society of the Pacific*, 125, 306
- Garcia J., Kallman T. R., 2010, *The Astrophysical Journal*, 718, 695
- Huang Y., et al., 2018, *The Astrophysical Journal*, 866, 122
- Ingram A. R., Motta S. E., 2019, *New Astronomy Reviews*, 85, 101524
- Ingram A., van der Klis M., 2015, *Monthly Notices of the Royal Astronomical Society*, 446, 3516
- Ingram A., Done C., Fragile P. C., 2009, *Monthly Notices of the Royal Astronomical Society: Letters*, 397, L101
- Ingram A., van der Klis M., Middleton M., Done C., Altamirano D., Heil L., Uttley P., Axelsson M., 2016, *Monthly Notices of the Royal Astronomical Society*, 461, 1967
- Ingram A., van der Klis M., Middleton M., Altamirano D., Uttley P., 2017, *Monthly Notices of the Royal Astronomical Society*, 464, 2979
- Kara E., Miller J. M., Reynolds C., Dai L., 2016, *Nature*, 535, 388
- Kara E., et al., 2019, *Nature*, 565, 198