

NOTES:

- 1. REFER TO APPLICABLE SYMBOL LIST.
- 2. DIMENSIONING AND TOLERANCING PER ANSI Y14.5M 1982.
- 3. TAB CONTOUR OPTIONAL WITHIN DIMENSIONS E & ZONE L₂.
- 4. DIMENSIONS b, b₁ AND c APPLY TO BASE METAL ONLY. DIMENSIONS b₂, c₂ & M APPLIES TO PLATING THICKNESS.
- 5. CONTROLLING DIMENSION: INCH.

		VAF	RIATIONS	(ALL DIM S	HOWN	IN INCH	ES)	
		AA	- <u>-</u>					
	MIN	NOM	MAX					
Α	.160	.175	.190					
A_1	.080	.095	.110				- 1	
b	.025	.030	.035	4				
b_1	.045	.050	.055	4				
b_2	.025		.039	4				
С	.018	.022	.025	4				
c_1	.045	.050	.055					j
c_2	.018		.029	4			}	
D	.340	.360	.380					ļ
E	.380	.395	.405	3			i	
e		.100 BSC						
L	.500	.540	.580					
L_1			.130					
L_2			.055	3				
M			.002	4				
			ļ					
NOTE	1, 2, 5							•
REF.	10-288							
ISSUE	A							***
		T	ITLE:	•	ISSUE	DATE:		SHEET
JEDEC			FLANGE-MOUNTED					2
SOLID STATE PRODUCT				R FAMILY	Α	6-90	TO-262	of
OUTLINES					``		202	3
30	,							

NOTES:

- 1. REFER TO APPLICABLE SYMBOL LIST.
- 2. DIMENSIONING AND TOLERANCING PER ANSI Y14.5M 1982.
- 3. TAB CONTOUR OPTIONAL WITHIN DIMENSIONS E & ZONE L₂.
- 4. DIMENSIONS b, b₁ AND c APPLY TO BASE METAL ONLY. DIMENSIONS b₂, c₂ & M APPLIES TO PLATING THICKNESS.
- 5. CONTROLLING DIMENSION: INCH.

			<u>HATIONS</u>	(ALL DI	<u>M S</u>	HOWN	IN MILL	IMETERS)	
	LACTAT	AA	1 3 6 4 3 6	<u> </u>	<u> </u>	1			
	MIN	NOM	MAX		-				
	4.06								ł
A	4.06	4.44	4.83		1				
A ₁	2.03	2.41	2.79						i
b	0.64	.076	0.88	4					
b ₁	1.14	1.27	1.40	4					
b ₂	0.64		0.99	4					
c	0.46	0.56	0.64	4					
c_1	1.14	1.27	1.40						
c_2	0.46		0.74	4					
D	8.64	9.14	9.65						
E	9.65	10.03	10.29	3					
e	2.54 BSC								
L	12.70	13.82	14.73						
L_1			3.30						
L_2			1.40	3					
M			0.05	4		1			
					! !	İ			
NOTE	TE 1, 2, 5								
REF.	10-288								
ISSUE	Α								
TITLE:						ISSUE	DATE:		SHEET
JEDEC FLANGE-1			-MOUNT	ED				3	
			HEADER			A	6-90	TO-262	of
OUTLINES					1	, A.	0-70	10-202	3
00.)