

SEE FIGURE 1, PAGE2
FOR BOTTOM VIEWS DEFINING
EXPOSED-PAD & NON-EXPOSED PAD VARIATIONS

| JEDEC SOLID STATE PRODUCT OUTLINES | AND REFLECTS |) <i>OUTLINE</i> HAS BEEN PR A PRODUCT WITH ANTI NGES ARE LIKELY TO | CIPATED | | | |
|--|--------------|---|---------|------|----------|-------|
| THIN PROFIL | E, 3 LEAD | PACKAGE DESIGNATOR | ISSUE | DATE | | SHEET |
| DIACTIC CMAL | I DUTUTNE | | I — | | I TO 270 | |


PLASTIC SMALL DUTLINE, SURFACE MOUNT

T-PSOF-3

B | NOV 06 |

TD-278


1 DF 7




Exposed Pad (VARIATIONS BA, BB, BC)

FIGURE 1

| JEDEC | THIN PROFILE, 3 LEAD | ISSUE | DATE | | SHEET |
|------------------------------|---|-------|--------|--------|--------|
| SOLID STATE PRODUCT OUTLINES | PLASTIC SMALL DUTLINE, SURFACE MDUNT | В | N□V 06 | TD-278 | 2 OF 7 |





Section A-A

Section B-B

| IFDEC | THIN PROFILE, 3 LEAD | ISSUE | DATE | | CHEET |
|------------------|----------------------|-------|--------|---------|--------|
| SULID STATE | • | 13300 |] 52 | | SIILLI |
| 00L1D 01111L | , | I B | NDV 06 | 117-5/8 | 3 DF 7 |
| PRODUCT OUTLINES | SURFACE MOUNT | | | | |

| | | | | \ | /ARIAT | IDNS | - STA | NDARD | | | | |
|-------|------|-------------|------|------|--------|-------------|-------|-------|------|-------------|------|------|
| | | Α | A | | | А | В | | | A | AC . | |
| | Min | Nom | Max | Note | Min | Nom | Max | Note | Min | Nom | Max | Note |
| А | 0.90 | 1.00 | 1.10 | | 0.90 | 1.00 | 1.10 | | 0.90 | 1.00 | 1.10 | |
| b | 0.35 | _ | 0.65 | 4 | 0.55 | _ | 0,85 | 4 | 0.25 | _ | 0.55 | 4 |
| b1 | 0.35 | _ | 0.55 | 4 | 0.55 | _ | 0.75 | 4 | 0.25 | _ | 0.45 | 4 |
| b3 | 1.95 | _ | 2.10 | 4 | 2.90 | _ | 3.10 | 4 | 1.25 | _ | 1.55 | 4 |
| b4 | 1.95 | 2.05 | 2.20 | 4 | 2.90 | 3.00 | 3,20 | 4 | 1.25 | 1,50 | 1.65 | 4 |
| C | 0.15 | _ | 0.40 | 4 | 0.15 | _ | 0.40 | 4 | 0.15 | _ | 0.40 | 4 |
| ⊂1 | 0.15 | 0.20 | 0.30 | 4 | 0.15 | 0.20 | 0.30 | 4 | 0.15 | 0.20 | 0.30 | 4 |
| D | 3.30 | 3.75 | 3,95 | 3 | 5,55 | 5,65 | 6,25 | 3 | 2.25 | 2,80 | 2.95 | 3 |
| E | 5.10 | 5,50 | 5,60 | | 7.75 | 7,90 | 8.15 | | 4.80 | 5,20 | 5,60 | |
| E1 | 4.05 | 4.30 | 4.60 | 3 | 6,60 | 6.70 | 7.15 | 3 | 3.95 | 4.15 | 4.60 | 3 |
| L | 0.75 | 1.00 | 1.50 | | 0.75 | 1.15 | 1,50 | | 0.75 | 1.00 | 1,50 | |
| L1 | 0.00 | | | | 0.00 | | | | 0.00 | | | |
| 6 | | 1.60 BSC | | | | 2,35 BSC | | | | 1.15 BSC | | |
| | | | | | | | | | | | | |
| Note | | | | | | | | | | | | |
| Ref. | 10- | -441 | | | 10 |)-441 | | | | 10-441 | | |
| Issue | | В | | | | В | | | | В | | |

| JEDEC | T T | HIN PRE | OFILE, 3 LE <i>i</i> | ISSUE | DATE | SHEET |
|-------|-----|---------|----------------------|-----------|------|-------|

| | | | | VA | RIATI | JNS - | EXPO | SED PA | 4D | | | |
|-------|------|-------------|------|------|-------|-------------|------|--------|------|-------------|------|------|
| | | В | A | | | В | В | | | Е | 3C | |
| | Min | Nom | Max | Note | Min | Nom | Max | Note | Min | Nom | Max | Note |
| А | 0.90 | 1.00 | 1.10 | | 0.90 | 1.00 | 1.10 | | 0.90 | 1.00 | 1.10 | |
| b | 0.35 | _ | 0.65 | 4 | 0,55 | _ | 0,85 | 4 | 0.25 | _ | 0.55 | 4 |
| b1 | 0.35 | _ | 0,55 | 4 | 0,55 | _ | 0,75 | 4 | 0.25 | _ | 0.45 | 4 |
| b2 | 2,50 | 2,85 | 3,20 | | 4.15 | 4.65 | 5,15 | | 1.55 | 1.90 | 2,25 | |
| b3 | 1.95 | _ | 2.10 | 4 | 2.90 | _ | 3.10 | 4 | 1.25 | _ | 1.55 | 4 |
| b4 | 1.95 | 2.05 | 2,20 | 4 | 2.90 | 3.00 | 3,20 | 4 | 1.25 | 1,50 | 1.65 | 4 |
| | 0.15 | _ | 0.40 | 4 | 0.15 | _ | 0.40 | 4 | 0.15 | _ | 0.40 | 4 |
| ⊂1 | 0.15 | 0.20 | 0.30 | 4 | 0.15 | 0.20 | 0.30 | 4 | 0.15 | 0.20 | 0.30 | 4 |
| D | 3,30 | 3.75 | 3,95 | 3 | 5.55 | 5,65 | 6,25 | 3 | 2.25 | 2,80 | 2,95 | 3 |
| E | 5.10 | 5,50 | 5,60 | | 7.75 | 7,90 | 8,15 | | 4.80 | 5,20 | 5,60 | |
| E1 | 4.05 | 4.30 | 4.60 | 3 | 6,60 | 6.70 | 7,15 | 3 | 3.95 | 4.15 | 4.60 | 3 |
| L | 0.75 | 1.00 | 1.50 | | 0.75 | 1.15 | 1,50 | | 0.75 | 1.00 | 1.50 | |
| L1 | 0.00 | | | | 0.00 | | | | 0.00 | | | |
| L2 | 3.00 | 3,20 | 3,40 | | 5.05 | 5,55 | 6.05 | | 2.30 | 2.70 | 3.10 | |
| е | | 1.60 BSC | | | | 2,35 BSC | | | | 1.15 BSC | | |
| | | | | | | | | | | | | |
| Note | | | | | | | | | | | | |
| Ref. | 10- | -441 | | | 10 |)-441 | | | | 10-441 | | |
| Issue | | В | | | | В | | | | В | | |

| | JEDEC THIN PROFILE, 3 LEAD ISSUE DATE SHEET SOLID STATE PLASTIC SMALL DUTLINE, B NOV 06 TO-278 5 OF 7 | | | | |
|---|---|------|------|------|------|
| THIN PORTIES OF EAD TROUBLE DATE. | SOLID STATE BLASTIC SMALL BUILDING D TO 370 | | | | |
| IEDEC TUIN DOUGLE OF EAD TOOLIE DATE TO LIE | SULTD STATE BLASTIC SMALL BUILDING THE 370 | | | | |

NOTES:

- 1 Dimensioning and Tolerancing per ASME Y14.5M-1994
- 2 All dimensions in millimeters



Dimensions D and E1 do not include mold flash Mold flash shall not exceed 0.13mm per side



Dimensions b1, b3 & c1 apply to base metal only Dimensions b, b4 and c apply to plated leads

5 - STMicroelectronics Inc. has applied for patents that may apply to this registration. If these patents or later patents resulting from related applications do apply, this company intends to comply with the JEDEC patent policy.

| JE: | DEC |
|---------|----------|
| SOLID | STATE |
| PRIDUCT | DUTLINES |

Change Record

If the change involves any words added or deleted (excluding deletion of accidentally repeated words), the change is to be included below. Punctuation changes may or may not be included.

| nitial Issue: A Date: | May 2006 | JC 11 Item Number :10-438 |
|--------------------------------|-------------------|---|
| | , | |
| <u> </u> | | |
| | Change Record His | tory |
| | - | - |
| ssue: B | Date : N□V 2006 | Item Number: 11.10-441 |
| | | |
| cation | Changed from: | Changed to: |
| Page 2 | | Moved Callout for Basic Din "e/2" because alignment of leaders with other Dims leaders caused confusion. Changed Centr Line of small lead in Exposed Pad variation to proper line style. |
| Pages 4 & 5: All Variations | | Reversed values between "b3" & "b4" to correct error in original release. |
| 5SUE: | Date : | Item Number |
| cation | Changed from: | Changed to: |
| Ca tion | Changea III on | Changea to |
| | | |
| ssue: | Date : | Item Number |
| ocation | Changed from: | Changed to: |
| | | |

PLASTIC SMALL DUTLINE,

SURFACE MOUNT

B

SOLID STATE

PRODUCT OUTLINES