Networking Group

Request for Comments: 240

NIC #7665

Categories: F, G.3 Updates: none

Obsoletes: RFC 235

A. McKenzie BBN 30 September 1971 Rand 50ctu

SITE STATUS

Due to extensive typographic errors in RFC #235, I have decided to reissue the first of our experimental site status reports.

In compiling RFC #235, I followed the principle that timeliness was somewhat more important than extremely careful editing; this seemed to me to be in keeping with the original RFC philosophy. I am sorry for any embarrassment this may have caused to anyone associated with the Network, and accept full responsibility for the content of RFC #235. I will try to do a better job in the future.

Alex McKenzie

SITE STATUS

Beginning with this RFC, BBN will report on the status of most Network Hosts approximately once every two weeks. The information for these reports will be gained from talking to people at each site, and from experimental "data". These data will be the results of daily attempts to log into each of the Hosts which might be accessible to a Network user; the attempts will have been made from the BBN prototype Terminal IMP at a random time each weekday.

Several Hosts are currently excluded from the daily testing. These Hosts fall into two categories:

1) Hosts which are note expected to be functioning on the Network as servers (available for use from other sites) for at least a month. Included here are:

Network Address	Site	Computer
71	Rand	PDP-10
74	Lincoln	TX2
11	Stanford	PDP-10

13	Case	PDP-10
14	Carnegie	PDP-10
15	Paoli	B6500

2) Hosts which are currently intended to be users only. Included here are the Terminal IMPs presently in the Network (AMES, MITRE, and BBN[1]). This category also includes the Network Control Center computer (Network Address 5) which is use solely for gathering statistics from the Network. Finally, included among these Hosts are the following:

Network Address	Site	Computer
7	Rand	IBM-360/65
73	Harvard	PDP-1
12	Illinois	PDP-11

The tables on the next two pages condense the information on Host status for September 13 through September 24.

IED
stel
Wolf Melvin Maiten Mite
Wessler McKenzie Urphy
Padlipsky Tessler Harslem
larslem ong undberg
undberg Vinnet arkalow
Moorer Cravits es Rose anZoeren Cravits

16 17 30	AMES MITRE BBN	TIP TIP TIP	Installed Installed Prototype	
NETWORK ADDRESS 1 65[2] 2 66 3 4 69 6 70 8 9 10	UCLA UCLA SRI(NIC) SRI(AI) UCSB UTAH BBN MIT(Multi MIT(DM) SDC HARVARD LINCOLN	SIGMA-7 IBM 360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 cs) H-645 PDP-10 IBM-360/67 PDP-10 IBM-360/67	DATE AND TIME (P.M.) 9/13 9/14 9/15 9/16 9/17 9/20 4:30 3:30 6:00 10:30 1:30 12:30 0 0 0 D D D 0 0 0 D D D D D D D D D D D D D D D D D D D O O O O)
NETWORK ADDRESS	SITE	COMPUTER	DATE AND TIME (P.M.) 9/21 9/22 9/23 9/24 4:30 3:30 2:00 5:00	
1 65[2] 2 66 3 4 69 6 70 8 9	UCLA UCLA SRI(NIC) SRI(AI) UCSB UTAH BBN MIT(Multi MIT(DM) SDC HARVARD LINCOLN	SIGMA-7 IBM 360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 Cs) H-645 PDP-10 IBM-360/67 PDP-10	0 D T 0 0 0 0 0 D D D D D D D D 0 0 0 0 D D D D 0 1/2 0 0 0 1/2 0 T T R 1/2 0 0 D D D D D D	

where

- D = Dead. (Destination Host either dead orinaccessible (due to network partitioning or local IMP failure) from the BBN Terminal IMP).
- R = Refused. (Destination Host returned a CLS to the initial RFC.) T = Timed Out. (Destination Host did not respond in any way to the initial RFC. although not dead.)
- initial RFC, although not dead.)

 1/2 0 = 1/2 Open. (Destination Host opened a connection but then either immediately close it, or did not respond any further.)

Endnotes

- [1] The BBN Terminal IMP (Network Address 158) is a prototype, and as such is frequently not connected to the Network, but being used to refine and debug the Terminal IMP programs.
- [2] The UCLA IBM-360 is at the moment only able to handle Remote Job Service. BBN is not equipped to test this, but is assuming that receipt of their canned message indicates that RJS is also functioning.

[This RFC was put into machine readable form for entry]
 [into the online RFC archives by Roy Zimmer 9/97]