# aircraft

# Tight Rope v0.6

## 4th December 2015

# 1 ID Files

## 1.1 MissionIds

 ${\bf section}\ {\it MissionIds}\ {\bf parents}\ {\it scj\_prelude}, {\it MissionId}$ 

$$\label{lem:main_main} \begin{split} & \textit{MainMissionID}: \textit{MissionID} \\ & \textit{TakeOffMissionID}: \textit{MissionID} \\ & \textit{CruiseMissionID}: \textit{MissionID} \\ & \textit{LandMissionID}: \textit{MissionID} \end{split}$$

 $distinct \langle null Mission Id, Main Mission ID, Take Off Mission ID, Cruise Mission ID, Land Mission ID \rangle$ 

### 1.2 SchedulablesIds

 ${f section}\ Schedulable Ids\ {f parents}\ scj\_prelude, Schedulable Id$ 

 $\begin{tabular}{ll} MainMissionSequencerID: SchedulableID\\ ACModeChangerID: SchedulableID\\ EnvironmentMonitorID: SchedulableID\\ ControlHandlerID: SchedulableID\\ FlightSensorsMonitorID: SchedulableID\\ CommunicationsHandlerID: SchedulableID\\ AperiodicSimulatorID: SchedulableID\\ \end{tabular}$ 

Landing Gear Handler Take Off ID: Schedulable ID

 $Take Off Monitor ID: Schedulable ID \\ Take Off Failure Handler ID: Schedulable ID \\ Begin Landing Handler ID: Schedulable ID \\ Navigation Monitor ID: Schedulable ID \\ Ground Distance Monitor ID: Schedulable ID \\ Landing Gear Handler Land ID: Schedulable ID \\$ 

Instrument Landing System Monitor ID: Schedulable ID

Safe Landing Handler ID: Schedulable ID

 $distinct \langle null Sequencer Id, null Schedulable Id, Main Mission Sequencer ID,$ 

ACModeChangerID, EnvironmentMonitorID,

ControlHandlerID, FlightSensorsMonitorID,

Communications Handler ID, Aperiodic Simulator ID,

 $Landing Gear Handler Take Of FID,\ Take Off Monitor ID,$ 

Take Off Failure Handler ID, Begin Landing Handler ID,

Navigation Monitor ID, Ground Distance Monitor ID,

Landing Gear Handler Land ID, Instrument Landing System Monitor ID,

 $SafeLandingHandlerID \rangle$ 

#### 1.3 ThreadIds

#### $section ThreadIds parents scj\_prelude, GlobalTypes$

 $Safe Landing Handler Thread ID: Thread ID \\ ACMode Changer Thread ID: Thread ID \\ Take Off Failure Handler Thread ID: Thread ID$ 

 $Instrument Landing System Monitor Thread ID:\ Thread ID$ 

 $Flight Sensors Monitor Thread ID: Thread ID \\ Take Off Monitor Thread ID: Thread ID \\ Aperiodic Simulator Thread ID: Thread ID \\ Landing Gear Handler Land Thread ID: Thread ID \\ Landing Gear Handler Take Off Thread ID: Thread ID \\ Landing Gear Handler Take Off Thread ID: Thread ID \\ Landing Gear Handler Take Off Thread ID: Thread ID \\ Landing Gear Handler Take Off Thread ID \\ Landing Gear Handler Thread ID \\ Landing Gear Handler$ 

 $\label{lem:control} Ground Distance Monitor Thread ID: Thread ID: Thread ID: Thread ID: Thread ID$ 

 $Communications Handler Thread ID: Thread ID\\ Begin Landing Handler Thread ID: Thread ID\\ Navigation Monitor Thread ID: Thread ID\\ Environment Monitor Thread ID: Thread ID$ 

 $distinct \langle SafeletThreadId, nullThreadId,$ 

Safe Landing Handler Thread ID, ACMode Changer Thread ID,

Take Off Failure Handler Thread ID, Instrument Landing System Monitor Thread ID,

FlightSensorsMonitorThreadID, TakeOffMonitorThreadID,

Aperiodic Simulator Thread ID, Landing Gear Handler Land Thread ID,

 $Landing Gear Handler Take Off Thread ID, \ Ground Distance Monitor Thread ID,$ 

ControlHandlerThreadID, CommunicationsHandlerThreadID,

BeginLandingHandlerThreadID, NavigationMonitorThreadID,

EnvironmentMonitorThreadID

### 1.4 ObjectIds

#### **section** ObjectIds **parents** scj\_prelude, GlobalTypes

ACSafeletObjectID: ObjectID
MainMissionObjectID: ObjectID
ACModeChangerObjectID: ObjectID
EnvironmentMonitorObjectID: ObjectID
ControlHandlerObjectID: ObjectID
FlightSensorsMonitorObjectID: ObjectID
CommunicationsHandlerObjectID: ObjectID
AperiodicSimulatorObjectID: ObjectID
TakeOffMissionObjectID: ObjectID

Landing Gear Handler Take Off Object ID: Object ID

TakeOffMonitorObjectID : ObjectID
TakeOffFailureHandlerObjectID : ObjectID
CruiseMissionObjectID : ObjectID
BeginLandingHandlerObjectID : ObjectID

 $Navigation Monitor Object ID:\ Object ID$ 

 $Land Mission Object ID:\ Object ID$ 

 $\label{lem:condition} Ground Distance Monitor Object ID: Object ID \\ Landing Gear Handler Land Object ID: Object ID \\$ 

In strument Landing System Monitor Object ID: Object ID

Safe Landing Handler Object ID: Object ID

 $\label{eq:control} distinct \langle ACSafelet Object ID, Main Mission Object ID, \\ ACMode Changer Object ID, Environment Monitor Object ID, \\ Control Handler Object ID, Flight Sensors Monitor Object ID, \\ Communications Handler Object ID, Aperiodic Simulator Object ID, \\ Take Off Mission Object ID, Landing Gear Handler Take Off Object ID, \\ Take Off Monitor Object ID, Take Off Failure Handler Object ID, \\ Cruise Mission Object ID, Begin Landing Handler Object ID, \\ Navigation Monitor Object ID, Land Mission Object ID, \\ Ground Distance Monitor Object ID, Landing Gear Handler Land Object ID, \\ Instrument Landing System Monitor Object ID, Safe Landing Handler Object ID) \\$ 

## 2 Network

```
section NetworkChannels parents scj_prelude, MissionId, MissionIds,
         Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Chan, Top Level Mission Sequencer FWChan,
         Framework Chan, Safelet Chan
channelset \ TerminateSync ==
         \{ schedulables\_terminated, schedulables\_stopped, get\_activeSchedulables \} \}
channelset ControlTierSync ==
         \{ | start\_toplevel\_sequencer, done\_toplevel\_sequencer, done\_safeletFW \} 
{\bf channel set} \ \mathit{TierSync} = =
         \{| start\_mission., done\_mission., \}
         done\_safeletFW, done\_toplevel\_sequencer }
channelset MissionSync ==
         \{|done\_safeletFW, done\_toplevel\_sequencer, register, \}
signal Termination Call, signal Termination Ret, activate\_schedulables, done\_schedulable,
cleanupSchedulableCall, cleanupSchedulableRet
channelset SchedulablesSync ==
         \{|activate\_schedulables, done\_safeletFW, done\_toplevel\_sequencer|\}
channelset ClusterSync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW|\}
channelset AppSync ==
         \bigcup \{SafeltAppSync, MissionSequencerAppSync, MissionAppSync, \}
         MTAppSync, OSEHSync, APEHSync,
         \{|getSequencer, end\_mission\_app, end\_managedThread\_app, | end\_managed
         set Ceiling Priority, request Termination Call, request Termination Ret, termination Pending Call,
         terminationPendingRet, handleAsyncEventCall, handleAsyncEventRet \}
channelset ObjectSync ==
         \{ \mid \}
{f channel set} \ \mathit{ThreadSync} ==
         \{ \mid \mid \}
channelset \ LockingSync ==
         \{ lockAcquired, startSyncMeth, endSyncMeth, waitCall, waitRet, notify \} 
channelset Tier0Sync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW,
start_mission., done_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..
```

```
section Program parents scj_prelude, MissionId, MissionIds,
           SchedulableId, SchedulableIds, MissionChan, SchedulableMethChan, MissionFW,
           SafeletFW, TopLevelMissionSequencerFW, NetworkChannels, ManagedThreadFW,
           Schedulable Mission Sequencer FW, Periodic Event Handler FW, One Shot Event Handler FW,
                                                                  AperiodicEventHandlerFW, ObjectFW, ThreadFW,
<<<<< HEAD
           ACSafeletApp, MainMissionSequencerApp, =======
                                                                                                                                                                                  Aperiodic Event Handler FW, ACS af elet App, Main Mission Approximation for the following property of the following prop
           ObjectFW, ThreadFW,
                                                                                       >>>>> fixThreadIds <<<<< HEAD ======>>>>> fixThreadIdsMax
           =======,>>>>> fix ThreadIdsCommunicationsHandlerApp <<<<<HEAD, =======,>>>>>>
           ======,>>>>> fix ThreadIds Aperiodic Simulator App <<<<< HEAD ======>>>>> fix ThreadIds Aperiodic Simulator App
                  ======,>>>>> fix Thread Ids Take Off Monitor App <<<<< HEAD ======>>>>> fix Thread Ids Take Off Monitor App <<<< The contract of the property of the propert
           =====>>>>>> fix ThreadIds, <<<<<HEAD======>>>>> fix ThreadIds Land MissionApp, ThreadIds Land 
           =======,>>>>> fix ThreadIdsInstrumentLandingSystemMonitorApp <<<<<< HEAD ======>>>
process ControlTier \stackrel{\frown}{=}
      SafeletFW
                  [ControlTierSync]
      TopLevel Mission Sequencer FW (Main Mission Sequencer)
process Tier0 =
      MissionFW(MainMissionID)
                 [MissionSync]
            Schedulable Mission Sequencer FW(ACMode Changer ID)
                       [SchedulablesSync]
                   AperiodicEventHandlerFW(ControlHandlerID,(time(10,0),null))
                             [SchedulablesSync]
                   Aperiodic Event Handler FW (Communications Handler ID, (NULL, null Schedulable Id))
                       [SchedulablesSync]
                   PeriodicEventHandlerFW (EnvironmentMonitorID, (time(10,0), NULL, NULL, nullSchedulableId))
                             [SchedulablesSync]
                  Periodic Event Handler FW (Flight Sensors Monitor ID, (time (10,0), NULL, NULL, null Schedulable Id))
                             [SchedulablesSync]
                   PeriodicEventHandlerFW(AperiodicSimulatorID, (time (10,0), NULL, NULL, nullSchedulableId))
process Tier1 =
      MissionFW(TakeOffMissionID)
                  [MissionSync]
                  Aperiodic Event Handler FW (Landing Gear Handler Take Off ID, (NULL, null Schedulable Id))
                             [SchedulablesSync]
                   Aperiodic Event Handler FW (Take Off Failure Handler ID, (NULL, null Schedulable Id))
                       [SchedulablesSync]
            PeriodicEventHandlerFW(TakeOffMonitorID, (time(0,0), time(500,0), NULL, nullSchedulableId))
            [ClusterSync]
      MissionFW(CruiseMissionID)
                  [MissionSync]
            Aperiodic Event Handler FW (Begin Landing Handler ID, (NULL, null Schedulable Id))
                       [SchedulablesSync]
            PeriodicEventHandlerFW(NavigationMonitorID, (time(0,0), time(10,0), NULL, nullSchedulableId))
            [ClusterSync]
      MissionFW(LandMissionID)
                  [MissionSync]
                  Aperiodic Event Handler FW (Landing Gear Handler Land ID, (NULL, null Schedulable Id))
                             [SchedulablesSync]
                  Aperiodic Event Handler FW (Safe Landing Handler ID, (NULL, null Schedulable Id))
                       [SchedulablesSync]
                   Periodic Event Handler FW (Ground Distance Monitor ID, (time (0,0), time (10,0), NULL, null Schedulable Id))
                             [SchedulablesSync]
                   Periodic Event Handler FW (Instrument Landing System Monitor ID, (time (0,0), time (10,0), NULL, null Schedulable Id)
```

```
\mathbf{process} \, \mathit{Framework} \, \, \widehat{=} \,
  ControlTier
      [\![\mathit{TierSync}]\!]
        [Tier0Sync]
\mathbf{process} Application \cong
  ACS a felet App
  Main Mission Sequencer App
  MainMissionApp
  ACModeChangerApp(MainMissionID)
  Control Handler App \\
  Communications Handler App
  EnvironmentMonitorApp(MainMissionID)
  FlightSensorsMonitorApp(MainMissionID)
  AperiodicSimulatorApp(controlHandlerID)
  Take Off Mission App
  Landing Gear Handler Take Off App (\ Take Off Mission ID)
  {\it Take Off Failure Handler App (Take Off Mission ID, 10.0)}
  Take Off Monitor App(Take Off Mission ID, 10.0, landing Gear Handler ID)
  Cruise Mission App
  BeginLandingHandlerApp(CruiseMissionID)
  NavigationMonitorApp(CruiseMissionID)
  Land Mission App
  Landing Gear Handler Land App (Land Mission ID)
  SafeLandingHandlerApp(LandMissionID, 10.0)
  GroundDistanceMonitorApp(LandMissionID)
 InstrumentLandingSystemMonitorApp(LandMissionID)
```

```
iiiiiii HEAD ====== ¿¿¿¿¿¿ fixThreadIds
   Threads \mathrel{\widehat{=}}
     ThreadFW(SafeLandingHandlerThreadID, 5)
         [ThreadSync]
     ThreadFW(ACModeChangerThreadID, 5)
         [ThreadSync]
     ThreadFW ( Take Off Failure Handler Thread ID, 5)
         [ThreadSync]
     ThreadFW (InstrumentLandingSystemMonitorThreadID, 5)
         [ThreadSync]
     ThreadFW(FlightSensorsMonitorThreadID, 5)
         [ThreadSync]
     ThreadFW(TakeOffMonitorThreadID, 5)
         [\![\![ ThreadSync]\!]\!]
     ThreadFW(AperiodicSimulatorThreadID, 5)
         \llbracket \mathit{ThreadSync} \rrbracket
     ThreadFW(LandingGear Handler LandThread ID, 5)
         [ThreadSync]
     ThreadFW(LandingGear Handler Take Off Thread ID, 5)
         [ThreadSync]
     ThreadFW(GroundDistanceMonitorThreadID, 5)
         [ThreadSync]
     ThreadFW(ControlHandlerThreadID, 5)
         [ThreadSync]
     ThreadFW(CommunicationsHandlerThreadID, 5)
         [ThreadSync]
     ThreadFW(BeginLandingHandlerThreadID, 5)
         [ThreadSync]
     ThreadFW (Navigation Monitor Thread ID, 5)
         [ThreadSync]
```

ThreadFW(EnvironmentMonitorThreadID, 5)

```
Objects =
  ObjectFW(ACSafeletObjectID)
     [ObjectSync]
  ObjectFW(MainMissionObjectID)
     [ObjectSync]
  ObjectFW(ACModeChangerObjectID)
     [ObjectSync]
  ObjectFW(EnvironmentMonitorObjectID)
     [ObjectSync]
  ObjectFW(ControlHandlerObjectID)
     [ObjectSync]
  ObjectFW(FlightSensorsMonitorObjectID)
     [ObjectSync]
  ObjectFW(CommunicationsHandlerObjectID)
     [ObjectSync]
  ObjectFW(AperiodicSimulatorObjectID)
     [ObjectSync]
  ObjectFW(TakeOffMissionObjectID)
     [ObjectSync]
  ObjectFW(LandingGearHandlerTakeOffObjectID)
     [ObjectSync]
  ObjectFW(TakeOffMonitorObjectID)
     [ObjectSync]
  ObjectFW(TakeOffFailureHandlerObjectID)
     [ObjectSync]
  ObjectFW(CruiseMissionObjectID)
     [ObjectSync]
  ObjectFW(BeginLandingHandlerObjectID)
     [ObjectSync]
  ObjectFW(NavigationMonitorObjectID)
     [ObjectSync]
  ObjectFW(LandMissionObjectID)
     [ObjectSync]
  ObjectFW(GroundDistanceMonitorObjectID)
     [ObjectSync]
  ObjectFW(LandingGearHandlerLandObjectID)
     [ObjectSync]
  ObjectFW(InstrumentLandingSystemMonitorObjectID)
     [ObjectSync]
  ObjectFW(SafeLandingHandlerObjectID)
```

 $Locking \stackrel{\frown}{=} Threads \parallel \mid Objects$ 

 $\mathbf{process} \ Program \ \widehat{=} \ (Framework \ \llbracket \ AppSync \ \rrbracket \ Application) \ \llbracket \ LockingSync \ \rrbracket \ LockingSync \ \rrbracket$ 

# 3 Safelet

 ${\bf section}\ ACS a felet App\ {\bf parents}\ scj\_prelude, Schedulable Id, Schedulable Ids, Safelet Chan$ 

```
\begin{aligned} & \textbf{process } ACSafeletApp \ \widehat{=} \ \mathbf{begin} \\ & InitializeApplication \ \widehat{=} \\ & \left( initializeApplicationCall \longrightarrow \\ & \left( initializeApplicationRet \longrightarrow \right) \\ & \mathbf{Skip} \end{aligned} \end{aligned}
\begin{aligned} & GetSequencer \ \widehat{=} \\ & \left( getSequencerCall \longrightarrow \\ & getSequencerRet \ ! \ MainMissionSequencer \longrightarrow \\ & \mathbf{Skip} \end{aligned}
\begin{aligned} & Methods \ \widehat{=} \\ & \left( GetSequencer \\ & \Box \\ & InitializeApplication \end{aligned} \right); \ Methods \end{aligned}
\bullet \ (Methods) \ \triangle \ (end\_safelet\_app \longrightarrow \mathbf{Skip})
```

# 4 Top Level Mission Sequencer

 $\begin{array}{c} \textbf{section} \ \textit{MainMissionSequencerApp} \ \textbf{parents} \ \textit{TopLevelMissionSequencerChan}, \\ \textit{MissionIds}, \textit{MissionIds}, \textit{SchedulableId}, \textit{MainMissionSequencerClass} \end{array}$ 

 $process MainMissionSequencerApp \stackrel{\frown}{=} begin$ 

```
State = \\ this: \mathbf{ref}\ MainMissionSequencerClass}
\mathbf{state}\ State
-Init = \\ State' = \\ this' = \mathbf{new}\ MainMissionSequencerClass()
```

```
\begin{array}{l} \mathit{Methods} \; \widehat{=} \\ \big( \, \mathit{GetNextMission} \, \big) \; ; \; \; \mathit{Methods} \end{array}
```

ullet (Init; Methods)  $\triangle$  (end\_sequencer\_app. MainMissionSequencer  $\longrightarrow$  **Skip**)

## $\mathbf{class}\,\mathit{MainMissionSequencerClass} \; \widehat{=} \; \mathbf{begin}$

```
state State

returnedMission: B

state State

initial Init

State'

returnedMission' = false
```

```
\begin{array}{l} \textbf{protected sync } getNextMission \ \widehat{=} \ \textbf{var } ret : MissionID \ \bullet \\ \begin{pmatrix} \textbf{if } (\neg \ returnedMission = \textbf{True}) \longrightarrow \\ (this. \ returnedMission := true; \\ ret := MainMission \\ \boxed{\mid} \neg \ (\neg \ returnedMission = \textbf{True}) \longrightarrow \\ (ret := nullMissionId) \\ \end{pmatrix} \\ \textbf{fi} \end{array}
```

• Skip

### 5 Missions


#### 5.1 MainMission

Skip

```
section MainMissionApp parents sci_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Main Mission Class
    , Main Mission Meth Chan
process MainMissionApp \stackrel{\frown}{=} begin
  State_{\perp}
   this: {\bf ref}\ Main Mission\ Class
{f state}\ State
  Init
   State'
   this' = \mathbf{new} \ Main Mission Class()
InitializePhase \stackrel{\frown}{=}
  initializeCall . MainMission \longrightarrow
  register! ACModeChanger! MainMission \longrightarrow
  register! EnvironmentMonitor! MainMission-
  register! ControlHandler! MainMission \longrightarrow
  register! FlightSensorsMonitor! MainMission \longrightarrow
  register \,! \, Communications Handler \,! \, Main Mission-
  register! AperiodicSimulator! MainMission \longrightarrow
  initializeRet. MainMission \longrightarrow
  Skip
CleanupPhase =
  clean up {\it MissionRet} \ . \ Main {\it Mission!} \ {\bf True} -
 Skip
getAirSpeedSyncMeth = \mathbf{var} \ ret : double \bullet
  'startSyncMeth . MainMissionObject . thread –
    lockAcquired . MainMissionObject . thread \longrightarrow
    ret := this.getAirSpeed();
     end Sync Meth.\ Main Mission Object.\ thread-
     getAirSpeedRet \ . \ MainMission \ ! \ thread \ ! \ ret-
    Skip
getAltitudeSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
  'startSyncMeth . MainMissionObject . thread –
    lockAcquired\;.\;MainMissionObject\;.\;thread {\longrightarrow}
    ret := this.getAltitude();
     endSyncMeth.\ MainMissionObject.\ thread \longrightarrow
     getAltitudeRet \ . \ MainMission \ ! \ thread \ ! \ ret-
```

```
qetCabinPressureSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
    getCabinPressureCall. MainMission? thread \longrightarrow
         'startSyncMeth . MainMissionObject . thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getCabinPressure();
         endSyncMeth. MainMissionObject. thread \longrightarrow
         get Cabin Pressure Ret \ . \ Main Mission \ ! \ thread \ ! \ ret - thread \ " \ ret - t
getEmergencyOxygenSyncMeth \stackrel{\frown}{=} \mathbf{var}\ ret: double ullet
    getEmergencyOxygenCall. MainMission? thread \longrightarrow
         startSyncMeth. MainMissionObject. thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getEmergencyOxygen();
         endSyncMeth. MainMissionObject. thread \longrightarrow
         getEmergencyOxygenRet.\ MainMission\ !\ thread\ !\ ret
getFuelRemainingSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
   \ 'getFuelRemainingCall . MainMission? thread \longrightarrow
         'startSyncMeth . MainMissionObject . thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getFuelRemaining();
         endSyncMeth. MainMissionObject. thread-
         getFuelRemainingRet. MainMission! thread! ret
qetHeadingSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
   'getHeadingCall. MainMission? thread \longrightarrow
         'startSyncMeth . MainMissionObject . thread –
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getHeading();
         end Sync Meth\ .\ Main Mission Object\ .\ thread
          getHeadingRet . MainMission! thread! ret-
setAirSpeedSyncMeth \stackrel{\frown}{=}
    \ 'setAirSpeedCall . MainMission ? thread ? airSpeed-
         startSyncMeth. MainMissionObject. thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         this . setAirSpeed(airSpeed);
         endSyncMeth. MainMissionObject. thread
         setAirSpeedRet . MainMission . thread-
         Skip
setAltitudeSyncMeth \stackrel{\frown}{=}
    \ 'setAltitudeCall . MainMission ? thread ? altitude-
         'startSyncMeth . MainMissionObject . thread-
         lockAcquired. MainMissionObject. thread \longrightarrow
         this . setAltitude(altitude);
         endSyncMeth . MainMissionObject . thread
         setAltitudeRet . MainMission . thread \longrightarrow
```

```
setCabinPressureSyncMeth \stackrel{\frown}{=}
  set Cabin Pressure Call. Main Mission? thread? cabin Pressure-
    startSyncMeth. MainMissionObject. thread \longrightarrow
    lockAcquired. MainMissionObject. thread-
    this.setCabinPressure(cabinPressure);
    endSyncMeth. MainMissionObject. thread
    set Cabin Pressure Ret . Main Mission . thread-
setEmergencyOxygenSyncMeth \triangleq
  setEmergencyOxygenCall. MainMission? thread? emergencyOxygen \longrightarrow 0
    startSyncMeth. MainMissionObject. thread \longrightarrow
    lockAcquired. MainMissionObject. thread \longrightarrow
    this.setEmergencyOxygen(emergencyOxygen);
    endSyncMeth.\, MainMissionObject.\, thread {\longrightarrow}
    setEmergencyOxygenRet . MainMission . thread
setFuelRemainingSyncMeth =
  setFuelRemainingCall. MainMission? thread? fuelRemaining \longrightarrow
    startSyncMeth. MainMissionObject. thread \longrightarrow
    lockAcquired. MainMissionObject. thread \longrightarrow
    this.setFuelRemaining(fuelRemaining);
    endSyncMeth. MainMissionObject. thread
    set Fuel Remaining Ret.\ Main Mission.\ thread-
    Skip
setHeadingSyncMeth \stackrel{\frown}{=}
  startSyncMeth. MainMissionObject. thread-
    lockAcquired . MainMissionObject . thread \longrightarrow
    this.setHeading(heading);
    endSyncMeth . MainMissionObject . thread-
    setHeadingRet . MainMission . thread \longrightarrow
    Skip
```



ullet (Init; Methods)  $\triangle$  (end\_mission\_app. MainMission  $\longrightarrow$  **Skip**)

```
\mathbf{state}\,\mathit{State}\,.
   ALTITUDE\_READING\_ON\_GROUND: double
   test: \mathbb{Z}
   cabinPressure: double
   emergency Oxygen: double\\
   fuel Remaining: double
   altitude:double
   airSpeed:double
   heading: double\\
\mathbf{state}\,\mathit{State}
   initial Init
   State'
   ALTITUDE\_READING\_ON\_GROUND' = 0.0
   test' = 0
public sync getAirSpeed = var ret : double \bullet
(ret := airSpeed)
public sync getAltitude = var ret : double \bullet
(ret := altitude)
public sync getCabinPressure = \mathbf{var} \ ret : double \bullet
(ret := cabinPressure)
public sync getEmergencyOxygen \cong \mathbf{var}\ ret: double \bullet
(ret := emergencyOxygen)
public sync getFuelRemaining = var ret : double \bullet
(ret := fuelRemaining)
public sync getHeading = var ret : double \bullet
(ret := heading)
public sync setAirSpeed \stackrel{\frown}{=}
(this.this.airSpeed := airSpeed)
public sync setAltitude \stackrel{\frown}{=}
(this.this.altitude := altitude)
public sync setCabinPressure =
(this.this.cabinPressure := cabinPressure)
\mathbf{public\ sync}\ \mathit{setEmergencyOxygen}\ \widehat{=}
(this.this.emergencyOxygen := emergencyOxygen)
```

```
public sync setFuelRemaining \stackrel{\frown}{=}  (this.this.fuelRemaining := fuelRemaining)

public sync setHeading \stackrel{\frown}{=}  (this.this.heading := heading)
```

• Skip

## 5.2 Schedulables of MainMission

 $\begin{array}{c} \textbf{section} \ A C Mode Changer App \ \textbf{parents} \ Top Level Mission Sequencer Chan, \\ Mission Id, Mission Ids, Schedulable Id, A C Mode Changer Class \end{array}$ 

```
 \begin{aligned} \mathbf{process} & A C Mode C hanger App \; \widehat{=} \\ & controlling Mission : Mission ID \; \bullet \; \mathbf{begin} \end{aligned}   \begin{aligned} & Get N ext Mission \; \widehat{=} \; \mathbf{var} \; ret : Mission ID \; \bullet \\ & \left( \begin{array}{c} get N ext Mission Call \; . \; A C Mode C hanger \longrightarrow \\ ret \; := \; this \; . \; get N ext Mission(); \\ & get N ext Mission Ret \; . \; A C Mode C hanger \; ! \; ret \longrightarrow \\ & \mathbf{Skip} \end{aligned}   \begin{aligned} & Methods \; \widehat{=} \\ & \left( Get N ext Mission \right); \; Methods \end{aligned}   \bullet \; \left( \begin{array}{c} Methods \; \widehat{=} \\ & \left( Get N ext Mission \right); \; Methods \end{aligned}   \bullet \; \left( \begin{array}{c} Methods \; \widehat{=} \\ & \left( Get N ext Mission \right); \; Methods \end{aligned}   \bullet \; \left( \begin{array}{c} Methods \; \widehat{=} \\ & \left( \begin{array}{c} Methods \; \widehat{=} \\
```

## $\mathbf{class}\,\mathit{ACModeChangerClass} \,\, \widehat{=}\,\, \mathbf{begin}$

```
\begin{array}{c} \textbf{state } \textit{State} \\ \textit{modesLeft} : \mathbb{Z} \end{array}
```

 $\mathbf{state}\,\mathit{State}$ 

```
 \begin{array}{c} \textbf{initial } \textit{Init} \\ \textit{State'} \\ \hline \textit{modesLeft'} = 3 \end{array}
```

**protected sync**  $getNextMission = \mathbf{var}\ ret : MissionID \bullet$ 

```
 \begin{pmatrix} \mathbf{if} \ (modesLeft = 3) \longrightarrow \\ \ (modesLeft := modesLeft - 1; \\ \ (ret := TakeOffMission) \end{pmatrix}   \begin{bmatrix} \neg \ (modesLeft = 3) \longrightarrow \\ \ \mathbf{if} \ (modesLeft = 2) \longrightarrow \\ \ (modesLeft := modesLeft - 1; \\ \ (ret := CruiseMission) \end{pmatrix}   \begin{bmatrix} \neg \ (modesLeft = 2) \longrightarrow \\ \ \mathbf{if} \ (modesLeft = 1) \longrightarrow \\ \ (modesLeft := modesLeft - 1; \\ \ (ret := LandMission) \end{pmatrix}   \begin{bmatrix} \neg \ (modesLeft = 1) \longrightarrow \\ \ (ret := nullMissionId) \end{bmatrix}   \begin{bmatrix} \mathbf{fi} \ \mathbf{fi} \ \mathbf{fi} \end{bmatrix}
```

• Skip

## ${\bf section}\ A CMode Changer Meth Chan\ {\bf parents}\ scj\_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 $\begin{tabular}{ll} {\bf channel} & advance Mode Call: Schedulable ID \\ {\bf channel} & advance Mode Ret: Schedulable ID \\ \end{tabular}$ 

 $\mathbf{channel}\,\mathit{changeToCall}:\mathit{SchedulableID}\times\mathit{ThreadID}\times\mathit{Mode}$ 

 $\textbf{channel} \ change To Ret: Schedulable ID \times Thread ID$ 

```
\mathbf{process} \ \mathit{ControlHandlerApp} \ \widehat{=} \ \mathbf{begin}
```

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Control Handler \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip} \end{array} \right) \; ; \\ handle A sync Event Ret \; . \; Control Handler \longrightarrow \\ \mathbf{Skip} \end{array} \right) \end{array}
```

```
\begin{array}{l} \mathit{Methods} \mathrel{\widehat{=}} \\ (\mathit{handlerAsyncEvent}) \; ; \; \; \mathit{Methods} \end{array}
```

 $\bullet \; (Methods) \; \triangle \; (end\_aperiodic\_app \; . \; ControlHandler \longrightarrow \mathbf{Skip})$ 

 $\mathbf{process}\ Communications Handler App\ \widehat{=}\ \mathbf{begin}$ 

```
\begin{array}{l} handlerAsyncEvent \; \widehat{=} \\ \left( \begin{array}{l} handleAsyncEventCall \; . \; CommunicationsHandler \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip} \end{array} \right) \; ; \\ handleAsyncEventRet \; . \; CommunicationsHandler \longrightarrow \\ \mathbf{Skip} \end{array} \right) \end{array}
```

 $\begin{array}{l} \textit{Methods} \; \widehat{=} \\ \left( \textit{handlerAsyncEvent} \right) \; ; \; \; \textit{Methods} \end{array}$ 

 $\bullet \; (Methods) \; \triangle \; (end\_aperiodic\_app \; . \; Communications Handler \longrightarrow \mathbf{Skip})$ 

 ${\bf section} \ Environment Monitor App \ {\bf parents} \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids, \\ Main Mission Meth Chan$ 

```
\begin{array}{l} \textit{mainMission}: \textit{MissionID} \bullet \mathbf{begin} \\ \\ \textit{handlerAsyncEvent} \cong \\ \begin{pmatrix} \textit{handleAsyncEventCall} & \textit{EnvironmentMonitor} \longrightarrow \\ \mathbf{Skip}; \\ \textit{setCabinPressureCall} & \textit{controllingMission} & !0 \longrightarrow \\ \textit{setEmergencyOxygenCall} & \textit{controllingMission} & !0 \longrightarrow \\ \textit{setEmergencyOxygenRet} & \textit{controllingMission} & \cdots \longrightarrow \\ \mathbf{Skip}; \\ \textit{setEmergencyOxygenRet} & \textit{controllingMission} & \cdots \longrightarrow \\ \mathbf{Skip}; \\ \textit{setFuelRemainingCall} & \textit{controllingMission} & !0 \longrightarrow \\ \textit{setFuelRemainingRet} & \textit{controllingMission} & \cdots \longrightarrow \\ \mathbf{Skip} \\ \textit{handleAsyncEventRet} & \textit{EnvironmentMonitor} \longrightarrow \\ \mathbf{Skip} \\ \end{pmatrix} \\ \textit{Methods} \cong \\ \begin{pmatrix} \textit{handlerAsyncEvent} \end{pmatrix}; & \textit{Methods} \\ \end{cases}
```

ullet (Methods)  $\triangle$  (end\_periodic\_app . EnvironmentMonitor  $\longrightarrow$  **Skip**)

 $process EnvironmentMonitorApp \stackrel{\frown}{=}$ 

 ${\bf section} \ Flight Sensors Monitor App \ {\bf parents} \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids, Sche$ 

```
\begin{array}{c} \mathbf{process} \ FlightSensorsMonitorApp \ \widehat{=} \\ mainMission : MissionID \ \bullet \ \mathbf{begin} \end{array}
```

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ handle A sync Event Call \; . \; Flight Sensors Monitor \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip}; \\ set A ir Speed Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set A ir Speed Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set A ltitude Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set A ltitude Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set Heading Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set Heading Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip} \\ handle A sync Event Ret \; . \; Flight Sensors Monitor \longrightarrow \\ \mathbf{Skip} \\ \end{array} \right)
```

```
Methods = (handlerAsyncEvent); Methods
```

ullet (Methods)  $\triangle$  (end\_periodic\_app . FlightSensorsMonitor  $\longrightarrow$  **Skip**)

```
\begin{aligned} & \textbf{process } AperiodicSimulatorApp \; \widehat{=} \\ & aperiodicEvent : SchedulableID \bullet \textbf{begin} \\ \\ & handlerAsyncEvent \; \widehat{=} \\ & \begin{pmatrix} handleAsyncEventCall \; . \; AperiodicSimulator \longrightarrow \\ & \langle \textbf{Skip}; \\ releaseCall \; . \; event \longrightarrow \\ releaseRet \; . \; event ? \; release \longrightarrow \\ & \langle \textbf{Skip} \\ handleAsyncEventRet \; . \; AperiodicSimulator \longrightarrow \\ & \textbf{Skip} \\ \\ \\ & Methods \; \widehat{=} \\ & (handlerAsyncEvent) \; ; \; Methods \\ \\ & \bullet \; (Methods) \; \triangle \; (end\_periodic\_app \; . \; AperiodicSimulator \longrightarrow \textbf{Skip}) \end{aligned}
```

### 5.3 TakeOffMission

Skip

```
section TakeOffMissionApp parents scj_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Take Off Mission Class
    , \, Take Off Mission Meth Chan
process\ TakeOffMissionApp\ \widehat{=}
     controlling Mission: Mission ID \bullet \mathbf{begin}
   this: {f ref}\ Take Off Mission Class
state State
  Init
   State'
   this' = \mathbf{new} \ TakeOffMissionClass()
InitializePhase \stackrel{\frown}{=}
  initializeCall. TakeOffMission \longrightarrow
  register! LandingGearHandlerTakeOff! TakeOffMission
  register! TakeOffMonitor! TakeOffMission \longrightarrow
  register! TakeOffFailureHandler! TakeOffMission \longrightarrow
  initializeRet. TakeOffMission \longrightarrow
  Skip
CleanupPhase =
  cleanup {\it MissionRet}\:.\: Take {\it OffMission}\:!\: {\bf True}
deployLandingGearMeth \stackrel{\frown}{=}
  deploy Landing Gear Call. Take Off Mission-
  (this.landingGearDeployed := true);
  deploy Landing Gear Ret.\ Take Off Mission
  Skip
abortSyncMeth \stackrel{\frown}{=}
  'abortCall. TakeOffMission? thread \longrightarrow
    startSyncMeth . TakeOffMissionObject . thread-
    lockAcquired. TakeOffMissionObject. thread—
    this.abort();
    end Sync Meth.\ Take Off Mission Object\ .\ thread
     abortRet.\ Take O\!f\!f\!Mission.\ thread-
    Skip
getControllingMissionSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  startSyncMeth. TakeOffMissionObject. thread
    lockAcquired. TakeOffMissionObject. thread \longrightarrow
    ret := this.getControllingMission();
    endSyncMeth. TakeOffMissionObject. thread \longrightarrow
     getControlling {\it MissionRet} \;. \; Take {\it OffMission!thread!ret}
```

```
setControllingMissionSyncMeth =
  setControllingMissionCall. TakeOffMission? thread? controllingMission \longrightarrow
     startSyncMeth. TakeOffMissionObject. thread \longrightarrow
     lockAcquired. TakeOffMissionObject. thread—
     this.setControllingMission(controllingMission);
     endSyncMeth. TakeOffMissionObject. thread \longrightarrow
     set Controlling Mission Ret . Take Off Mission . thread
clean Up SyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  clean Up Call. Take Off Mission? thread \longrightarrow
     startSyncMeth. TakeOffMissionObject. thread
    lockAcquired. TakeOffMissionObject. thread-
    ret := this. clean Up();
     end Sync Meth.\ Take Off Mission Object\ .\ thread-
     clean UpRet. Take Off Mission ! thread ! ret \longrightarrow
    Skip
stowLandingGearSyncMeth \stackrel{\frown}{=}
  stowLandingGearCall. TakeOffMission? thread\longrightarrow
     startSyncMeth . TakeOffMissionObject . thread—
     lockAcquired\;.\;TakeOffMissionObject\;.\;thread {\longrightarrow}
     this.stowLandingGear();
     endSyncMeth. TakeOffMissionObject. thread-
     stow Landing Gear Ret.\ Take O\!f\!f\!Mission\ .\ thread-
    Skip
isLandingGearDeployedSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  is Landing Gear Deployed Call. Take Off Mission? thread \longrightarrow
    startSyncMeth. TakeOffMissionObject. thread \longrightarrow
     lockAcquired. TakeOffMissionObject. thread \longrightarrow
    ret := this.isLandingGearDeployed();
     endSyncMeth. TakeOffMissionObject. thread \longrightarrow
     is Landing Gear Deployed Ret.\ Take Off Mission \ !\ thread \ !\ ret
     Skip
               Initialize Phase
               П
                CleanupPhase
                deployLandingGearMeth
                abortSyncMeth
Methods \stackrel{\frown}{=}
                                                          ; Methods
               getControllingMissionSyncMeth \\
                setControllingMissionSyncMeth
                clean Up Sync Meth
                stowLandingGearSyncMeth
                is Landing Gear Deployed Sync Meth
• (Init; Methods) \triangle (end_mission_app. TakeOffMission \longrightarrow Skip)
```

### class TakeOffMissionClass =begin

state State

```
SAFE\_AIRSPEED\_THRESHOLD: double
TAKEOFF\_ALTITUDE: double
abort: \mathbb{B}
landingGearDeployed: \mathbb{B}

state\ State

initial\ Init
State'

SAFE\_AIRSPEED\_THRESHOLD' = 10.0
TAKEOFF\_ALTITUDE' = 10.0
abort' = false
```

• Skip

### ${\bf section}\ \textit{TakeOffMissionMethChan}\ {\bf parents}\ \textit{scj\_prelude}, \textit{GlobalTypes}, \textit{MissionId}, \textit{SchedulableId}$

 $\begin{array}{l} \textbf{channel} \ deploy Landing Gear Call: Schedulable ID} \\ \textbf{channel} \ deploy Landing Gear Ret: Schedulable ID} \end{array}$ 

 $\begin{array}{l} \textbf{channel} \ abortCall: Schedulable ID \times Thread ID \\ \textbf{channel} \ abortRet: Schedulable ID \times Thread ID \\ \end{array}$ 

 $\textbf{channel} \ getControllingMissionCall: SchedulableID \times ThreadID$ 

 $\textbf{channel} \ getControllingMissionRet: SchedulableID \times ThreadID \times MissionID$ 

 $\textbf{channel} \ setControllingMissionCall: SchedulableID \times ThreadID \times MissionID$ 

 $\textbf{channel} \ setControllingMissionRet: SchedulableID \times \textit{ThreadID}$ 

 $\begin{calce} {\bf channel}\ clean Up Call: Schedulable ID \times Thread ID \\ {\bf channel}\ clean Up Ret: Schedulable ID \times Thread ID \times \mathbb{B} \\ \end{calcel}$ 

 $\begin{cal}{c} {\bf channel} \ stowLandingGearCall: SchedulableID \times ThreadID \\ {\bf channel} \ stowLandingGearRet: SchedulableID \times ThreadID \\ \end{cal}$ 

 $\begin{tabular}{l} {\bf channel} \ is Landing Gear Deployed Call: Schedulable ID \times Thread ID \\ {\bf channel} \ is Landing Gear Deployed Ret: Schedulable ID \times Thread ID \times \mathbb{B} \\ \end{tabular}$ 

### 5.4 Schedulables of TakeOffMission

 ${\bf section}\ Landing Gear Handler Take Off App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids, Schedulable Ids, Schedulable Ids, Schedulable Ids, Take Off Mission Meth Chan, Object Ids, Thread Ids$ 

```
process Landing Gear Handler Take Off App \cong
                mission: MissionID \bullet \mathbf{begin}
handlerAsyncEvent =
      'handle A sync Event Call . Landing Gear Handler Take Off \longrightarrow
               Skip;
               is Landing Gear Deployed Call\:.\:mission {\longrightarrow}
               isLandingGearDeployedRet. mission? isLandingGearDeployed \longrightarrow
               \mathbf{var}\ landing Gear Is Deployed: \mathbb{B} \bullet landing Gear Is Deployed:= is Landing Gear Deployed
              if landingGearIsDeployed = True \longrightarrow
                                    'stowLandingGearCall. mission \longrightarrow
                                     stow Landing Gear Ret\ .\ mission-
                                    Skip
               ^{'}deploy Landing Gear Call . mission . Landing Gear Handler Take Off Thread
                                     deploy Landing Gear Ret.\ mission.\ Landing Gear Handler Take Off Thread-polynomial Control of the Control of
                                    Skip
       handle A sync Event Ret \;. \; Landing Gear Handler Take Off \longrightarrow
      Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
\bullet \ (Methods) \ \triangle \ (end\_aperiodic\_app \ . \ Landing Gear Handler Take Off \longrightarrow \mathbf{Skip})
```

 ${\bf section}\ \ Take Off Failure Handler App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids, Schedulable Ids$ 

```
process\ TakeOffFailureHandlerApp\ \widehat{=}
    takeoffMission: MissionID,
threshold: Double ullet begin
handlerAsyncEvent =
 'handle A sync Event Call . Take Off Failure Handler {\longrightarrow}
    getControllingMissionRet.\ takeoffMission.getControllingMission()?\ getControllingMission
    \mathbf{var}\ currentSpeed: double \bullet currentSpeed:= getAirSpeed
    if(currentSpeed < threshold) \longrightarrow
           abortCall\:.\:takeoffMission {\longrightarrow}
           abortRet\ .\ takeoffMission {\longrightarrow}
           Skip;
           request Termination Call. take of fMission \longrightarrow
           request Termination Ret\ .\ take off Mission\ ?\ request Termination-
    (Skip)
  \dot{handle} A sync Event Ret. Take Off Failure Handler \longrightarrow
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
```

ullet (Methods)  $\triangle$  (end\_aperiodic\_app . TakeOffFailureHandler  $\longrightarrow$  **Skip**)

# $\mathbf{class}\;\mathit{TakeOffFailureHandlerClass}\;\widehat{=}\;\mathbf{begin}$

state State threshold : double			
$\mathbf{state} State$			
initial Init			

 $\bullet$  Skip

 $\begin{array}{l} \textbf{section} \ \ TakeOffMonitorApp \ \ \textbf{parents} \ \ PeriodicEventHandlerChan, SchedulableId, SchedulableIds}, \\ TakeOffMissionMethChan \end{array}$ 

```
process TakeOffMonitorApp \cong
     takeoffMission: MissionID,
take Off Altitude: double,
landingGear Handler: Schedulable ID ullet \mathbf{begin}
handlerAsyncEvent =
  Skip;
    getControllingMissionCall. takeoffMission.getControllingMission() \longrightarrow
    getControllingMissionRet.\ takeoffMission.getControllingMission()?\ getControllingMission
    \mathbf{var}\ altitude: double \bullet altitude:= getAltitude
    if (altitude > takeOffAltitude) \longrightarrow
           Skip;
           releaseCall. landingGearHandler \longrightarrow
           releaseRet. landingGearHandler? release \longrightarrow
           request Termination Call\:.\: take of \!\!f\!Mission \!\longrightarrow
           request Termination Ret\ .\ take off Mission\ ?\ request Termination
    fi:
    Skip
  handle A sync Event Ret. Take Off Monitor \longrightarrow
  Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_periodic\_app . TakeOffMonitor \longrightarrow \mathbf{Skip})
```

end

34

# $\mathbf{class} \; \mathit{TakeOffMonitorClass} \; \widehat{=} \; \mathbf{begin}$

${f state}$ ${\it State}$ ${\it takeOffAltitude}: double$		
${f state}\ State$		
initial Init State'		

 $\bullet$  Skip

#### 5.5 CruiseMission

```
section CruiseMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Cruise Mission Class
     , {\it Cruise Mission Meth Chan}
process CruiseMissionApp \cong
      controlling Mission: Mission ID \bullet \mathbf{begin}
   State_{-}
    this: {f ref} \ Cruise Mission Class
{f state}\ State
   Init .
    State'
    this' = \mathbf{new} \ CruiseMissionClass()
InitializePhase \stackrel{\frown}{=}
  'initializeCall. CruiseMission \longrightarrow
   register! BeginLandingHandler! CruiseMission \longrightarrow
   register \,!\, Navigation Monitor \,!\,\, Cruise Mission {\longrightarrow}
   initializeRet \;.\; CruiseMission {\longrightarrow}
  Skip
CleanupPhase \stackrel{\frown}{=}
  {\it cleanup Mission Ret} : Cruise {\it Mission} \: ! \: \mathbf{True} \longrightarrow
  Skip
getControllingMissionSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  getControllingMissionCall. CruiseMission? thread\longrightarrow
     'startSyncMeth. CruiseMissionObject. thread\longrightarrow
     lockAcquired. CruiseMissionObject. thread \longrightarrow
     ret := this.getControllingMission();
     endSyncMeth.\ CruiseMissionObject.\ thread {\longrightarrow}
      getControlling Mission Ret.\ Cruise Mission \ !\ thread \ !\ ret
Methods \stackrel{\widehat{=}}{=} \begin{pmatrix} InitializePhase \\ \square \\ CleanupPhase \\ \square \\ getControllingMissionSyncMethology
```

end

• (Init; Methods)  $\triangle$  (end\_mission\_app. CruiseMission  $\longrightarrow$  Skip)

 $\mathbf{class}\ \mathit{CruiseMissionClass}\ \widehat{=}\ \mathbf{begin}$ 

 $\begin{array}{l} \mathbf{public\ sync\ } getControllingMission\ \widehat{=}\ \mathbf{var}\ ret: MissionID\ \bullet \\ \big(ret:=controllingMission\big) \end{array}$ 

• Skip

 $\quad \mathbf{end} \quad$ 

# 5.6 Schedulables of CruiseMission

 ${\bf section}\ Begin Landing Handler App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$ 

```
 \begin{aligned} & \textbf{process } \textit{BeginLandingHandlerApp} \; \widehat{=} \\ & \textit{controllingMission} : \textit{MissionID} \; \bullet \; \mathbf{begin} \end{aligned} \\ & \textit{handlerAsyncEvent} \; \widehat{=} \\ & \begin{pmatrix} \textit{handleAsyncEventCall} \; . \; \textit{BeginLandingHandler} \longrightarrow \\ & \textbf{Skip}; \\ \textit{requestTerminationCall} \; . \; \textit{controllingMission} \longrightarrow \\ \textit{requestTerminationRet} \; . \; \textit{controllingMission} \; ? \; \textit{requestTermination} \longrightarrow \\ & \textbf{Skip} \\ & \textit{handleAsyncEventRet} \; . \; \textit{BeginLandingHandler} \longrightarrow \\ & \textbf{Skip} \\ \end{pmatrix} \\ & \textit{Methods} \; \widehat{=} \\ & \textit{(handlerAsyncEvent)} \; ; \; \textit{Methods} \end{aligned} \\ & \bullet \; (\textit{Methods}) \; \triangle \; (\textit{end\_aperiodic\_app} \; . \; \textit{BeginLandingHandler} \longrightarrow \; \textbf{Skip}) \\ \\ & \textbf{end} \end{aligned}
```

 ${\bf section}\ \ Navigation Monitor App\ \ {\bf parents}\ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids, Sched$ 

```
\mathbf{process} \ Navigation Monitor App \ \widehat{=} \ 
                 mission: MissionID \bullet \mathbf{begin}
handlerAsyncEvent =
       'handle A sync Event Call. Navigation Monitor \longrightarrow
               (getControllingMissionCall . mission.getControllingMission() \longrightarrow
                getControllingMission (\ref{eq:controllingMission})? getControllingMission (\ref{eq:controllingMission})? getControllingMission (\ref{eq:controllingMission}) (\ref
                \mathbf{var}\ heading: double \bullet heading:= getHeading
                getControllingMissionCall. mission.getControllingMission() \longrightarrow
                getControllingMissionRet. mission.getControllingMission()? getControllingMission-
               \mathbf{var} \ \mathit{airSpeed} : \mathit{double} \bullet \mathit{airSpeed} := \ \mathit{getAirSpeed}
                getControllingMissionCall. mission.getControllingMission() \longrightarrow
               getControllingMissionRet. mission.getControllingMission()? getControllingMission\longrightarrow
               \mathbf{var}\ altitude: double \bullet altitude:= getAltitude
        handle A sync Event Ret . Navigation Monitor \longrightarrow
       Skip
Methods \stackrel{\frown}{=}
```

ullet (Methods)  $\triangle$  (end\_periodic\_app . NavigationMonitor  $\longrightarrow$  **Skip**)

(handlerAsyncEvent); Methods

#### 5.7 LandMission

```
section LandMissionApp parents scj_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Land Mission Class
    , Land Mission Meth Chan
process LandMissionApp =
     controlling Mission: Mission ID \bullet \mathbf{begin}
  State
   this: \mathbf{ref}\ Land Mission Class
{f state}\ State
  Init.
   State'
   this' = \mathbf{new} \ Land Mission Class()
InitializePhase =
  initializeCall . LandMission \longrightarrow
  register! GroundDistanceMonitor! LandMission \longrightarrow
  register! LandingGearHandlerLand! LandMission \longrightarrow
  register \,! \, Instrument Landing System Monitor \,! \, Land Mission {\longrightarrow}
  register! SafeLandingHandler! LandMission \longrightarrow
  initializeRet. LandMission \longrightarrow
  Skip
CleanupPhase \stackrel{\frown}{=}
  cleanup Mission Ret . Land Mission! True-
 \ Skip
deployLandingGearMeth \stackrel{\frown}{=}
  deploy Landing Gear Call . Land Mission -
  (this.landingGearDeployed := true);
  deploy Landing Gear Ret\ .\ Land Mission
  Skip
stowLandingGearSyncMeth \stackrel{\frown}{=}
  ^{'}stowLandingGearCall . LandMission ? thread \longrightarrow
    startSyncMeth. LandMissionObject. thread-
    lockAcquired. LandMissionObject. thread \longrightarrow
    this.stowLandingGear();
     end Sync Meth.\ Land Mission Object.\ thread
     stow Landing Gear Ret\ .\ Land Mission\ .\ thread
    Skip
isLandingGearDeployedSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  is Landing Gear Deployed Call . Land Mission ? thread \longrightarrow
    startSyncMeth. LandMissionObject. thread \longrightarrow
    lockAcquired. LandMissionObject. thread \longrightarrow
    ret := this.isLandingGearDeployed();
     endSyncMeth . LandMissionObject . thread \longrightarrow
     is Landing Gear Deployed Ret\ .\ Land Mission\ !\ thread\ !\ ret
     Skip
```

```
getControllingMissionSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
      'startSyncMeth . LandMissionObject . thread \longrightarrow
             lockAcquired. LandMissionObject. thread \longrightarrow
             ret := this.getControllingMission();
             endSyncMeth. LandMissionObject. thread-
             getControlling {\it MissionRet}\;.\; Land {\it Mission!}\; thread \; !\; retering the controlling {\it MissionRet}\; is the control
abortSyncMeth \mathrel{\widehat{=}}
      'abortCall . LandMission? thread \longrightarrow
             startSyncMeth . LandMissionObject . thread-
             lock Acquired\ .\ Land Mission Object\ .\ thread-
             this.abort();
             end Sync Meth.\ Land Mission Object.\ thread-
             abortRet.\ LandMission.\ thread {\longrightarrow}
clean Up SyncMeth \cong \mathbf{var} \ ret : \mathbb{B} \bullet
      \c fart Sync Meth . Land Mission Object . thread -
             lock Acquired . Land Mission Object . thread—
             ret := this \cdot clean Up();
             end Sync Meth.\ Land Mission Object.\ thread-
             clean \textit{UpRet} . \textit{LandMission} ! \textit{thread} ! \textit{ret} -
                                           Initialize Phase \\
                                           CleanupPhase
                                           deploy Landing Gear Meth \\
                                           stowLandingGearSyncMeth \\
                                                                                                                                                                ; Methods
Methods \stackrel{\frown}{=}
                                           is Landing Gear Deployed Sync Meth
                                           getControllingMissionSyncMeth
                                           abortSyncMeth
                                           clean Up Sync Meth \\
```

• (Init; Methods)  $\triangle$  (end\_mission\_app. LandMission  $\longrightarrow$  **Skip**)

# $\mathbf{class}\,\mathit{LandMissionClass} \,\, \widehat{=} \,\, \mathbf{begin}$

```
 \begin{array}{c} \textbf{state } State = \\ SAFE\_LANDING\_ALTITUDE: double \\ abort: \mathbb{B} \\ landingGearDeployed: \mathbb{B} \end{array}
```

 $\mathbf{state}\,\mathit{State}$ 

```
\begin{array}{c} \textbf{initial } Init \\ State' \\ \hline SAFE\_LANDING\_ALTITUDE' = 10.0 \\ abort' = false \end{array}
```

```
public sync stowLandingGear = (this . landingGearDeployed := false)

public sync isLandingGearDeployed = \mathbf{var} \ ret : \mathbb{B} \bullet (ret := landingGearDeployed = \mathbf{True})

public sync getControllingMission = \mathbf{var} \ ret : MissionID \bullet (ret := controllingMission)

public sync abort = (this . abort := true)

public sync cleanUp = \mathbf{var} \ ret : \mathbb{B} \bullet (\mathbf{Skip}; ret := (\neg \ abort = \mathbf{True}))
```

• Skip

### ${\bf section}\ Land {\it Mission Meth Chan}\ {\bf parents}\ scj\_prelude, {\it Global Types}, {\it Mission Id}, {\it Schedulable Id}$

 $\begin{tabular}{l} {\bf channel}\ deploy Landing Gear Call: Schedulable ID \\ {\bf channel}\ deploy Landing Gear Ret: Schedulable ID \\ \end{tabular}$ 

 $\begin{cal}{\bf channel}\ stowLandingGearCall: SchedulableID \times ThreadID\\ {\bf channel}\ stowLandingGearRet: SchedulableID \times ThreadID\\ \end{cal}$ 

 $\begin{calce} {\bf channel} \ is Landing Gear Deployed Call: Schedulable ID \times Thread ID \\ {\bf channel} \ is Landing Gear Deployed Ret: Schedulable ID \times Thread ID \times \mathbb{B} \\ \end{calce}$ 

 $\textbf{channel} \ getControllingMissionCall} : Schedulable ID \times Thread ID$ 

 $\textbf{channel} \ getControllingMissionRet: SchedulableID \times ThreadID \times MissionID$ 

 $\begin{calculation} {\bf channel}\ abortCall: Schedulable ID \times Thread ID \\ {\bf channel}\ abortRet: Schedulable ID \times Thread ID \\ \end{calculation}$ 

 $\begin{array}{l} \textbf{channel} \ clean Up Call : Schedulable ID \times Thread ID \\ \textbf{channel} \ clean Up Ret : Schedulable ID \times Thread ID \times \mathbb{B} \end{array}$ 

### 5.8 Schedulables of LandMission

 ${\bf section}\ \ Landing Gear Handler Land App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids, \\ Land Mission Meth Chan, \ Object Ids, \ Thread Ids$ 

```
process Landing Gear Handler Land App \stackrel{\frown}{=}
                 mission: MissionID \bullet \mathbf{begin}
handlerAsyncEvent =
       'handle A sync Event Call . Landing Gear Handler Land \longrightarrow
                Skip;
                is Landing Gear Deployed Call\:.\:mission {\longrightarrow}
                isLandingGearDeployedRet. mission? isLandingGearDeployed \longrightarrow
                \mathbf{var}\ landing Gear Is Deployed: \mathbb{B} \bullet landing Gear Is Deployed:= is Landing Gear Deployed
               if landingGearIsDeployed = True \longrightarrow
                                      \ 'stow Landing Gear Call . mission-
                                      stow Landing Gear Ret\ .\ mission-
                                      Skip
                \c G deploy L and in g G ear C all \c G is in ission . Landing G ear H and L and L hread-
                                      deploy Landing Gear Ret.\ mission.\ Landing Gear Handler Land Thread-polynomial Control of the Control of Co
                                      Skip
        handle A sync Event Ret. Landing Gear Handler Land \longrightarrow
      Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
ullet (Methods) \triangle (end_aperiodic_app . LandingGearHandlerLand \longrightarrow Skip)
```

 ${\bf section} \ \ Safe Landing Handler App \ \ {\bf parents} \ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids, Schedulable Ids,$ 

```
 \begin{aligned} & \textbf{process } Safe Landing Handler App \; \widehat{=} \\ & land Mission : Mission ID, \\ & threshold : Double \; \bullet \; \textbf{begin} \\ \\ & handler A sync Event \; \widehat{=} \\ & \begin{pmatrix} handle A sync Event \; Call . \; Safe Landing Handler \; \longrightarrow \\ & \left( get Controlling Mission Call . \; land Mission . get Controlling Mission() \; \longrightarrow \\ & get Controlling Mission Ret . \; land Mission . get Controlling Mission() \; ? \; get Controlling Mission \; \longrightarrow \\ & \textbf{var} \; altitude : \; double \; \bullet \; altitude : = \; get Altitude \\ & \textbf{if} \; (altitude < \; threshold) \; \longrightarrow \\ & & (\textbf{Skip}) \\ & \textbf{fi} \\ & handle A sync E vent Ret . \; Safe Landing Handler \; \longrightarrow \\ & \textbf{Skip} \\ \\ & Methods \; \widehat{=} \\ & (handler A sync E vent) \; ; \; Methods \end{aligned}
```

 $\bullet \ (Methods) \ \triangle \ (end\_aperiodic\_app \ . \ SafeLandingHandler \longrightarrow \mathbf{Skip})$ 

# $\mathbf{class}\,\mathit{SafeLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$

state State threshold: double			
state State			
initial Init State'			

 $\bullet$  Skip

 $\mathbf{end}$ 

 ${\bf section} \ \ Ground Distance Monitor App \ \ {\bf parents} \ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids, Schedulable Id$ 

```
\begin{aligned} & process \ Ground Distance Monitor App \ \stackrel{\frown}{=} \\ & land Mission : Mission ID \bullet \mathbf{begin} \end{aligned} \begin{aligned} & handler A sync Event \ \stackrel{\frown}{=} \\ & \left( handle A sync Event \ \stackrel{\frown}{=} \right. \\ & \left( handle A sync Event \ Call \ . \ Ground Distance Monitor \longrightarrow \right. \\ & \left( \mathbf{Skip}; \\ & get Controlling Mission Call \ . \ mission . get Controlling Mission() \longrightarrow \\ & get Controlling Mission Ret \ . \ mission . get Controlling Mission() ? \ get Controlling Mission \longrightarrow \\ & \mathbf{var} \ distance : \ double \bullet \ distance := \ get Altitude \\ & \mathbf{if} \ (distance = \ reading On Ground) \longrightarrow \\ & \left( \mathbf{Skip}; \\ & request Termination Call \ . \ mission \longrightarrow \\ & request Termination Ret \ . \ mission ? \ request Termination \longrightarrow \\ & \mathbf{Skip} \\ & \mathbf{fi} \ ; \\ & \mathbf{Skip} \\ & \mathbf{Skip} \\ & \mathbf{handle} A sync Event Ret \ . \ Ground Distance Monitor \longrightarrow \\ & \mathbf{Skip} \end{aligned}
```

Methods = (handlerAsyncEvent); Methods

ullet (Methods)  $\triangle$  (end\_periodic\_app . GroundDistanceMonitor  $\longrightarrow$  **Skip**)

# $\mathbf{class} \ \mathit{GroundDistanceMonitorClass} \ \widehat{=} \ \mathbf{begin}$

$\_\_$ state $State$ $\_\_$ $reading On Ground: determined and the state \_$	louble		
reading on around. a			
${f state} State$			
State State			
initial Init			
State'			

• Skip

 $\mathbf{end}$ 

```
 \begin{aligned} \mathbf{process} & \textit{InstrumentLandingSystemMonitorApp} \ \widehat{=} \\ & \textit{mission} : \textit{MissionID} \bullet \mathbf{begin} \end{aligned} \\ & \textit{handlerAsyncEvent} \ \widehat{=} \\ & \begin{pmatrix} \textit{handleAsyncEventCall} & \textit{InstrumentLandingSystemMonitor} \longrightarrow \\ & \left( \mathbf{Skip} \right); \\ & \textit{handleAsyncEventRet} & \textit{InstrumentLandingSystemMonitor} \longrightarrow \\ & \mathbf{Skip} \end{aligned} \\ & \textit{Methods} \ \widehat{=} \\ & \left( \textit{handlerAsyncEvent} \right); & \textit{Methods} \end{aligned} \\ & \bullet & \left( \textit{Methods} \right) \triangle \left( \textit{end\_periodic\_app} & \textit{InstrumentLandingSystemMonitor} \longrightarrow \mathbf{Skip} \right) \end{aligned} \\ & \mathbf{end}
```