aircraft

Tight Rope v0.6

6th November 2015

1 ID Files

1.1 MissionIds

 ${\bf section}\ {\it MissionIds}\ {\bf parents}\ {\it scj_prelude}, {\it MissionId}$

$$\label{lem:main_main} \begin{split} & \textit{MainMissionID}: \textit{MissionID} \\ & \textit{TakeOffMissionID}: \textit{MissionID} \\ & \textit{CruiseMissionID}: \textit{MissionID} \\ & \textit{LandMissionID}: \textit{MissionID} \end{split}$$

 $distinct \langle null Mission Id, Main Mission ID, Take Off Mission ID, Cruise Mission ID, Land Mission ID \rangle$

1.2 SchedulablesIds

 ${f section}\ Schedulable Ids\ {f parents}\ scj_prelude, Schedulable Id$

 $\begin{tabular}{ll} MainMissionSequencerID: SchedulableID\\ ACModeChangerID: SchedulableID\\ EnvironmentMonitorID: SchedulableID\\ ControlHandlerID: SchedulableID\\ FlightSensorsMonitorID: SchedulableID\\ CommunicationsHandlerID: SchedulableID\\ AperiodicSimulatorID: SchedulableID\\ \end{tabular}$

Landing Gear Handler Take Off ID: Schedulable ID

 $Take Off Monitor ID: Schedulable ID \\ Take Off Failure Handler ID: Schedulable ID \\ Begin Landing Handler ID: Schedulable ID \\ Navigation Monitor ID: Schedulable ID \\ Ground Distance Monitor ID: Schedulable ID \\ Landing Gear Handler Land ID: Schedulable ID \\$

Instrument Landing System Monitor ID: Schedulable ID

Safe Landing Handler ID: Schedulable ID

 $distinct \langle null Sequencer Id, null Schedulable Id, Main Mission Sequencer ID,$

ACModeChangerID, EnvironmentMonitorID,

ControlHandlerID, FlightSensorsMonitorID,

Communications Handler ID, Aperiodic Simulator ID,

 $Landing Gear Handler Take Of FID,\ Take Off Monitor ID,$

Take Off Failure Handler ID, Begin Landing Handler ID,

Navigation Monitor ID, Ground Distance Monitor ID,

Landing Gear Handler Land ID, Instrument Landing System Monitor ID,

 $SafeLandingHandlerID\rangle$

1.3 ThreadIds

$section ThreadIds parents scj_prelude, GlobalTypes$

 $ACMode Changer Thread ID: Thread ID\\ Environment Monitor Thread ID: Thread ID\\ Control Handler Thread ID: Thread ID\\ Flight Sensors Monitor Thread ID: Thread ID\\ Communications Handler Thread ID: Thread ID\\ Aperiodic Simulator Thread ID: Thread ID\\$

Landing Gear Handler Take Off Thread ID: Thread ID

 $Take Off Monitor Thread ID: Thread ID \\ Take Off Failure Handler Thread ID: Thread ID \\ Begin Landing Handler Thread ID: Thread ID \\ Navigation Monitor Thread ID: Thread ID \\ Ground Distance Monitor Thread ID: Thread ID \\ Landing Gear Handler Land Thread ID: Thread ID \\$

 $Instrument Landing System Monitor Thread ID:\ Thread ID$

Safe Landing Handler Thread ID: Thread ID

 $distinct \langle SafeletThreadId, nullThreadId,$

 $ACMode\ Changer\ Thread\ ID,\ Environment\ Monitor\ Thread\ ID,$

ControlHandlerThreadID, FlightSensorsMonitorThreadID,

Communications Handler Thread ID, Aperiodic Simulator Thread ID,

 $Landing Gear Handler Take Off Thread ID, \ Take Off Monitor Thread ID,$

Take Off Failure Handler Thread ID, Begin Landing Handler Thread ID,

Navigation Monitor Thread ID, Ground Distance Monitor Thread ID,

Landing Gear Handler Land Thread ID, Instrument Landing System Monitor Thread ID,

SafeLandingHandlerThreadID

1.4 ObjectIds

section ObjectIds **parents** scj_prelude, GlobalTypes

ACSafeletObjectID: ObjectID
MainMissionObjectID: ObjectID
ACModeChangerObjectID: ObjectID
EnvironmentMonitorObjectID: ObjectID
ControlHandlerObjectID: ObjectID
FlightSensorsMonitorObjectID: ObjectID
CommunicationsHandlerObjectID: ObjectID
AperiodicSimulatorObjectID: ObjectID
TakeOffMissionObjectID: ObjectID

Landing Gear Handler Take Off Object ID: Object ID

TakeOffMonitorObjectID : ObjectID
TakeOffFailureHandlerObjectID : ObjectID
CruiseMissionObjectID : ObjectID
BeginLandingHandlerObjectID : ObjectID

 $Navigation Monitor Object ID:\ Object ID$

 $Land Mission Object ID:\ Object ID$

 $\label{lem:cond} Ground Distance Monitor Object ID: Object ID \\ Landing Gear Handler Land Object ID: Object ID \\$

In strument Landing System Monitor Object ID: Object ID

Safe Landing Handler Object ID: Object ID

 $\label{eq:control} distinct \langle ACSafelet Object ID, Main Mission Object ID, \\ ACMode Changer Object ID, Environment Monitor Object ID, \\ Control Handler Object ID, Flight Sensors Monitor Object ID, \\ Communications Handler Object ID, Aperiodic Simulator Object ID, \\ Take Off Mission Object ID, Landing Gear Handler Take Off Object ID, \\ Take Off Monitor Object ID, Take Off Failure Handler Object ID, \\ Cruise Mission Object ID, Begin Landing Handler Object ID, \\ Navigation Monitor Object ID, Land Mission Object ID, \\ Ground Distance Monitor Object ID, Landing Gear Handler Land Object ID, \\ Instrument Landing System Monitor Object ID, Safe Landing Handler Object ID) \\$

2 Network

```
section NetworkChannels parents scj_prelude, MissionId, MissionIds,
         Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Chan, Top Level Mission Sequencer FWChan,
         Framework Chan, Safelet Chan
channelset \ TerminateSync ==
         \{ schedulables\_terminated, schedulables\_stopped, get\_activeSchedulables \} \}
channelset ControlTierSync ==
         \{ | start\_toplevel\_sequencer, done\_toplevel\_sequencer, done\_safeletFW \} 
{\bf channel set} \ \mathit{TierSync} = =
         \{| start\_mission., done\_mission., \}
         done\_safeletFW, done\_toplevel\_sequencer }
channelset MissionSync ==
         \{|done\_safeletFW, done\_toplevel\_sequencer, register, \}
signal Termination Call, signal Termination Ret, activate\_schedulables, done\_schedulable,
cleanupSchedulableCall, cleanupSchedulableRet
channelset SchedulablesSync ==
         \{|activate\_schedulables, done\_safeletFW, done\_toplevel\_sequencer|\}
channelset ClusterSync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW|\}
channelset AppSync ==
         \bigcup \{SafeltAppSync, MissionSequencerAppSync, MissionAppSync, \}
         MTAppSync, OSEHSync, APEHSync,
         \{|getSequencer, end\_mission\_app, end\_managedThread\_app, | end\_managed
         set Ceiling Priority, request Termination Call, request Termination Ret, termination Pending Call,
         terminationPendingRet, handleAsyncEventCall, handleAsyncEventRet \}
channelset ObjectSync ==
         \{ \mid \}
{f channel set} \ \mathit{ThreadSync} ==
         \{ \mid \mid \}
channelset \ LockingSync ==
         \{ lockAcquired, startSyncMeth, endSyncMeth, waitCall, waitRet, notify \} 
channelset Tier0Sync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW,
start_mission., done_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..
```

```
section Program parents scj_prelude, MissionId, MissionIds,
         SchedulableId, SchedulableIds, MissionChan, SchedulableMethChan, MissionFW,
         Safe let FW, Top Level Mission Sequencer FW, Network Channels, Managed Thread FW,
         Schedulable Mission Sequencer FW, Periodic Event Handler FW, One Shot Event Handler FW,
         Aperiodic Event Handler FW, ACS af elet App, Main Mission Sequencer App,
          ObjectFW, ThreadFW,
                                                                       Main Mission App, A C Mode Changer App, Control Handler App, Communications Handler App, Communication Handler App, Commun
process ControlTier =
     SafeletFW
              [ControlTierSync]
     TopLevelMissionSequencerFW(MainMissionSequencer)
process Tier0 =
     MissionFW(MainMission)
              [MissionSync]
          Schedulable Mission Sequencer FW()
                   [SchedulablesSync]
               AperiodicEventHandlerFW()
                        [SchedulablesSync]
               Aperiodic Event Handler FW()
                   [SchedulablesSync]
               PeriodicEventHandlerFW()
                        [SchedulablesSync]
               PeriodicEventHandlerFW()
                        [SchedulablesSync]
               PeriodicEventHandlerFW()
process Tier1 =
     MissionFW (\mathit{TakeOffMission})
              [MissionSync]
               Aperiodic Event Handler FW()
                        [SchedulablesSync]
               Aperiodic Event Handler FW()
                   [SchedulablesSync]
          PeriodicEventHandlerFW()
           [ClusterSync]
     MissionFW(CruiseMission)
              [MissionSync]
          AperiodicEventHandlerFW()
                   [SchedulablesSync]
          PeriodicEventHandlerFW()
          [ClusterSync]
     MissionFW(LandMission)
              [MissionSync]
              AperiodicEventHandlerFW()
                        [SchedulablesSync]
               Aperiodic Event Handler FW()
                   [SchedulablesSync]
               PeriodicEventHandlerFW()
                        [\![SchedulablesSync]\!]
               PeriodicEventHandlerFW()
\mathbf{process} \, \mathit{Framework} \, \, \widehat{=} \,
     ControlTier
              [TierSync]
```

```
\mathbf{process} Application \cong
  ACSafeletApp
  Main Mission Sequencer App
  MainMissionApp
  ACModeChangerApp(MainMissionID) \\
  ControlHandlerApp
  Communications Handler App
  EnvironmentMonitorApp(MainMissionID)
  FlightSensorsMonitorApp(MainMissionID)
  AperiodicSimulatorApp(EventID)
  Take Off Mission App (hijac.tools.tightrope.environments.Variable Env ullet 74bada02)
  Landing Gear Handler Take Off App (Take Off Mission ID)
  Take Off Failure Handler App(Take Off Mission ID)
  Take Off Monitor App (Take Off Mission ID, Landing Gear Handler ID)
  Cruise Mission App (hijac.tools.tightrope.environments.Variable Env ullet 525575)
  BeginLandingHandlerApp(ControllingMissionID)
  NavigationMonitorApp(CruiseMissionID)
  LandMissionApp(hijac.tools.tightrope.environments.VariableEnv ullet 46 dffdc3)
  LandingGear Handler LandApp(LandMission ID)
  SafeLandingHandlerApp(LandMissionID)
  Ground Distance Monitor App (Land Mission ID) \\
 InstrumentLandingSystemMonitorApp(LandMissionID)
```

```
Locking =
    ThreadFW(ACModeChangerThreadID,MinPriority)
       [ThreadSync]
    ThreadFW(EnvironmentMonitorThreadID, MinPriority)
       ||ThreadSync||
    ThreadFW(ControlHandlerThreadID, MinPriority)
       [ThreadSync]
    ThreadFW(FlightSensorsMonitorThreadID, MinPriority)
       [ThreadSync]
    ThreadFW(CommunicationsHandlerThreadID, MinPriority)
       [ThreadSync]
    ThreadFW(AperiodicSimulatorThreadID, MinPriority)
        [\![ThreadSync]\!]
    ThreadFW(LandingGearHandlerTakeOffThreadID, MinPriority)
       [ThreadSync]
    ThreadFW(TakeOffMonitorThreadID, MinPriority)
       [ThreadSync]
    ThreadFW(TakeOffFailureHandlerThreadID, MinPriority)
       [ThreadSync]
    ThreadFW(BeginLandingHandlerThreadID, MinPriority)
       [ThreadSync]
    ThreadFW(NavigationMonitorThreadID, MinPriority)
       [ThreadSync]
    ThreadFW(GroundDistanceMonitorThreadID, MinPriority)
       [ThreadSync]
    ThreadFW(LandingGear Handler LandThread ID, MinPriority)
        [ThreadSync]
    ThreadFW(InstrumentLandingSystemMonitorThreadID, MinPriority)
        [ThreadSync]
    ThreadFW(SafeLandingHandlerThreadID, MinPriority)
    ObjectFW(ACSafeletObjectID)
       [ObjectSync]
    ObjectFW(MainMissionObjectID)
       [ObjectSync]
    ObjectFW(ACModeChangerObjectID)
       [ObjectSync]
    ObjectFW(EnvironmentMonitorObjectID)
       [ObjectSync]
    ObjectFW(ControlHandlerObjectID)
       [ObjectSync]
    ObjectFW(FlightSensorsMonitorObjectID)
        [ObjectSync]
    ObjectFW(CommunicationsHandlerObjectID)
        [ObjectSync]
    ObjectFW(AperiodicSimulatorObjectID)
       [ObjectSync]
    ObjectFW(TakeOffMissionObjectID)
       [ObjectSync]
    ObjectFW(LandingGearHandlerTakeOffObjectID)
       [ObjectSync]
    ObjectFW(TakeOffMonitorObjectID)
       [ObjectSync]
    ObjectFW ( TakeOffFailureHandlerObjectID )
       [ObjectSync]
    ObjectFW(CruiseMissionObjectID)
       [ObjectSync]
   ObjectFW(BeginLandingHandlerObjectID)
        [\![ObjectSync]\!]
    ObjectFW(NavigationMonitorObjectID)
       [ObjectSync]
    ObjectFW(LandMissionObjectID)
       [ObjectSync]
```

ObjectFW(GroundDistanceMonitorObjectID) 8

octFW(LandingCoarHandlerLandObjectID)

[ObjectSync]

 $\mathbf{process}\,Program \; \widehat{=}\; Framework \; \llbracket \; AppSync \; \rrbracket \; Application \; \llbracket \; LockingSync \; \rrbracket \; Locking$

3 Safelet

 ${\bf section}\ ACS a felet App\ {\bf parents}\ scj_prelude, Schedulable Id, Schedulable Ids, Safelet Chan$

```
\begin{aligned} & \textbf{process } ACSafeletApp \ \widehat{=} \ \mathbf{begin} \\ & InitializeApplication \ \widehat{=} \\ & \left( initializeApplicationCall \longrightarrow \\ & \left( initializeApplicationRet \longrightarrow \right) \\ & \mathbf{Skip} \end{aligned} \end{aligned}
\begin{aligned} & GetSequencer \ \widehat{=} \\ & \left( getSequencerCall \longrightarrow \\ & getSequencerRet \ ! \ MainMissionSequencer \longrightarrow \\ & \mathbf{Skip} \end{aligned}
\begin{aligned} & Methods \ \widehat{=} \\ & \left( GetSequencer \\ & \Box \\ & InitializeApplication \end{aligned} \right); \ Methods \end{aligned}
\bullet \ (Methods) \ \triangle \ (end\_safelet\_app \longrightarrow \mathbf{Skip})
```

4 Top Level Mission Sequencer

 $\begin{array}{c} \textbf{section} \ \textit{MainMissionSequencerApp} \ \textbf{parents} \ \textit{TopLevelMissionSequencerChan}, \\ \textit{MissionIds}, \textit{MissionIds}, \textit{SchedulableId}, \textit{MainMissionSequencerClass} \end{array}$

 $process MainMissionSequencerApp \stackrel{\frown}{=} begin$

```
State = \\ this: \mathbf{ref}\ MainMissionSequencerClass}
\mathbf{state}\ State
-Init = \\ State' = \\ this' = \mathbf{new}\ MainMissionSequencerClass()
```

```
\begin{array}{l} \mathit{Methods} \; \widehat{=} \\ \big( \, \mathit{GetNextMission} \, \big) \; ; \; \; \mathit{Methods} \end{array}
```

ullet (Init; Methods) \triangle (end_sequencer_app. MainMissionSequencer \longrightarrow **Skip**)

end

$\mathbf{class}\,\mathit{MainMissionSequencerClass} \; \widehat{=} \; \mathbf{begin}$

```
 \begin{array}{l} \mathbf{protected} \ \ qetNextMission \ \widehat{=} \ \mathbf{var} \ ret : MissionID \bullet \\ \begin{pmatrix} \mathbf{if} \ (\neg \ returnedMission = \mathbf{True}) \longrightarrow \\ (this. \ returnedMission := true; \\ ret := MainMission \\ \boxed{\mid \neg \ (\neg \ returnedMission = \mathbf{True}) \longrightarrow \\ (ret := nullMissionId) \\ \end{pmatrix} \\ \mathbf{fi} \end{array}
```

• Skip

 ${\bf section}\ {\it Main Mission Sequencer Meth Chan}\ {\bf parents}\ {\it scj_prelude}, {\it Global Types}, {\it Mission Id}, {\it Schedulable Id}$

 $\begin{tabular}{ll} {\bf channel} \ getNextMissionCall: SchedulableID \\ {\bf channel} \ getNextMissionRet: SchedulableID \times MissionID \\ \end{tabular}$

5 Missions

5.1 MainMission

```
section MainMissionApp parents scj_prelude, MissionId, MissionIds,
            Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Main Mission Classian Classian Classian Change and Computer Change and Computer Change Chan
            , Main Mission Meth Chan
process MainMissionApp \stackrel{\frown}{=} begin
       State_{-}
         this: {f ref}\ Main Mission\ Class
\mathbf{state}\,\mathit{State}
      Init
         State'
         this' = \mathbf{new} \, MainMissionClass()
InitializePhase \stackrel{\frown}{=}
     'initializeCall . MainMission {\longrightarrow}
      register! ACModeChanger! MainMission \longrightarrow
      register \,!\, Environment Monitor \,!\, Main Mission-
      register \,! \, Control Handler \,! \, Main Mission {\longrightarrow}
      register \,!\, Flight Sensors Monitor \,!\, Main Mission -
      register! CommunicationsHandler! MainMission-
      register! AperiodicSimulator! MainMission \longrightarrow
      initializeRet \;.\; MainMission {\longrightarrow}
     Skip
CleanupPhase \stackrel{\frown}{=}
     cleanup Mission Ret . Main Mission! True-
     Skip
getAirSpeedMeth \cong \mathbf{var}\ ret: double \bullet
     ret := this.getAirSpeed();
      getAirSpeedRet \ . \ MainMission \ ! \ ret
getAltitudeMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
     'getAltitudeCall . MainMission \longrightarrow
     ret := this.getAltitude();
      getAltitudeRet \ . \ MainMission \ ! \ ret
     Skip
getCabinPressureMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
     ret := this.getCabinPressure();
      get Cabin Pressure Ret \ . \ Main Mission \ ! \ ret
     Skip
```

```
getEmergencyOxygenMeth = \mathbf{var} \ ret : double \bullet
  getEmergencyOxygenCall. MainMission \longrightarrow
  ret := this.getEmergencyOxygen();
  getEmergencyOxygenRet.\ MainMission \ !\ ret
  Skip
getFuelRemainingMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
  ret := this . getFuelRemaining();
  getFuelRemainingRet\ .\ MainMission\ !\ ret
getHeadingMeth = \mathbf{var} \ ret : double \bullet
  getHeadingCall. MainMission \longrightarrow
  ret := this.getHeading();
  getHeadingRet . MainMission! ret
  Skip
setAirSpeedMeth \stackrel{\frown}{=}
  'setAirSpeedCall . MainMission? airSpeed—
  this.setAirSpeed(airSpeed);
  setAirSpeedRet . MainMission
 Skip
setAltitudeMeth \triangleq
  \ 'set Altitude Call . Main Mission? altitude-
  this.setAltitude(altitude);
  setAltitudeRet . MainMission-
  Skip
setCabinPressureMeth \stackrel{\frown}{=}
  set Cabin Pressure Call. Main Mission? cabin Pressure-
  this.setCabinPressure(cabinPressure);
  set Cabin Pressure Ret . Main Mission-
  Skip
setEmergencyOxygenMeth \stackrel{\frown}{=}
  this.\ setEmergencyOxygen (emergencyOxygen);
  setEmergencyOxygenRet: MainMission {\longrightarrow}
 Skip
setFuelRemainingMeth \stackrel{\frown}{=}
  \ 'setFuelRemainingCall . MainMission? fuelRemaining-
  this . setFuelRemaining(fuelRemaining);
  setFuelRemainingRet. MainMission \longrightarrow
 Skip
setHeadingMeth \stackrel{\frown}{=}
  \ 'set Heading Call . Main Mission? heading-
  this.setHeading(heading);
  setHeadingRet. MainMission-
 Skip
```



ullet (Init; Methods) \triangle (end_mission_app. MainMission \longrightarrow **Skip**)

end

```
\mathbf{state}\,\mathit{State}\,.
    ALTITUDE\_READING\_ON\_GROUND: double
    cabin Pressure: double\\
    emergency Oxygen: double
   fuel Remaining: double
    altitude:double\\
    air Speed: double\\
    heading:double
\mathbf{state}\,\mathit{State}
   initial Init
    State'
    ALTITUDE\_READING\_ON\_GROUND' = 0.0
public getAirSpeed \cong \mathbf{var}\ ret : double \bullet
(ret := airSpeed)
public getAltitude \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
(ret := altitude)
public getCabinPressure \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
(ret := cabinPressure)
public getEmergencyOxygen \cong \mathbf{var}\ ret: double \bullet
(ret := emergencyOxygen)
\mathbf{public}\ \mathit{getFuelRemaining}\ \widehat{=}\ \mathbf{var}\ \mathit{ret}: \mathit{double}\ \bullet
(ret := fuelRemaining)
public getHeading = \mathbf{var} \ ret : double \bullet
(ret := heading)
public setAirSpeed =
(this.this.airSpeed := airSpeed)
public setAltitude \stackrel{\frown}{=}
(this.this.altitude := altitude)
public setCabinPressure =
(this.this.cabinPressure := cabinPressure)
public setEmergencyOxygen   =
```

(this.this.emergencyOxygen := emergencyOxygen)

```
\begin{array}{l} \textbf{public} \ setFuelRemaining} \ \widehat{=} \\ \big( \textit{this.this.fuelRemaining} := \textit{fuelRemaining} \big) \\ \\ \textbf{public} \ setHeading} \ \widehat{=} \\ \big( \textit{this.this.heading} := \textit{heading} \big) \end{array}
```

• Skip

 $\quad \mathbf{end} \quad$

$section\ MainMissionMethChan\ parents\ scj_prelude,\ GlobalTypes,\ MissionId,\ SchedulableId$

 ${f channel}\ getAirSpeedCall: MissionID$

 $\textbf{channel} \ getAirSpeedRet: MissionID \times double$

 ${\bf channel}\ getAltitudeCall: MissionID$

channel $getAltitudeRet: MissionID \times double$

 ${\bf channel}\ get Cabin Pressure Call: Mission ID$

 $\mathbf{channel} \ getCabinPressureRet: \mathit{MissionID} \times \mathit{double}$

 ${\bf channel}\ getEmergencyOxygenCall: MissionID$

 $\mathbf{channel}\, \mathit{getEmergencyOxygenRet} : \mathit{MissionID} \times \mathit{double}$

 ${\bf channel}\ getFuelRemainingCall: MissionID$

channel $getFuelRemainingRet: MissionID \times double$

 ${\bf channel}\ get Heading Call: Mission ID$

 $\textbf{channel} \ getHeadingRet: \textit{MissionID} \times \textit{double}$

 $\textbf{channel} \ setAirSpeedCall: MissionID \times double$

 ${\bf channel}\, setAirSpeedRet: MissionID$

 $\textbf{channel} \ setAltitudeCall: MissionID \times double$

 ${\bf channel}\ set Altitude Ret: Mission ID$

 $\mathbf{channel}\, setCabinPressureCall: \mathit{MissionID} \times \mathit{double}$

 ${\bf channel}\ set Cabin Pressure Ret: Mission ID$

channel $setEmergencyOxygenCall: MissionID \times double$

 ${\bf channel}\ set Emergency Oxygen Ret: Mission ID$

 $\textbf{channel} \ setFuelRemainingCall} : \textit{MissionID} \times \textit{double}$

 ${\bf channel}\ setFuelRemainingRet: MissionID$

 $\textbf{channel} \ setHeadingCall: MissionID \times double$

 ${\bf channel}\ set Heading Ret: Mission ID$

5.2 Schedulables of MainMission

section ACModeChangerApp parents TopLevelMissionSequencerChan, MissionId, MissionIds, SchedulableId, ACModeChangerClass

```
\mathbf{process} A CMode Changer App \cong
    controlling Mission : Main Mission \bullet \mathbf{begin}
GetNextMission \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  getNextMissionCall . ACModeChanger-
  ret := this.getNextMission();
  getNextMissionRet \ . \ ACModeChanger \ ! \ ret
change To Meth \triangleq
  (this.currentMode := newMode);
  change To Ret.\ ACMode Changer -
 Skip
advanceModeSyncMeth \stackrel{\frown}{=}
  advanceModeCall. ACModeChanger? thread \longrightarrow
    startSyncMeth . ACModeChangerObject . thread-
    lockAcquired. ACModeChangerObject. thread \longrightarrow
      Skip;
      if (modesLeft = 3) \longrightarrow
            modesLeft := modesLeft - 1;
            change To(launch Mode)
      if (modesLeft = 2) \longrightarrow
           (modesLeft := modesLeft - 1;
           \ \ change To(cruise Mode)
      if (modesLeft = 1) \longrightarrow
            modesLeft := modesLeft - 1;
            change To(land Mode)
       (change To(\mathbf{null}))
      fi
    end Sync Meth.\ ACMode\ Changer\ Object.\ thread-
    advanceModeRet . ACModeChanger . thread \longrightarrow
Methods \stackrel{\frown}{=}
  GetNextMission
  Methods
  change To Meth
  advance Mode Sync Meth
```

• $(Methods) \triangle (end_sequencer_app . ACModeChanger \longrightarrow \mathbf{Skip})$

$\mathbf{class}\,ACModeChangerClass \,\,\widehat{=}\,\,\mathbf{begin}$

```
state State

modesLeft: Z

ref currentModeClass: ModeClass

ref launchModeClass: ModeClass

ref cruiseModeClass: ModeClass

ref landModeClass: ModeClass
```

 ${f state}\ State$

```
protected getNextMission = var ret : MissionID \bullet
  'if (modesLeft = 3) \longrightarrow
       (modesLeft := modesLeft - 1;)
       \ \ ret := TakeOffMission
  [] \neg (modesLeft = 3) \longrightarrow
      if (modesLeft = 2) \longrightarrow
       (modesLeft := modesLeft - 1;
       [] \neg (modesLeft = 2) \longrightarrow
      if (modesLeft = 1) \longrightarrow
       (modesLeft := modesLeft - 1;)
       [] \neg (\dot{modesLeft} = 1) \longrightarrow
       (ret := nullMissionId)
  fi
  fi
 fi
```

• Skip

end

${\bf section}\ A CMode Changer Meth Chan\ {\bf parents}\ scj_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 $\begin{tabular}{ll} {\bf channel} \ change To Call: Schedulable ID \times \\ {\bf channel} \ change To Ret: Schedulable ID \\ \end{tabular}$

 $\begin{calce} {\bf channel} \ advance Mode Call: Schedulable ID \times Thread ID \\ {\bf channel} \ advance Mode Ret: Schedulable ID \times Thread ID \\ \end{calce}$

 ${\bf section}\ \ Control Handler App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$

 $\mathbf{process} \ \mathit{ControlHandlerApp} \ \widehat{=} \ \mathbf{begin}$

```
handler A sync Event \ \widehat{=} \ \begin{pmatrix} handle A sync Event Call \ . \ Control Handler \longrightarrow \\ \left( \mathbf{Skip} \right) \ ; \ handle A sync Event Ret \ . \ Control Handler \longrightarrow \\ \mathbf{Skip} \end{pmatrix}
```

```
\begin{array}{l} \mathit{Methods} \; \widehat{=} \\ \big( \mathit{handlerAsyncEvent} \big) \; ; \; \; \mathit{Methods} \end{array}
```

 $\bullet \; (Methods) \; \triangle \; (end_aperiodic_app \; . \; ControlHandler \longrightarrow \mathbf{Skip})$

 $\mathbf{class}\; Control Handler Class\; \widehat{=}\; \mathbf{begin}$

• Skip

 ${\bf section}\ \ Control Handler Meth Chan\ \ {\bf parents}\ \ scj_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 ${\bf section}\ \ Communications Handler App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$

 $process Communications Handler App \stackrel{\frown}{=} begin$

```
handlerAsyncEvent \cong
\begin{pmatrix} handleAsyncEventCall \cdot CommunicationsHandler \longrightarrow \\ (\mathbf{Skip}); \\ handleAsyncEventRet \cdot CommunicationsHandler \longrightarrow \\ \mathbf{Skip} \end{pmatrix}
Methods \cong
\begin{pmatrix} handlerAsyncEvent \end{cases}; Methods
```

 $\bullet \; (Methods) \; \triangle \; (end_aperiodic_app \; . \; Communications Handler \longrightarrow \mathbf{Skip})$

end

 $\mathbf{class}\ Communications Handler Class\ \widehat{=}\ \mathbf{begin}$

• Skip



 ${\bf section} \ Environment Monitor App \ {\bf parents} \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Main Mission Meth Chan$

```
 \begin{aligned} & \textbf{process} \ Environment Monitor App} \ \cong\\ & controlling Mission : Main Mission \bullet \textbf{begin} \end{aligned} \\ & handler A sync Event \ \cong\\ & \left( \begin{matrix} handle A sync Event Call : Environment Monitor \longrightarrow\\ & \\ Skip; \\ set Cabin Pressure Call : controlling Mission ! 0 \longrightarrow\\ set Cabin Pressure Ret : controlling Mission \longrightarrow \\ & Skip; \\ set Emergency O xygen Call : controlling Mission \cdots \longrightarrow\\ & Skip; \\ set Fuel Remaining Call : controlling Mission \longrightarrow \\ & Skip; \\ set Fuel Remaining Ret : controlling Mission : 0 \longrightarrow\\ & set Fuel Remaining Ret : controlling Mission \longrightarrow \\ & Skip \\ & handle A sync Event Ret : Environment Monitor \longrightarrow\\ & Skip \\ \end{aligned} \right) \\ & Methods \ \cong\\ & (handler A sync Event) ; Methods \end{aligned}
```

• $(Methods) \triangle (end_periodic_app . EnvironmentMonitor \longrightarrow \mathbf{Skip})$

 $\mathbf{class}\,\textit{EnvironmentMonitorClass} \,\, \widehat{=}\,\, \mathbf{begin}$

• Skip

 ${\bf section}\ Flight Sensors Monitor App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids Main Mission Meth Chan$

```
 \begin{aligned} & \textbf{process } \textit{FlightSensorsMonitorApp} \, \widehat{=} \\ & \textit{controllingMission} : \textit{MainMission} \, \bullet \, \textbf{begin} \\ \\ & \textit{handlerAsyncEvent} \, \widehat{=} \\ & \begin{pmatrix} \textit{handleAsyncEventCall} \, . \, \textit{FlightSensorsMonitor} \, \longrightarrow \\ & \begin{pmatrix} \mathbf{Skip}; \\ \textit{setAirSpeedCall} \, . \, \textit{controllingMission} \, ! \, 0 \, \longrightarrow \\ & \textit{setAirSpeedRet} \, . \, \textit{controllingMission} \, \longrightarrow \\ & \mathbf{Skip}; \\ & \textit{setAltitudeCall} \, . \, \textit{controllingMission} \, ! \, 0 \, \longrightarrow \\ & \textit{setAltitudeRet} \, . \, \textit{controllingMission} \, ! \, 0 \, \longrightarrow \\ & \mathbf{Skip}; \\ & \textit{setHeadingCall} \, . \, \textit{controllingMission} \, ! \, 0 \, \longrightarrow \\ & \textit{setHeadingRet} \, . \, \textit{controllingMission} \, ! \, 0 \, \longrightarrow \\ & \textit{setHeadingRet} \, . \, \textit{controllingMission} \, \cdots \, \longrightarrow \\ & \mathbf{Skip} \\ & \textit{handleAsyncEventRet} \, . \, \textit{FlightSensorsMonitor} \, \longrightarrow \\ & \mathbf{Skip} \\ \end{pmatrix} \\ & \textit{Methods} \, \widehat{=} \\ & \textit{(handlerAsyncEvent)} \; ; \; \textit{Methods} \\ \end{aligned}
```

 $\bullet \ (\mathit{Methods}) \ \triangle \ (\mathit{end_periodic_app} \ . \ \mathit{FlightSensorsMonitor} \longrightarrow \mathbf{Skip})$

end

 $\mathbf{class}\,\mathit{FlightSensorsMonitorClass}\,\,\widehat{=}\,\,\mathbf{begin}$

• Skip

end

 ${\bf class}\, Aperiodic Simulator Class \ \widehat{=}\ {\bf begin}$

• Skip

5.3 TakeOffMission

```
section TakeOffMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Take Off Mission Class
     , \, Take Off Mission Meth Chan
process TakeOffMissionApp \cong
     controlling {\it Mission}: {\it Main Mission} \bullet {\bf begin}
   State
    this: {f ref}\ Take Off Mission Class
\mathbf{state}\,\mathit{State}
   Init
   State'
   this' = \mathbf{new} \ TakeOffMissionClass()
InitializePhase \stackrel{\frown}{=}
  initializeCall. TakeOffMission \longrightarrow
  register! Landing Gear Handler Take Off! Take Off Mission
  register! TakeOffMonitor! TakeOffMission \longrightarrow
  register! TakeOffFailureHandler! TakeOffMission \longrightarrow
  initializeRet \;.\; TakeOffMission {\longrightarrow}
  Skip
CleanupPhase \stackrel{\frown}{=}
  {\it cleanup Mission Ret} \;. \; {\it Take Off Mission} \;! \; {\bf True} {\longrightarrow} \;
  Skip
abortMeth \stackrel{\frown}{=}
  abortCall. TakeOffMission-
  this. abort();
  abortRet\ .\ Take Off Mission
getControllingMissionMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  getControllingMissionCall. TakeOffMission \longrightarrow
  ret := this.getControllingMission();
  getControllingMissionRet \ . \ TakeOffMission \ ! \ ret
  Skip
setControllingMissionMeth =
  \ 'set Controlling Mission Call . Take Off Mission? controlling Mission-
  this.setControllingMission(controllingMission);
  setControllingMissionRet \;.\; TakeOffMission {\longrightarrow}
  Skip
```

```
clean UpMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  ret := this \cdot clean Up();
  clean UpRet . Take Off Mission! ret
  Skip
stowLandingGearMeth \stackrel{\frown}{=}
  \ 's tow Landing Gear Call . Take Off Mission -
  this.stowLandingGear();
  stow Landing Gear Ret.\ Take Off Mission
isLandingGearDeployedMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  isLandingGearDeployedCall. TakeOffMission \longrightarrow
  ret := this.isLandingGearDeployed();
  is Landing Gear Deployed Ret.\ Take Off Mission\ !\ ret
 Skip
deployLandingGearSyncMeth =
  deployLandingGearCall. TakeOffMission? thread
    startSyncMeth. TakeOffMissionObject. thread—
    lockAcquired. TakeOffMissionObject. thread \longrightarrow
     (this.landingGearDeployed := true);
    \stackrel{.}{e}ndSyncMeth. TakeOffMissionObject. thread \longrightarrow
    deploy Landing Gear Ret.\ Take Off Mission\ .\ thread
    Skip
               Initialize Phase
               CleanupPhase
               abortMeth
               getControllingMissionMeth \\
Methods =
               set Controlling Mission Meth \\
                                                   : Methods
               clean\,UpMeth
               stow Landing Gear Meth \\
               is Landing Gear Deployed Meth
               deploy Landing Gear Sync Meth \\
```

• (Init; Methods) \triangle (end_mission_app. TakeOffMission \longrightarrow **Skip**)

class TakeOffMissionClass =begin

```
state State
   SAFE\_AIRSPEED\_THRESHOLD: double
    TAKEOFF\_ALTITUDE: double
   abort: \mathbb{B}
   landing Gear Deployed: \mathbb{B}
\mathbf{state}\,\mathit{State}
   initial Init
   State'
   SAFE\_AIRSPEED\_THRESHOLD' = 10.0
    TAKEOFF\_ALTITUDE' = 10.0
    abort' = false
public abort \stackrel{\frown}{=}
(this.abort := true)
public getControllingMission = \mathbf{var} \ ret : MissionID \bullet
(ret := controllingMission)
\mathbf{public}\ setControllingMission\ \widehat{=}
(this.this.controllingMission := controllingMission)
public cleanUp = \mathbf{var} \ ret : \mathbb{B} \bullet
 /Skip;
\setminus ret := (\neg abort = \mathbf{True})
public stowLandingGear \stackrel{\frown}{=}
```

• Skip

(this.landingGearDeployed := false)

(ret := landingGearDeployed = True)

public $isLandingGearDeployed <math>\widehat{=} \mathbf{var} \ ret : \mathbb{B} \bullet$

${\bf section}\ \textit{TakeOffMissionMethChan}\ {\bf parents}\ \textit{scj_prelude}, \textit{GlobalTypes}, \textit{MissionId}, \textit{SchedulableId}$

 $\begin{array}{l} \textbf{channel} \ abort Call: Mission ID \\ \textbf{channel} \ abort Ret: Mission ID \end{array}$

 ${\bf channel}\ getControlling Mission Call: Mission ID$

 $\mathbf{channel}\ getControllingMissionRet: MissionID \times MissionID$

 $\mathbf{channel}\ setControllingMissionCall: MissionID \times MissionID$

 ${\bf channel}\ set Controlling {\it Mission Ret}\ : {\it Mission ID}$

 $\begin{array}{l} \textbf{channel} \ clean Up Call: Mission ID \\ \textbf{channel} \ clean Up Ret: Mission ID \times \mathbb{B} \end{array}$

 $\begin{array}{l} \textbf{channel} \ stowLandingGearCall: MissionID} \\ \textbf{channel} \ stowLandingGearRet: MissionID} \end{array}$

 $\begin{tabular}{l} {\bf channel} \ is Landing Gear Deployed Call: Mission ID \\ {\bf channel} \ is Landing Gear Deployed Ret: Mission ID \times \mathbb{B} \\ \end{tabular}$

 $\begin{tabular}{l} {\bf channel} \ deployLandingGearCall: MissionID \times ThreadID \\ {\bf channel} \ deployLandingGearRet: MissionID \times ThreadID \\ \end{tabular}$

5.4 Schedulables of TakeOffMission

 ${\bf section}\ Landing Gear Handler Take Off App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids\ Take Off Mission Meth Chan, Object Ids, Thread Ids$

```
process Landing Gear Handler Take Off App \cong
                 mission: TakeOffMission \bullet \mathbf{begin}
handlerAsyncEvent =
       'handle A sync Event Call . Landing Gear Handler Take Off \longrightarrow
               Skip;
                isLandingGearDeployedCall. mission \longrightarrow
               is Landing Gear Deployed Ret . mission? is Landing Gear Deployed \longrightarrow
                \mathbf{var}\ landing \textit{GearIsDeployed}: \mathbb{B} \bullet \textit{landing GearIsDeployed} := \textit{isLanding GearDeployed}
               \mathbf{if} \ \mathit{landingGearIsDeployed} = \mathbf{True} \longrightarrow
                                     ^{'}stow Landing Gear Call . mission-
                                      stow Landing Gear Ret\ .\ mission-
                                     Skip
                ^{'}deploy Landing Gear Call . mission . Landing Gear Handler Take Off Thread -
                                      deploy Landing Gear Ret.\ mission.\ Landing Gear Handler Take Off Thread-polynomial Control of the Control of
              fi
        handle A sync Event Ret \;. \; Landing Gear Handler Take Off \longrightarrow
       Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
ullet (Methods) \triangle (end_aperiodic_app . LandingGearHandlerTakeOff \longrightarrow Skip)
```

 $\mathbf{class}\,\mathit{LandingGearHandlerTakeOffClass} \; \widehat{=} \; \mathbf{begin}$

• Skip

$\textbf{section} \ \ Landing Gear Handler Take Off Meth Chan \ \ \textbf{parents} \ \ scj_prelude, Global Types, Mission Id, Schedulable to the state of the s$	eId

 ${\bf section} \ \, Take Off Failure Handler App \ \, {\bf parents} \ \, Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Take Off Mission Meth Chan \\$

```
process TakeOffFailureHandlerApp \stackrel{\frown}{=}
       takeoffMission: TakeOffMission ullet \mathbf{begin}
handlerAsyncEvent =
   handle A sync Event Call. Take Off Failure Handler \longrightarrow
      (getControllingMissionCall \ . \ takeoffMission.getControllingMission() \longrightarrow (getControllingMissionCall \ . \ takeoffMission.getControllingMission() )
      getControllingMissionRet.\ takeoffMission.getControllingMission()?\ getControllingMission().
       \mathbf{var}\ currentSpeed: double \bullet currentSpeed:= getAirSpeed
      \mathbf{if} \ (\mathit{currentSpeed} < \mathit{threshold}) \longrightarrow
                Skip;
                abortCall. takeoffMission \longrightarrow
                abortRet. takeoffMission \longrightarrow
                Skip;
                request Termination Call\:.\: take of fM is sion \longrightarrow
                request Termination Ret\ .\ take off Mission\ ?\ request Termination-request Termination Ret\ .\ take off Mission\ ?\ request Termination Ret\ .\ take off Mission\ ?\ request Termination\ .
       [] \neg (\dot{currentSpeed} < threshold) \longrightarrow
             (Skip)
   handle A sync Event Ret. Take Off Failure Handler \longrightarrow
   Skip
Methods \mathrel{\widehat{=}}
(handlerAsyncEvent); Methods
```

ullet (Methods) \triangle (end_aperiodic_app . TakeOffFailureHandler \longrightarrow **Skip**)

$\mathbf{class}\;\mathit{TakeOffFailureHandlerClass}\;\widehat{=}\;\mathbf{begin}$

$__$ state $\mathit{State} ___$			
threshold: double			
$\mathbf{state}\mathit{State}$			
initial Init			
State'			
2000			

 \bullet Skip



 $\begin{array}{l} \textbf{section} \ \ Take Off Monitor App \ \ \textbf{parents} \ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Take Off Mission Meth Chan \end{array}$

```
\begin{aligned} \mathbf{process} \ TakeOffMonitorApp \ \widehat{=} \\ takeoffMission : \ TakeOffMission, \\ landingGearHandler : \ AperiodicEventHandler \bullet \mathbf{begin} \\ handlerAsyncEvent \ \widehat{=} \end{aligned}
```

```
'handle A sync Event Call . Take Off Monitor \longrightarrow
  Skip;
  getControllingMissionCall\ .\ takeoffMission.getControllingMission() {\longrightarrow}
  getControllingMissionRet.\ takeoffMission.getControllingMission()?\ getControllingMission
  \mathbf{var}\ altitude: double \bullet altitude:= getAltitude
  if (altitude > takeOffAltitude) \longrightarrow
         Skip;
         releaseCall . landingGearHandler \longrightarrow
         releaseRet\:.\:landingGear Handler\:?\:release {\longrightarrow}
         request Termination Call. take off Mission \longrightarrow
         request Termination Ret.\ take off Mission\ ?\ request Termination
         Skip
  fi;
  Skip
handle A sync Event Ret. Take Off Monitor \longrightarrow
Skip
```

```
Methods \cong (handlerAsyncEvent); Methods
```

• $(Methods) \triangle (end_periodic_app . TakeOffMonitor \longrightarrow \mathbf{Skip})$

$\mathbf{class} \; \mathit{TakeOffMonitorClass} \; \widehat{=} \; \mathbf{begin}$

take Off Altitude: determined the state of	ouble		
${f state}\ State$			
initial Init			

• Skip

5.5 CruiseMission

```
section CruiseMissionApp parents scj_prelude, MissionId, MissionIds,
      Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Cruise Mission Class
      , {\it Cruise Mission Meth Chan}
process CruiseMissionApp \cong
      controlling Mission : Main Mission \bullet \mathbf{begin}
   State_{-}
    this: {f ref} \ Cruise Mission Class
\mathbf{state}\,\mathit{State}
   Init .
    State'
    this' = \mathbf{new} \ CruiseMissionClass()
InitializePhase \stackrel{\frown}{=}
  'initializeCall. CruiseMission \longrightarrow
   register \,!\, BeginLandingHandler \,!\, CruiseMission {\longrightarrow}
  register! NavigationMonitor! CruiseMission\longrightarrow
   initializeRet\:.\:CruiseMission {\longrightarrow}
  Skip
CleanupPhase \stackrel{\frown}{=}
  ' cleanupMissionCall . CruiseMission\longrightarrow
  {\it cleanup Mission Ret} : Cruise {\it Mission} \: ! \: \mathbf{True} \longrightarrow
 Skip
getControllingMissionMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  getControllingMissionCall. CruiseMission \longrightarrow
  ret := this.getControllingMission();
   getControllingMissionRet \ . \ CruiseMission \ ! \ ret \longrightarrow
Methods \cong \left( egin{array}{c} InitializePhase & & & \\ \Box & & & \\ CleanupPhase & & \\ \Box & & & \\ \Box & & & \\ \end{array} \right)
```

end

• (Init; Methods) \triangle (end_mission_app. CruiseMission \longrightarrow Skip)

 $\mathbf{class}\ \mathit{CruiseMissionClass}\ \widehat{=}\ \mathbf{begin}$

 $\begin{array}{l} \mathbf{public} \ \ getControllingMission \ \ \widehat{=} \ \mathbf{var} \ ret : MissionID \ \bullet \\ \left(ret := controllingMission \right) \end{array}$

• Skip

 $\quad \mathbf{end} \quad$

${\bf section}\ \ Cruise Mission Meth Chan\ \ {\bf parents}\ \ scj_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 $\begin{tabular}{l} {\bf channel} \ getControllingMissionCall: MissionID \\ {\bf channel} \ getControllingMissionRet: MissionID \times MissionID \\ \end{tabular}$

5.6 Schedulables of CruiseMission

 ${\bf section}\ Begin Landing Handler App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$

```
 \begin{aligned} & \textbf{process } \textit{BeginLandingHandlerApp} \; \widehat{=} \\ & \textit{controllingMission} : \textit{Mission} \bullet \textbf{begin} \end{aligned} \\ & \textit{handlerAsyncEvent} \; \widehat{=} \\ & \begin{pmatrix} \textit{handleAsyncEventCall} \; . \; \textit{BeginLandingHandler} \longrightarrow \\ & \begin{pmatrix} \textbf{Skip} \\ \text{requestTerminationCall} \; . \; \textit{controllingMission} \longrightarrow \\ & \text{requestTerminationRet} \; . \; \textit{controllingMission} \; ? \; \textit{requestTermination} \longrightarrow \\ & \textbf{Skip} \\ & \textit{handleAsyncEventRet} \; . \; \textit{BeginLandingHandler} \longrightarrow \\ & \textbf{Skip} \end{aligned} \right) \\ & \textit{Methods} \; \widehat{=} \\ & \begin{pmatrix} \textit{handlerAsyncEvent} \end{pmatrix} \; ; \; \textit{Methods} \end{aligned} \\ & \bullet \; (\textit{Methods}) \; \triangle \; (\textit{end\_aperiodic\_app} \; . \; \textit{BeginLandingHandler} \longrightarrow \\ & \textbf{Skip} \end{aligned}
```

 $\mathbf{class}\,\mathit{BeginLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$

• Skip



 ${\bf section}\ Navigation Monitor App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids Cruise Mission Meth Chan$

```
\mathbf{process} \ Navigation Monitor App \ \widehat{=} \ 
                mission: Cruise Mission \bullet \mathbf{begin}
handlerAsyncEvent =
       handle A sync Event Call . Navigation Monitor \longrightarrow
              (getControllingMissionCall \ . \ mission.getControllingMission() \longrightarrow
              getControllingMissionRet.\ mission.getControllingMission()?\ getControllingMission
               \mathbf{var}\ heading: double \bullet heading:= getHeading
               getControllingMissionCall. mission.getControllingMission() \longrightarrow
               getControllingMissionRet. mission.getControllingMission()? getControllingMission-
              \mathbf{var}\ airSpeed: double \bullet\ airSpeed:=\ getAirSpeed
               getControllingMissionCall. mission.getControllingMission() \longrightarrow
              getControllingMissionRet\ .\ mission.getControllingMission()\ ?\ getControllingMission-property and the property of the prop
              \mathbf{var}\; altitude: double \bullet altitude:=\; getAltitude
              Skip
        handle A sync Event Ret. Navigation Monitor \longrightarrow
       Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_periodic\_app . NavigationMonitor \longrightarrow \mathbf{Skip})
```

 $\mathbf{class}\,\mathit{NavigationMonitorClass} \; \widehat{=} \; \mathbf{begin}$

• Skip

5.7 LandMission

```
section LandMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Land Mission Class
     , Land Mission Meth Chan\\
\mathbf{process}\,\mathit{LandMissionApp}\,\,\widehat{=}\,\,
     controlling Mission : Main Mission \bullet \mathbf{begin}
   State
    this: \mathbf{ref}\ Land Mission Class
\mathbf{state}\,\mathit{State}
   Init
   State'
   this' = \mathbf{new} \ Land Mission Class()
InitializePhase \stackrel{\frown}{=}
  initializeCall . LandMission \longrightarrow
  register! GroundDistanceMonitor! LandMission \longrightarrow
  register! LandingGearHandlerLand! LandMission \longrightarrow
  register! InstrumentLandingSystemMonitor! LandMission-
  register! SafeLandingHandler! LandMission \longrightarrow
  initializeRet . LandMission \longrightarrow
  Skip
CleanupPhase \stackrel{\frown}{=}
  clean up {\it MissionRet}\:.\: Land {\it Mission!}\: {\bf True}\text{-}
  Skip
stowLandingGearMeth \stackrel{\frown}{=}
  \ 's tow Landing Gear Call . Land Mission-
  this.\ stowLandingGear();
  stow Landing Gear Ret\ .\ Land Mission
isLandingGearDeployedMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  is Landing Gear Deployed Call . Land Mission-
  ret := this.isLandingGearDeployed();
  is Landing Gear Deployed Ret \ . \ Land Mission \ ! \ ret
  Skip
getControllingMissionMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  ret := this.getControllingMission();
  get Controlling Mission Ret \ . \ Land Mission \ ! \ ret
  Skip
```

```
abortMeth \stackrel{\frown}{=}
  abort Call\ .\ Land Mission-
  this.abort();
  abort Ret\ .\ Land Mission
  Skip
clean UpMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  ^{'}clean Up Call . Land Mission-
  ret := this.cleanUp();
  clean Up Ret\ .\ Land Mission\ !\ ret
deployLandingGearSyncMeth \stackrel{\frown}{=}
  startSyncMeth. LandMissionObject. thread \longrightarrow
    lockAcquired\;.\; LandMissionObject\;.\; thread {\longrightarrow}
     (this.landingGearDeployed := true);
     endSyncMeth.\ LandMissionObject.\ thread {\longrightarrow}
     deploy Landing Gear Ret\ .\ Land Mission\ .\ thread-
    Skip
               Initialize Phase \\
               CleanupPhase
               stow Landing Gear Meth \\
               is Landing Gear Deployed Meth
Methods \stackrel{\frown}{=}
                                                    ; Methods
               get Controlling Mission Meth \\
               abortMeth
               clean\,UpMeth
               deployLandingGearSyncMeth
```

ullet (Init; Methods) \triangle (end_mission_app.LandMission \longrightarrow **Skip**)

$\mathbf{class}\,\mathit{LandMissionClass} \,\, \widehat{=} \,\, \mathbf{begin}$

```
{f state}\ State
    SAFE\_LANDING\_ALTITUDE: double
    abort: \mathbb{B}
    landing Gear Deployed: \mathbb{B}
\mathbf{state}\,\mathit{State}
   initial Init
    State'
    SAFE\_LANDING\_ALTITUDE' = 10.0
    abort'=\mathit{false}
public stowLandingGear \stackrel{\frown}{=}
(this.landingGearDeployed := false)
\mathbf{public} \ \mathit{isLandingGearDeployed} \ \widehat{=} \ \mathbf{var} \ \mathit{ret} : \mathbb{B} \bullet
(ret := landingGearDeployed = True)
\mathbf{public}\ \mathit{getControllingMission}\ \widehat{=}\ \mathbf{var}\ \mathit{ret}: \mathit{MissionID}\ \bullet
(ret := controllingMission)
public abort \stackrel{\frown}{=}
(this.abort := true)
public clean Up \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
```

• Skip

${\bf section}\ Land {\it Mission Meth Chan}\ {\bf parents}\ scj_prelude, {\it Global Types}, {\it Mission Id}, {\it Schedulable Id}$

 $\begin{array}{l} \textbf{channel} \ stowLandingGearCall: MissionID} \\ \textbf{channel} \ stowLandingGearRet: MissionID} \end{array}$

channel isLandingGearDeployedCall: MissionIDchannel $isLandingGearDeployedRet: MissionID \times \mathbb{B}$

 ${\bf channel}\ get Controlling {\it Mission Call}: {\it Mission ID}$

 $\mathbf{channel} \ getControllingMissionRet: MissionID \times MissionID$

 $\begin{array}{l} \textbf{channel} \ abort Call: Mission ID \\ \textbf{channel} \ abort Ret: Mission ID \end{array}$

 $\begin{array}{l} \textbf{channel} \ clean Up Call : \textit{MissionID} \\ \textbf{channel} \ clean Up Ret : \textit{MissionID} \times \mathbb{B} \end{array}$

 $\begin{cal}{c} {\bf channel} \ deployLandingGearCall: MissionID \times ThreadID \\ {\bf channel} \ deployLandingGearRet: MissionID \times ThreadID \\ \end{cal}$

5.8 Schedulables of LandMission

end

 ${\bf section}\ Landing Gear Handler Land App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids\ Land Mission Meth Chan, Object Ids, Thread Ids$

```
process Landing Gear Handler Land App \stackrel{\frown}{=}
     mission: LandMission \bullet \mathbf{begin}
handlerAsyncEvent =
  ^{'}handle A sync Event Call . Landing Gear Handler Land \longrightarrow
     Skip;
     isLandingGearDeployedCall. mission \longrightarrow
     is Landing Gear Deployed Ret . mission? is Landing Gear Deployed \longrightarrow
     \mathbf{var}\ landing \textit{GearIsDeployed}: \mathbb{B} \bullet \textit{landing GearIsDeployed} := \textit{isLanding GearDeployed}
     \mathbf{if} \ \mathit{landingGearIsDeployed} = \mathbf{True} \longrightarrow
            ^{'}stow Landing Gear Call . mission-
             stow Landing Gear Ret\ .\ mission-
            Skip
     ^{'}deploy Landing Gear Call . mission . Landing Gear Handler Land Thread -
             deployLandingGearRet.\ mission.\ LandingGearHandlerLandThread {\longrightarrow}
     fi
  handle Async Event Ret. Landing Gear Handler Land \longrightarrow
  Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
ullet (Methods) \triangle (end_aperiodic_app . LandingGearHandlerLand \longrightarrow Skip)
```

60

 $\mathbf{class}\,\mathit{Landing}\mathit{GearHandlerLandClass} \; \widehat{=} \; \mathbf{begin}$

• Skip

$\textbf{section} \ \ Landing Gear Handler Land Meth Chan \ \ \textbf{parents} \ \ scj_prelude, \ Global Types, \ Mission Ideal Chandler Land Meth Chandler L$	l, Schedulable Id

 ${\bf section} \ \ Safe Landing Handler App \ \ {\bf parents} \ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids \ \ Land Mission Meth Chan$

```
 process Safe Land ing Handler App \ \widehat{=} \\ land Mission : Land Mission \bullet \mathbf{begin} \\ \\ handler A sync Event \ \widehat{=} \\ \begin{pmatrix} handle A sync Event Call : Safe Land ing Handler \longrightarrow \\ get Controlling Mission Call : land Mission . get Controlling Mission() \longrightarrow \\ get Controlling Mission Ret : land Mission . get Controlling Mission()? get Controlling Mission \longrightarrow \\ \mathbf{var} \ altitude : double \bullet \ altitude := get Altitude \\ \mathbf{if} \ (altitude < threshold) \longrightarrow \\ \mathbf{(Skip)} \\ \| \neg \ (altitude < threshold) \longrightarrow \\ \mathbf{(Skip)} \\ \mathbf{fi} \\ handle A sync Event Ret : Safe Landing Handler \longrightarrow \\ \mathbf{Skip} \\ \\ Methods \ \widehat{=} \\ (handler A sync Event) ; \ Methods \\ \end{aligned}
```

• $(Methods) \triangle (end_aperiodic_app . SafeLandingHandler \longrightarrow \mathbf{Skip})$

$\mathbf{class}\,\mathit{SafeLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$

$\underline{}$ state $State$ $\underline{}$ $threshold: double$			
${f state} State$			
initial Init State '			

• Skip

 ${\bf section}\ Safe Landing Handler Meth Chan\ {\bf parents}\ scj_prelude, Global Types, Mission Id, Schedulable Id$

 ${\bf section} \ \ Ground Distance Monitor App \ \ {\bf parents} \ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids Land Mission Meth Chan$

```
\mathbf{process}\ Ground Distance Monitor App\ \widehat{=}\ 
                   mission: Land Mission ullet \mathbf{begin}
handlerAsyncEvent \triangleq
        getControllingMissionCall\:.\:mission.getControllingMission() {\longrightarrow}
                  getControllingMissionRet.\ mission.getControllingMission()?\ getControllingMission-properties and the properties of th
                  \mathbf{var}\ distance: double \bullet\ distance:=\ getAltitude
                if (distance = readingOnGround) \longrightarrow
                                          Skip;
                                          request Termination Call. mission \longrightarrow
                                          request Termination Ret.\ mission\ ?\ request Termination
                  \llbracket \neg (\hat{distance} = readingOnGround) \longrightarrow \mathbf{Skip} \rrbracket
                fi;
                Skip
         \dot{handle} A sync Event Ret. Ground Distance Monitor \longrightarrow
Methods \mathrel{\widehat{=}}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_periodic\_app . GroundDistanceMonitor \longrightarrow \mathbf{Skip})
```

end

66

$\mathbf{class} \ \mathit{GroundDistanceMonitorClass} \ \widehat{=} \ \mathbf{begin}$

state State		
reading On Ground: double		
${f state}\ State$		
initial Init		
State'		

• Skip

```
 \begin{aligned} & \textbf{process } \textit{InstrumentLandingSystemMonitorApp} \ \widehat{=} \\ & \textit{mission} : \textit{LandMission} \bullet \mathbf{begin} \end{aligned} \\ & \textit{handlerAsyncEvent} \ \widehat{=} \\ & \begin{pmatrix} \textit{handleAsyncEventCall . InstrumentLandingSystemMonitor} \longrightarrow \\ & (\mathbf{Skip}) \ ; \\ & \textit{handleAsyncEventRet . InstrumentLandingSystemMonitor} \longrightarrow \\ & \mathbf{Skip} \end{aligned} \\ & \textit{Methods} \ \widehat{=} \\ & (\textit{handlerAsyncEvent}) \ ; \ \textit{Methods} \end{aligned} \\ & \bullet \ (\textit{Methods}) \ \triangle \ (\textit{end\_periodic\_app . InstrumentLandingSystemMonitor} \longrightarrow \mathbf{Skip}) \end{aligned}
```

 $\mathbf{class} \, \mathit{InstrumentLandingSystemMonitorClass} \, \, \widehat{=} \, \mathbf{begin} \,$

• Skip