| code | id | note |
|---|---|---|
| USA | 3 | Published data on deaths (Vital Statistics of the United States, 1958. Volume II, Mortality Data) include 1,822 deaths for Massachusetts that were reported twice. The figures were corrected for this error in the HMD. |
| USA | 4 | The population counts from PE-11 appear to be consistent with the population counts published in P25-311 (Bureau of the Census, 1965, Current Population Reports. Population Estimates. Series P-25, No. 311. Estimates of the population of the United States by single year of age, color and sex 1900 to 1959.). |
| USA | 5 | Unadjusted for under-registration |
| USA | 6 | There is a discrepancy between the published total and the sum of male and female births: 2,360,299 (total) - 1,211,684 (male) - 1,148,715 (female) = -100. |
| USA | 7 | For the years 1959–1961, there is no age category coded 699 (which indicates that age is unknown). Instead, there is a category coded 660 with a large number of deaths. It was assumed that this code indicated “unknown age” and those deaths were therefore recoded as such. |
| USA | 8 | These birth counts have been adjusted (by NCHS) for under-registration. Births not adjusted for under-registration are 2,173,638 (males) and 2,071,158 (females) (Table 30, page 229). Data for Alaska are already included in the tabulations for the United States. To obtain 1959 birth counts including Hawaii, the counts given in Table 3-B (pp. 3-16: 2,199,000 males and 2,096,000 females, which exclude Hawaii) have been added to those given for Hawaii in Table 24 (p. 21: 8,788 males and 8,312 females). Tabulations are based on a 50% sample. |
| USA | 9 | Based on a 20- to 50-percent sample of births. |
| USA | 10 | These birth counts have been adjusted (by NCHS) for under-registration. |
| USA | 11 | These birth counts have been adjusted for under-registration by applying published (NCHS) rates for both sexes assuming that there was no difference in under-reporting by sex. |
| USA | 12 | Death tabulations were prepared within the Berkeley Research Data Center from the Restricted Mortality Files, which provide enough information to allocate deaths to Lexis triangles. Because of confidentiality issues, all cells with less than 10 counts have been combined either into single years of age or in five-year age groups to meet this threshold |