Computations

$$\bar{h} = 1$$

1 S_2 , char 2, τ trivial

1.1 Hilbert polynomial

$$t^4 + 2t^3 + 2t^2 + 2t + 1 = (t+1)^2(t^2+1).$$

1.2 Generators

 $x_0^2 + x_1^2$

 x_0^4 .

2 S_3 , char 3, τ trivial

2.1 Hilbert polynomial

$$t^{12} + 3t^{11} + 6t^{10} + 8t^9 + 9t^8 + 9t^7 + 9t^6 + 9t^5 + 9t^4 + 8t^3 + 6t^2 + 3t + 1 = (t^2 + t + 1)^3(t^6 + t^3 + 1).$$

2.2 Generators

$$\begin{split} x_0^3 + x_1^3 + x_2^3 \\ &((2c+2)/c)x_0^3 - x_0^2x_1 + x_0x_1^2 + ((c+1)/c)x_1^3 + x_0^2x_2 - x_1^2x_2 - x_0x_2^2 + x_1x_2^2 \\ &x_0^9. \end{split}$$

3 S_4 , char 2, τ trivial

3.1 Hilbert polynomial

$$t^6 + 4t^5 + 7t^4 + 8t^3 + 7t^2 + 4t + 1 = (t+1)^4(t^2+1).$$

3.2 Generators

$$x_0^2 + x_1^2 + x_2^2 + x_3^2 \\$$

$$((c+1)/c)x_0^2 + x_0x_1 + x_1x_2 + ((c+1)/c)x_2^2 + x_0x_3 + x_2x_3$$
$$((c+1)/c)x_0^2 + ((c+1)/c)x_1^2 + x_0x_2 + x_1x_2 + x_0x_3 + x_1x_3$$
$$x_0^4.$$

4 S_5 , char 5, τ trivial

4.1 Hilbert polynomial

PARTIAL

$$1 + 5t + 15t^2 + 35t^3 + 70t^4 + 122t^5 + 190t^6 + 270t^7 + \dots$$

4.2 Generators

PARTIAL

$$x_0^5 + x_1^5 + x_2^5 + x_3^5 + x_4^5$$

 $((4c+4)/c)x_0^5 + x_0^4x_1 + ((4c+1)/(c+2))x_0^3x_1^2 + ((c+4)/(c+2))x_0^2x_1^3 - x_0x_1^4 + 2x_0^4x_2 + (2c/(c+2))x_0^3x_1x_2 + ((4c^2+c)/(c^2+1))x_0^2x_1^2x_2 + x_1^4x_2 + ((3c+2)/(c+2))x_0^3x_2^2 + ((c^2+4c)/(c^2+1))x_0x_1^2x_2^2 + ((4c+1)/(c+2))x_1^3x_2^2 + ((2c+3)/(c+2))x_0^2x_1^3 + (3c/(c+2))x_0x_1x_2^3 + ((c+4)/(c+2))x_1^2x_2^3 + 3x_0x_2^4 - x_1x_2^4 + ((c+1)/c)x_2^5 + x_0^4x_3 + (3c/(c+2))x_0^3x_1x_3 + ((3c^2+2c)/(c^2+1))x_0^2x_1^2x_3 + (c/(c+2))x_0x_1^3x_3 + (2c/(c+2))x_0^3x_2x_3 + (3c^2/(c^2+1))x_0^2x_1x_2x_3 + (4c/(c+2))x_1^3x_2x_3 + (2c^2/(c^2+1))x_0x_1x_2^2x_3 + ((2c^2+3c)/(c^2+1))x_1^2x_2^2x_3 + (3c/(c+2))x_0x_2^3x_3 + (2c/(c+2))x_0x_1^3x_3 - x_2^4x_3 + ((4c+1)/(c+2))x_0^3x_3^2 + ((3c^2+2c)/(c^2+1))x_0^2x_1x_3^2 + ((4c^2+c)/(c^2+1))x_0x_1^2x_2^2 + ((c^2+4c)/(c^2+1))x_0^2x_2x_3^2 + ((c^2+4c)/(c^2+1))x_0^2x_2x_3^2 + ((c^2+4c)/(c^2+1))x_0^2x_2x_3^2 + ((c^2+4c)/(c+2))x_0^2x_3^2 + ((c^2+4c)$

 $2))x_0x_2^3x_4 + (2c/(c+2))x_1x_2^3x_4 - x_2^4x_4 + (3c/(c+2))x_0^3x_3x_4 + (c^2/(c^2+1))x_0^2x_1x_3x_4 + (3c^2/(c^2+1))x_0x_1^2x_3x_4 + (2c^2/(c^2+1))x_1^2x_2x_3x_4 + (2c^2/(c^2+1))x_0x_2^2x_3x_4 + (4c^2/(c^2+1))x_1x_2^2x_3x_4 + (2c/(c+2))x_2^3x_3x_4 + (3c^2/(c^2+1))x_0x_2^2x_3x_4 + (4c^2/(c^2+1))x_1x_2x_3^2x_4 + (2c/(c^2+1))x_2x_3^2x_4 + (2c^2/(c^2+1))x_1x_2x_3^2x_4 + (2c^2/(c^2+1))x_2x_3^2x_4 + (2c^2/(c^2+1))x_0x_3^2x_4 + (2c^2/(c^2+1))x_0x_2x_3^2x_4 + (2c^2/(c^2+1))x_0x_2x_3^2x_4 + (2c^2/(c^2+1))x_0x_2x_3^2x_4 + (2c^2/(c^2+1))x_0x_2x_3^2x_4 + (2c^2/(c^2+1))x_0x_1x_2x_4^2 + (2c^2+2c)/(c^2+1))x_0x_1x_2x_4^2 + (2c^2+4c)/(c^2+1)x_1x_2x_3^2x_4^2 + (2c^2+4c)/(c^2+1)x_1x_2x_3x_4^2 + (2c^2+4c)/(c^2+1)x_1x_2x_3x_4^2 + (2c^2+3c)/(c^2+1)x_1x_2x_3x_4^2 + (2c^2+3c)/(c^2+1)x_2x_3x_4^2 + (2c^2+3c)/(c^2+1)x_1x_2x_3x_4^2 + (2c^2+3c)/(c^2+1)x_2x_3x_4^2 + (2c^2+3c)/(c^2+3c)$

 $((4c+4)/c)x_0^5 + 2x_0^4x_1 + ((3c+2)/(c+2))x_0^3x_1^2 + ((2c+3)/(c+2))x_0^2x_1^3 + 3x_0x_1^4 + ((c+1)/c)x_1^5 + x_0^4x_2 + (2c/(c+3)/(c+2))x_0^2x_1^3 + 3x_0x_1^4 + ((c+1)/c)x_1^5 + x_0^4x_2 + (2c/(c+3)/(c+2))x_0^2x_1^3 + 3x_0x_1^4 + ((c+1)/c)x_1^5 + x_0^4x_2 + (2c/(c+3)/(c+2))x_0^2x_1^3 + 3x_0x_1^4 + ((c+1)/c)x_1^5 + x_0^4x_2 + (2c/(c+3)/(c+2))x_1^2 + (2c/(c+3)$ $2))x_0^3x_1x_2 + (3c/(c+2))x_0x_1^3x_2 - x_1^4x_2 + ((4c+1)/(c+2))x_0^3x_2^2 + ((4c^2+c)/(c^2+1))x_0^2x_1x_2^2 + ((c^2+4c)/(c^2+1))x_0^2x_1x_2^2 + ((c^2+4c)/(c^2+1))x_1^2 + ((c^2+4c)/(c^2+1)x_1^2 + ((c^2+4c)/(c^2+1)x_1^2 + ((c^2+4c)/(c^2+1)/(c^2+1)x_1^2 + ((c^2+4c)/(c^2+1)/(c$ $1))x_0^2x_1^2x_2^2 + ((c+4)/(c+2))x_1^3x_2^2 + ((c+4)/(c+2))x_0^2x_2^3 + ((4c+1)/(c+2))x_1^2x_2^3 - x_0x_2^4 + x_1x_2^4 + x_0^4x_3 + (2c/(c+2))x_1^2x_2^3 + ((4c+1)/(c+2))x_1^2x_2^3 + ((4c+1)/(c+2))x_1^2x_2^2 + ((4c+1)/(c+2))x_1^2 + ((4c+1)/(c+2))x_1^2 + ((4c+1)/(c+2))x_1^2 + ((4c+1)/(c+2)$ $2))x_1x_2^3x_3 + ((4c+1)/(c+2))x_0^3x_3^2 + ((4c^2+c)/(c^2+1))x_0^2x_1x_3^2 + ((c^2+4c)/(c^2+1))x_0x_1^2x_3^2 + ((c+4)/(c+2))x_1^3x_3^2 + ((3c^2+2c)/(c^2+1))x_0^2x_2x_3^2 + ((2c^2+3c)/(c^2+1))x_1^2x_2x_3^2 + ((4c^2+c)/(c^2+1))x_0x_2^2x_3^2 + ((c^2+4c)/(c^2+1))x_0x_2^2x_3^2 + ((c^2+4c)/(c^2+1)x_0x_2^2 + ((c^2+4c)/(c^2+1)x_2^2 + ((c^2+4c)/(c^2+1)x_2^2 + ((c^2+4c)/(c^2+1))x_2^2$ $1))x_1x_2^2x_3^2 + ((c+4)/(c+2))x_0^2x_3^3 + ((4c+1)/(c+2))x_1^2x_3^3 + (c/(c+2))x_0x_2x_3^3 + (4c/(c+2))x_1x_2x_3^3 - x_0x_3^4 + x_1x_3^4 +$ $x_0^4x_4 + (2c/(c+2))x_0^3x_1x_4 + (3c/(c+2))x_0x_1^3x_4 - x_1^4x_4 + (3c/(c+2))x_0^3x_2x_4 + (3c^2/(c^2+1))x_0^2x_1x_2x_4 + (2c^2/(c^2+1))x_0^2x_1x_2x_4 + (3c/(c+2))x_0x_1^2x_4 + (3c/(c+2))x_1^2x_1^2x_2 + (3c/(c+2))x_1^2x_1^2x_2 + (3c/(c+2))x_1^2x_1^2x_2 + (3c/(c+2))x_1^2x_1^2x_2 + (3c/(c+2))x_1^2x_1^2x_1 + (3c/(c+2))x_1^2x_1^2x_1^2 + (3c/(c+2))x_1^2x_1^2 + (3c/(c+2))x_1^2x_1^2 + (3c/(c+2))x_1^2x_1^2 + (3c/(c+2))x_1^2x_1^2 + (3c/(c+2))x_1^2 + (3c/(c$ $1))x_0x_1^2x_2x_4 + (2c/(c+2))x_1^3x_2x_4 + ((3c^2+2c)/(c^2+1))x_0^2x_2^2x_4 + ((2c^2+3c)/(c^2+1))x_1^2x_2^2x_4 + (c/(c+2))x_0x_2^3x_4 + (c/(c+2))x_2^3x_4 + (c/(c+$ $(4c/(c+2))x_1x_2^3x_4 + (3c/(c+2))x_0^3x_3x_4 + (3c^2/(c^2+1))x_0^2x_1x_3x_4 + (2c^2/(c^2+1))x_0x_1^2x_3x_4 + (2c/(c+2))x_1^3x_3x_4 + (3c/(c+2))x_1^3x_3x_4 + (3c/(c+2))x_1^2x_3x_4 + (3c/(c+2))x_1^3x_3x_4 + (3c/(c+2))x_1^2x_3x_4 + (3c/(c+2))x_1^2x_4 + (3c/(c+2))x_1^2x_3x_4 + (3c/(c+2))x_1^2x_3x_4 + (3c/(c+2))x_1^2x_3x_4 + (3c/(c+2))x_1^2x_3x_4 + (3c/(c+2))x_1^2x_3x_4 + (3c/(c+2))x_1^2x_4 + (3c/($ $(c^2/(c^2+1))x_0^2x_2x_3x_4 + (4c^2/(c^2+1))x_1^2x_2x_3x_4 + (3c^2/(c^2+1))x_0x_2^2x_3x_4 + (2c^2/(c^2+1))x_1x_2^2x_3x_4 + ((3c^2+1))x_1x_2^2x_3x_4 + (3c^2/(c^2+1))x_1x_2^2x_3x_4 + (3c$ $\frac{2c}{(c^2+1)}x_0^2x_3^2x_4 + ((2c^2+3c)/(c^2+1))x_1^2x_3^2x_4 + (3c^2/(c^2+1))x_0x_2x_3^2x_4 + (2c^2/(c^2+1))x_1x_2x_3^2x_4 + (c/(c+1))x_1x_2x_3^2x_4 + (c/(c+1))x_1x_3x_3^2x_4 + (c/(c+1))x_1x_3x_3^2x_4 + (c/(c+1))x_1x_3x_3^2x_4 + (c/(c+1))x_1x_3x_3^2x_4 + (c/(c+1))x_1x_3x_3^2x_4 + (c/(c+1))x_1x_3x_3^2x_4 + (c/(c+1))x_1x_3x_3x_4 + (c/(c+1))x_1x_3x_3x_3^2x_4 + (c/(c+1))x_1x_3x_3x_4 + (c/(c+1))x_1x_3x_3x_3^2x_4 + (c/(c+1))x_1x_3x_3x_4 + (c/(c+1))x_3x_3x_4 + (c/(c+1))x_3x_3x_4 + (c/(c+1))x_3x_3x_4 + (c/(c+1))x_3x_3x_4 + ($ $2))x_0x_3^3x_4 + (4c/(c+2))x_1x_3^3x_4 + ((4c+1)/(c+2))x_0^3x_4^2 + ((4c^2+c)/(c^2+1))x_0^2x_1x_4^2 + ((c^2+4c)/(c^2+1))x_0x_1^2x_4^2 + ((c+4)/(c+2))x_1^3x_4^2 + ((3c^2+2c)/(c^2+1))x_0^2x_2x_4^2 + ((2c^2+3c)/(c^2+1))x_1^2x_2x_4^2 + ((4c^2+c)/(c^2+1))x_0x_2^2x_4^2 + ((4c^2+c)/(c^2+1))x_0x_1^2x_2x_4^2 + ((4c^2+c)/(c^2+1))x_0x_1^2x_2x_2^2 + ((4c^2+c)/(c^2+1))x_1^2x_2x_2^2 + ((4c^2+c)/(c^2+1))x_1^2x_2^2 + ((4c^2+c)/(c^2+1))x_1^2x_2^2 + ((4c^2+c)/(c^2+1))x_1^2x_2^2 + ((4c^2+c)/(c^2+1))x_1^2x_2^2 + ((4c^2+c)/(c^2+1)x_1^2 + ((4c^2+c)/(c^2+1))x_1^2 + ((4c^2+c)/(c^2+1)x_1^2 + ((4c^2+c)/(c^2+1))x_1^2 + ((4c^2+c)/(c^2+1)x_1^2 + ((4c^2+c)/(c^2+1))x_1^2 + ((4c$ $(2c^2/(c^2+1))x_1x_2x_3x_4^2 + ((4c^2+c)/(c^2+1))x_0x_3^2x_4^2 + ((c^2+4c)/(c^2+1))x_1x_3^2x_4^2 + ((c+4)/(c+2))x_0^2x_4^3 + ((4c+4c)/(c^2+1))x_1x_2x_3x_4^2 + ((4c^2+c)/(c^2+1))x_1x_2x_3x_4^2 + ((4c^2+c)/(c^2+1))x_1x_3x_4^2 + ((4c^2+c)/(c^2+c)/(c^2+1))x_1x_3x_4^2 + ((4c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/(c^2+c)/$ $1)/(c+2))x_1^2x_4^3 + (c/(c+2))x_0x_2x_4^3 + (4c/(c+2))x_1x_2x_4^3 + (c/(c+2))x_0x_3x_4^3 + (4c/(c+2))x_1x_3x_4^3 - x_0x_4^4 + x_1x_4^4 + x_1$

conjecture: x_0^{25}

5 S_6 , char 3, τ trivial

5.1 Hilbert polynomial

PARTIAL

$$1 + 6t + 21t^2 + 51t^3 + 96t^4 + 147t^5 + 192t^6 + 222t^7 + \dots$$

5.2 Generators

PARTIAL

$$x_0^3 + x_1^3 + x_2^3 + x_3^3 + x_4^3 + x_5^3$$

 $((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 - x_0x_3^2 - x_0^2x_4 + x_1^2x_4 + (2c/(c+2))x_1x_2x_4 + x_2^2x_4 + (2c/(c+2))x_1x_3x_4 + (2c/(c+2))x_2x_3x_4 + x_3^2x_4 + x_0x_4^2 - x_1x_4^2 - x_2x_4^2 - x_3x_4^2 + ((c+1)/c)x_4^3 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_3x_5 + (2c/(c+2))x_1x_4x_5 + (2c/(c+2))x_2x_4x_5 + (2c/(c+2))x_3x_4x_5 - x_4^2x_5 - x_0x_5^2 + x_4x_5^2$

 $((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 - x_0^2x_3 + x_1^2x_3 + (2c/(c+2))x_1x_2x_3 + x_2^2x_3 + (c+1)/c)x_3^3 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (2c/(c+2))x_1x_3x_4 + (2c/(c+2))x_2x_3x_4 - x_3^2x_4 - x_0x_4^2 + x_3x_4^2 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (2c/(c+2))x_1x_3x_5 + (2c/(c+2))x_2x_3x_5 - x_3^2x_5 + (c/(c+2))x_0x_4x_5 + (2c/(c+2))x_3x_4x_5 - x_0x_5^2 + x_3x_5^2$

 $((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 - x_0^2x_2 + x_1^2x_2 + x_0x_2^2 - x_1x_2^2 + ((c+1)/c)x_2^3 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (2c/(c+2))x_1x_2x_3 - x_2^2x_3 - x_0x_3^2 + x_2x_3^2 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (2c/(c+2))x_1x_2x_4 - x_2^2x_4 + (c/(c+2))x_0x_3x_4 + (2c/(c+2))x_2x_3x_4 - x_0x_4^2 + x_2x_4^2 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (2c/(c+2))x_1x_2x_5 - x_2^2x_5 + (c/(c+2))x_0x_3x_5 + (2c/(c+2))x_2x_3x_5 + (c/(c+2))x_0x_4x_5 + (2c/(c+2))x_2x_4x_5 - x_0x_5^2 + x_2x_5^2$

 $((2c+2)/c)x_0^3 - x_0^2x_1 + x_0x_1^2 + ((c+1)/c)x_1^3 + x_0^2x_2 - x_1^2x_2 - x_0x_2^2 + x_1x_2^2 + x_0^2x_3 - x_1^2x_3 + (c/(c+2))x_0x_2x_3 + (2c/(c+2))x_1x_2x_3 - x_0x_3^2 + x_1x_3^2 + x_0^2x_4 - x_1^2x_4 + (c/(c+2))x_0x_2x_4 + (2c/(c+2))x_1x_2x_4 + (c/(c+2))x_0x_3x_4 + (2c/(c+2))x_1x_3x_4 - x_0x_4^2 + x_1x_4^2 + x_0^2x_5 - x_1^2x_5 + (c/(c+2))x_0x_2x_5 + (2c/(c+2))x_1x_2x_5 + (c/(c+2))x_0x_3x_5 + (2c/(c+2))x_1x_3x_5 + (c/(c+2))x_0x_4x_5 + (2c/(c+2))x_1x_4x_5 - x_0x_5^2 + x_1x_5^2$

conjecture: x_0^9 .

6 S_6 , char 2, τ trivial

6.1 Hilbert polynomial

$$t^{8} + 6t^{7} + 16t^{6} + 26t^{5} + 30t^{4} + 26t^{3} + 16t^{2} + 6t + 1 = (t+1)^{6}(t^{2}+1)$$

6.2 Generators

$$x_0^2 + x_1^2 + x_2^2 + x_3^2 + x_4^2 + x_5^2$$

$$((c+1)/c)x_0^2 + x_0x_1 + x_0x_2 + x_0x_3 + x_1x_4 + x_2x_4 + x_3x_4 + ((c+1)/c)x_4^2 + x_0x_5 + x_4x_5$$

$$((c+1)/c)x_0^2 + x_0x_1 + x_0x_2 + x_1x_3 + x_2x_3 + ((c+1)/c)x_3^2 + x_0x_4 + x_3x_4 + x_0x_5 + x_3x_5$$

$$((c+1)/c)x_0^2 + x_0x_1 + x_1x_2 + ((c+1)/c)x_2^2 + x_0x_3 + x_2x_3 + x_0x_4 + x_2x_4 + x_0x_5 + x_2x_5$$

$$((c+1)/c)x_0^2 + ((c+1)/c)x_1^2 + x_0x_2 + x_1x_2 + x_0x_3 + x_1x_3 + x_0x_4 + x_1x_4 + x_0x_5 + x_1x_5$$

$$x_0^4.$$

7 S_9 , char 3, τ trivial

7.1 Hilbert polynomial

PARTIAL

$$\cdots + 157t^3 + 45t^2 + 9t + 1$$

7.2 Generators

PARTIAL

$$x_0^3 + x_1^3 + x_2^3 + x_3^3 + x_4^3 + x_5^3 + x_6^3 + x_7^3 + x_8^3$$

 $((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 - x_0x_3^2 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (c/(c+2))x_0x_3x_4 - x_0x_4^2 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_3x_5 + (c/(c+2))x_0x_3x_5 + (c/(c+2))x_0x_4x_5 - x_0x_5^2 + x_0^2x_6 + (c/(c+2))x_0x_1x_6 + (c/(c+2))x_0x_2x_6 + (c/(c+2))x_0x_3x_6 + (c/(c+2))x_0x_4x_6 + (c/(c+2))x_0x_5x_6 - x_0x_6^2 - x_0^2x_7 + x_1^2x_7 + (2c/(c+2))x_1x_2x_7 + x_2^2x_7 + (2c/(c+2))x_1x_3x_7 + (2c/(c+2))x_2x_3x_7 + x_3^2x_7 + (2c/(c+2))x_1x_4x_7 + (2c/(c+2))x_2x_4x_7 + (2c/(c+2))x_3x_4x_7 + x_4^2x_7 + (2c/(c+2))x_1x_5x_7 + (2c/(c+2))x_2x_5x_7 + (2c/(c+2))x_3x_5x_7 + (2c/(c+2))x_4x_5x_7 + x_5^2x_7 + (2c/(c+2))x_1x_6x_7 + (2c/(c+2))x_2x_6x_7 + (2c/(c+2))x_3x_6x_7 + (2c/(c+2))x_4x_6x_7 + (2c/(c+2))x_5x_6x_7 + x_6^2x_7 + x_0x_7^2 - x_1x_7^2 - x_2x_7^2 - x_3x_7^2 - x_4x_7^2 - x_5x_7^2 - x_6x_7^2 + ((c+1)/c)x_7^3 + x_0^2x_8 + (c/(c+2))x_0x_1x_8 + (c/(c+2))x_0x_2x_8 + (c/(c+2))x_0x_3x_8 + (c/(c+2))x_0x_4x_8 + (c/(c+2))x_0x_5x_8 + (c/(c+2))x_0x_6x_8 + (2c/(c+2))x_1x_7x_8 + (2c/(c+2))x_2x_7x_8 + (2c/(c+2))x_2x_7x_$

 $((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 - x_0x_3^2 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (c/(c+2))x_0x_3x_4 - x_0x_4^2 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_3x_5 + (c/(c+2))x_0x_4x_5 - x_0x_5^2 - x_0^2x_6 + x_1^2x_6 + (2c/(c+2))x_1x_2x_6 + x_2^2x_6 + (2c/(c+2))x_1x_3x_6 + (2c/(c+2))x_2x_3x_6 + x_3^2x_6 + (2c/(c+2))x_1x_4x_6 + (2c/(c+2))x_2x_4x_6 + (2c/(c+2))x_3x_4x_6 + x_2^2x_6 + (2c/(c+2))x_1x_5x_6 + (2c/(c+2))x_2x_5x_6 + (2c/(c+2))x_3x_5x_6 + (2c/(c+2))x_4x_5x_6 + x_5^2x_6 + x_0x_6^2 - x_1x_6^2 - x_2x_6^2 - x_3x_6^2 - x_4x_6^2 - x_5x_6^2 + ((c+1)/c)x_6^3 + x_0^2x_7 + (c/(c+2))x_0x_1x_7 + (c/(c+2))x_0x_2x_7 + (c/(c+2))x_0x_3x_7 + (c/(c+2))x_0x_4x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_1x_6x_7 + (2c/(c+2))x_2x_6x_7 + (2c/(c+2))x_3x_6x_7 + (2c/(c+2))x_0x_3x_8 + (c/(c+2))x_0x_3x_8 + (c/(c+2))x_0x_5x_8 + (2c/(c+2))x_0x_5x_8 + (2c/(c+2))x_1x_6x_8 + (2c/(c+2))x_2x_6x_8 + (2c/(c+2))x_2$

 $((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 - x_0x_3^2 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (c/(c+2))x_0x_3x_4 - x_0x_4^2 - x_0^2x_5 + x_1^2x_5 + (2c/(c+2))x_1x_2x_5 + x_2^2x_5 + (2c/(c+2))x_1x_3x_5 + (2c/(c+2))x_2x_3x_5 + x_3^2x_5 + (2c/(c+2))x_1x_4x_5 + (2c/(c+2))x_2x_4x_5 + (2c/(c+2))x_2x_4x_5 + x_0x_5^2 - x_1x_5^2 - x_2x_5^2 - x_3x_5^2 - x_4x_5^2 + ((c+1)/c)x_5^3 + x_0^2x_6 + (c/(c+2))x_0x_1x_6 + (c/(c+2))x_0x_1x_6 + (c/(c+2))x_0x_2x_6 + (c/(c+2))x_0x_3x_6 + (c/(c+2))x_0x_4x_6 + (2c/(c+2))x_0x_4x_5 + (2c/(c+2))x_1x_5x_6 + (2c/(c+2))x_1x_5x_6 + (2c/(c+2))x_2x_5x_6 + (2c/(c+2))x_0x_2x_7 + (c/(c+2))x_0x_3x_7 + (c/(c+2))x_0x_4x_7 + (2c/(c+2))x_1x_5x_7 + (2c/(c+2))x_2x_5x_7 + (2c/(c+2))x_3x_5x_7 + (2c/(c+2))x_4x_5x_7 - x_5^2x_7 + (c/(c+2))x_0x_4x_7 + (2c/(c+2))x_0x_4x_7 + (2c/(c+2))x_5x_6x_7 - x_0x_7^2 + x_5x_7^2 + x_0^2x_8 + (c/(c+2))x_0x_1x_8 + (c/(c+2))x_0x_2x_8 + (c/(c+2))x_0x_3x_8 + (c/(c+2))x_0x_4x_8 + (2c/(c+2))x_1x_5x_8 + (2c/(c+2))x_2x_5x_8 + (2c/(c+2))x_3x_5x_8 + (2c/(c+2))x_3x_5x_8 + (2c/(c+2))x_3x_5x_8 + (2c/(c+2))x_5x_6x_8 + (2c/(c+2))x_5x_6x_8 + (2c/(c+2))x_5x_7x_8 - x_0x_8^2 + x_5x_8^2 + x_0x_8^2 + x_0$

 $((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 - x_0x_3^2 - x_0^2x_4 + x_1^2x_4 + (2c/(c+2))x_1x_2x_4 + x_2^2x_4 + (2c/(c+2))x_1x_3x_4 + (2c/(c+2))x_2x_3x_4 + x_3^2x_4 + x_0x_4^2 - x_1x_4^2 - x_2x_4^2 - x_3x_4^2 + ((c+1)/c)x_4^3 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_3x_5 + (2c/(c+2))x_1x_4x_5 + (2c/(c+2))x_2x_4x_5 + (2c/(c+2))x_3x_4x_5 - x_4^2x_5 - x_0x_5^2 + x_4x_5^2 + x_0^2x_6 + (c/(c+2))x_0x_1x_6 + (c/(c+2))x_0x_2x_6 + (c/(c+2))x_0x_3x_6 + (2c/(c+2))x_1x_4x_6 + (2c/(c+2))x_2x_4x_6 + (2c/(c+2))x_3x_4x_6 - x_4^2x_6 + (c/(c+2))x_0x_3x_7 + (2c/(c+2))x_1x_4x_7 + (2c/(c+2))x_2x_4x_7 + (2c/(c+2))x_3x_4x_7 - x_4^2x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_2x_4x_7 + (2c/(c+2))x_3x_4x_7 - x_4^2x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_0x_5x_7 + (2c/(c+2))x_0x_5x_8 + (2c/(c+2))x_0x_5x_8$

 $((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 - x_0^2x_3 + x_1^2x_3 + (2c/(c+2))x_1x_2x_3 + x_2^2x_3 + x_0x_3^2 - x_1x_3^2 - x_2x_3^2 + ((c+1)/c)x_3^3 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (2c/(c+2))x_1x_3x_4 + (2c/(c+2))x_2x_3x_4 - x_3^2x_4 - x_0x_4^2 + x_3x_4^2 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (2c/(c+2))x_1x_3x_5 + (2c/(c+2))x_2x_3x_5 - x_3^2x_5 + (c/(c+2))x_0x_4x_5 + (2c/(c+2))x_3x_4x_5 - x_0x_5^2 + x_3x_5^2 + x_0^2x_6 + (c/(c+2))x_0x_1x_6 + (c/(c+2))x_1x_6 + (c/(c+2))x_1x_6 + (c/(c+2))x_1x_6 + (c/(c+2))x_1x_6 +$

```
2))x_0x_2x_6 + (2c/(c+2))x_1x_3x_6 + (2c/(c+2))x_2x_3x_6 - x_3^2x_6 + (c/(c+2))x_0x_4x_6 + (2c/(c+2))x_3x_4x_6 + (c/(c+2))x_1x_3x_6 + (c/(c+2))x_1x_5 + (c/(c+2))x_1x_5 + (c/(c+2))x_5 + (c/(c
  2))x_0x_5x_6 + (2c/(c+2))x_3x_5x_6 - x_0x_6^2 + x_3x_6^2 + x_0^2x_7 + (c/(c+2))x_0x_1x_7 + (c/(c+2))x_0x_2x_7 + (2c/(c+2))x_1x_3x_7 + (2c/(c+2))x_0x_2x_7 + (2c/(c+2))x_0x_7 + (2c/(c+2))x_0x_7 + (2c/(c+2))x_0x_7 + (2c/(c+2))x_7 + (2c/(c+2))x_7 + (2c/(c+2))x_7 + (2c/(c+2))x_7 + (2c/(c+
  (2c/(c+2))x_2x_3x_7 - x_3^2x_7 + (c/(c+2))x_0x_4x_7 + (2c/(c+2))x_3x_4x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_3x_5x_7 + (2c/(c+2))x_0x_5x_7 + (2c/(c+2))x_0x_7 + (2c/(c+2))x_0x_7 + (2c/(c+2))x_0x_7 + (2c/(c+2))x_5x_7 + (2c/(c+2))x_7 + (2c/(c+2))x
  (c/(c+2))x_0x_6x_7 + (2c/(c+2))x_3x_6x_7 - x_0x_7^2 + x_3x_7^2 + x_0^2x_8 + (c/(c+2))x_0x_1x_8 + (c/(c+2))x_0x_2x_8 + (2c/(c+2))x_0x_2x_8 + (2c/(c+2))x_0x_8 + (2c/(c+2))x_0x_
2))x_{1}x_{3}x_{8} + (2c/(c+2))x_{2}x_{3}x_{8} - x_{3}^{2}x_{8} + (c/(c+2))x_{0}x_{4}x_{8} + (2c/(c+2))x_{3}x_{4}x_{8} + (c/(c+2))x_{0}x_{5}x_{8} + (2c/(c+2))x_{0}x_{5}x_{8} + (2c/(c+2))x_{0}x_{5}x_{6} + (2c/(c+2))x_{0}x_{5}x_{6} + (2c/(c+2))x_{0}x_{5}x_{6} + (2c/(c+2))x_{0}x_{5}x_{6} + (2c/(c+2))x_{0}x_{5}x_{6} + (2c/(c+2))x_{0}x_{5}x_{6} + (2c/(c+2))x_{0}x_{5}
  (2)x_3x_5x_8 + (c/(c+2))x_0x_6x_8 + (2c/(c+2))x_3x_6x_8 + (c/(c+2))x_0x_7x_8 + (2c/(c+2))x_3x_7x_8 - x_0x_8^2 + x_3x_8^2
  (2))x_1x_2x_3 - x_2^2x_3 - x_0x_3^2 + x_2x_3^2 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (2c/(c+2))x_1x_2x_4 - x_2^2x_4 + (c/(c+2))x_0x_3x_4 + (2c/(c+2))x_2x_3x_4 - x_0x_4^2 + x_2x_4^2 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (2c/(c+2))x_1x_2x_5 - x_2^2x_5 + (c/(c+2))x_0x_3x_5 + (c/(c+2))x_0x_5 + (c/(c+
  (2c/(c+2))x_2x_3x_5 + (c/(c+2))x_0x_4x_5 + (2c/(c+2))x_2x_4x_5 - x_0x_5^2 + x_2x_5^2 + x_0^2x_6 + (c/(c+2))x_0x_1x_6 + (2c/(c+2))x_0x_1x_6 + (2c/(c+2))x_1x_6 + (2c/(c+2))x_6 + (2c/(c+2))x_
  2))x_1x_2x_6 - x_2^2x_6 + (c/(c+2))x_0x_3x_6 + (2c/(c+2))x_2x_3x_6 + (c/(c+2))x_0x_4x_6 + (2c/(c+2))x_2x_4x_6 + (c/(c+2))x_0x_4x_6 + (c/(c+2))x_0x_6 + (c/(c+2))x_0x_6 + (c/(c+2))x_6 + (c/(c+2))
2))x_0x_5x_6 + (2c/(c+2))x_2x_5x_6 - x_0x_6^2 + x_2x_6^2 + x_0^2x_7 + (c/(c+2))x_0x_1x_7 + (2c/(c+2))x_1x_2x_7 - x_2^2x_7 + (c/(c+2))x_1x_2x_7 - x_2^2x_7 + x
  2))x_0x_3x_7 + (2c/(c+2))x_2x_3x_7 + (c/(c+2))x_0x_4x_7 + (2c/(c+2))x_2x_4x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_2x_5x_7 + (2c/(c+2))x_5x_7 + (2c/(c+2))x_7 + (2c/(c+2))x_
  (c/(c+2))x_0x_6x_7 + (2c/(c+2))x_2x_6x_7 - x_0x_7^2 + x_2x_7^2 + x_0^2x_8 + (c/(c+2))x_0x_1x_8 + (2c/(c+2))x_1x_2x_8 - x_2^2x_8 + x_2^2x_8 - 
  (c/(c+2))x_0x_3x_8 + (2c/(c+2))x_2x_3x_8 + (c/(c+2))x_0x_4x_8 + (2c/(c+2))x_2x_4x_8 + (c/(c+2))x_0x_5x_8 + (2c/(c+2))x_0x_5x_8 + (
  (2))x_2x_5x_8 + (c/(c+2))x_0x_6x_8 + (2c/(c+2))x_2x_6x_8 + (c/(c+2))x_0x_7x_8 + (2c/(c+2))x_2x_7x_8 - x_0x_8^2 + x_2x_8^2 + x_2x_8
  ((2c+2)/c)x_0^3 - x_0^2x_1 + x_0x_1^2 + ((c+1)/c)x_1^3 + x_0^2x_2 - x_1^2x_2 - x_0x_2^2 + x_1x_2^2 + x_0^2x_3 - x_1^2x_3 + (c/(c+2))x_0x_2x_3 + x_0x_1^2 + x_0x_1^2
(2c/(c+2))x_1x_2x_3 - x_0x_3^2 + x_1x_3^2 + x_0^2x_4 - x_1^2x_4 + (c/(c+2))x_0x_2x_4 + (2c/(c+2))x_1x_2x_4 + (c/(c+2))x_0x_3x_4 + (2c/(c+2))x_1x_2x_4 + (c/(c+2))x_0x_3x_4 + (2c/(c+2))x_1x_2x_4 - x_0x_4^2 + x_1x_4^2 + x_0^2x_5 - x_1^2x_5 + (c/(c+2))x_0x_2x_5 + (2c/(c+2))x_1x_2x_5 + (c/(c+2))x_0x_3x_5 + (2c/(c+2))x_1x_2x_5 + (c/(c+2))x_0x_3x_5 + (2c/(c+2))x_1x_2x_5 + (2c/(c+2))x_1x_5 + (2c/(c+2))x_1x_5 + (2c/(c+2))x_1x_5 + (2c/(c+2))x_1
  (2c/(c+2))x_1x_3x_5 + (c/(c+2))x_0x_4x_5 + (2c/(c+2))x_1x_4x_5 - x_0x_5^2 + x_1x_5^2 + x_0^2x_6 - x_1^2x_6 + (c/(c+2))x_0x_2x_6 + x_0x_5^2 + x_1x_5^2 + x_0x_5^2 + 
  (2c/(c+2))x_1x_2x_6 + (c/(c+2))x_0x_3x_6 + (2c/(c+2))x_1x_3x_6 + (c/(c+2))x_0x_4x_6 + (2c/(c+2))x_1x_4x_6 + (c/(c+2))x_1x_2x_6 + (c/(
  2))x_0x_5x_6 + (2c/(c+2))x_1x_5x_6 - x_0x_6^2 + x_1x_6^2 + x_0^2x_7 - x_1^2x_7 + (c/(c+2))x_0x_2x_7 + (2c/(c+2))x_1x_2x_7 + (c/(c+2))x_1x_2x_7 + (c/(c+2))x_1x_7 + (c/(c+2))x_1x_7 + (c/(c+2))x_1x_7
  2))x_0x_3x_7 + (2c/(c+2))x_1x_3x_7 + (c/(c+2))x_0x_4x_7 + (2c/(c+2))x_1x_4x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_1x_5x_7 + (2c/(c+2))x_7 + (2c/(c+2))x_7
  (c/(c+2))x_0x_3x_8 + (2c/(c+2))x_1x_3x_8 + (c/(c+2))x_0x_4x_8 + (2c/(c+2))x_1x_4x_8 + (c/(c+2))x_0x_5x_8 + (2c/(c+2))x_0x_5x_8 + (2c/(c+2))x_0x_8x_8 + (2c/(c+2))x_0x_8x_8 + (2c/(c+2))x_0x_8x_8 + (2c/(c+2))x_0x_8x_8 + (2c/(c+2))x_0x_8x_8 + (2c/(c+2))x_0x_8x_8 + (2c/(c+2))x_8x_8 + (2c/(c+2))x_8x_8 + (2c/(c+2))x_8x_8 + (2c/(c+2))x_8x_8 + (2c/(c+2))x_8
  2))x_1x_5x_8 + (c/(c+2))x_0x_6x_8 + (2c/(c+2))x_1x_6x_8 + (c/(c+2))x_0x_7x_8 + (2c/(c+2))x_1x_7x_8 - x_0x_8^2 + x_1x_8^2 + x_1x_8^
```

conjecture: x_0^9