

whalestrike: An R package for simulating ship strikes on whales

Dan E. Kelley ¹

¹ Department of Oceanography, Dalhousie University, Halifax, Nova Scotia, Canada

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Renata Diaz](#) 

Reviewers:

- [@alexee-mayette](#)
- [@hansenjohnson](#)

Submitted: 29 January 2024

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

The collision of ships with whales can result in serious injury or death of the animal. This is particularly concerning for endangered species such as the North Atlantic right whale. Although speed reduction policies have been developed and implemented, simple considerations suggest that other factors, such as ship mass and prow shape, should also be taken into account. An R package called whalestrike has been developed to address such issues. It was used by Kelley et al. (2021) in the development of a biomechanically based criterion for the lethality of ship strikes, but this was just a starting point. The next step, and goal of the present paper, is to introduce the model code to a broader community, encouraging its use and development by diverse researchers and policy makers.

Statement of need

Ship collisions pose significant threats to endangered marine mammals (Laist et al., 2001). The case of the North Atlantic right whale (*Eubalaena glacialis*) is of particular concern, since it is considered a “Critically Endangered” species (IUCN, 2020). The trend is not encouraging for this animal, the population of which was 340 ± 7 in 2021 (Pettis et al., 2023), down significantly from 483 in 2010 (Pace et al., 2017). According to necropsy studies, ship strikes are involved in over half of right whale deaths (Campbell-Malone et al., 2008).

Motivated by such studies, efforts have been made in recent years to mitigate the consequences of collision by imposing speed restrictions on ships, and evidence of successful results (e.g. Conn & Silber, 2013) has led to marine policy changes, including both static and dynamic zones of speed restriction (e.g. Transport Canada, 2023). Even so, it seems unwise to measure the success of speed restrictions by counting dead or injured whales, given the low numbers alive today. In addition, basic reasoning reveals that speed cannot be the only factor. Variations in ship mass, prow shape, etc. should also be considered, along with whale morphometric parameters, making for a multifactorial problem that requires even more data to achieve statistical reliability.

With this in mind, Kelley et al. (2021) devised a simple numerical model of the biophysical dynamics of collisions between vessels and whales. This involved using published records of whale injury and death (across multiple species) to calibrate a lethality criterion that depends not just on vessel speed, but also on other factors such as vessel mass, prow geometry, etc., in addition to whale morphometric parameters. The model was expressed in the R language, because it is familiar to many marine biologists and because it provides a wide scope of statistical tools for followup work. The purpose of the present paper is not to recapitulate the results of Kelley et al. (2021), but rather to introduce readers to the whalestrike code.

To the author’s knowledge, there are no other R packages that address the topic of collision mechanics and whale lethality in this way. Readers interested in the related topic of the

41 probability of collision given shipping patterns and whale distributions might find it helpful
42 to start with R packages named `whalemap` (Johnson et al. (2021)) and `shipstrike` (Keen
43 (2023)).

44 Model formulation

45 A desire to produce a GUI (graphical user interface) tool permitting easy exploration of various
46 model scenarios led to a decision to create a simplified model that yields results quickly, as
47 opposed to a much more computationally-expensive finite element model that might account
48 more accurately for the deformation of whale flesh (see e.g. Raymond, 2007). The new model
49 ignores ship deformation upon impact, and considers whale deformation to occur only in a
50 specified impact area dictated by the geometry of the ship's prow. It uses a layered scheme
51 to represent the whale, with skin covering blubber, with that blubber covering a sub-layer
52 representing a combination of muscle and organs, and with bone at the core. Thicknesses and
53 material properties (including a nonlinear stress-strain relationship) for each layer are taken
54 from the literature, with the idea being that adjusting these parameters will provide a way
55 to simulate strikes on different species, or at different body locations. Skin deformation is
56 modeled with both extension and compression forces, while only compression is considered
57 for interior layers. Lacking reliable information on failure limits for these biomaterials, critical
58 values for stresses are posited in the context of published results of the damage experienced in
59 documented ship strikes. Kelley et al. (2021) provide more information on the methodologies
60 and issues involved.

61 The model is simple, with acceleration and forces being linked via Newton's second law.
62 Numerical integration is carried out with the `lsoda()` function of the `deSolve` R package
63 (Soetaert et al., 2010). Predicted velocities are used in computing water drag and the relative
64 positions of ship and whale. After contact is made, extensive and compressive forces arise, and
65 the stresses associated with these forces are monitored in the context of the lethality index
66 proposed by (Kelley et al., 2021). Dynamical elements involved in this process are distilled into
67 several dozen model parameters. Although a great deal of effort has been put into formulating
68 these parameters appropriately (mainly for application to right whales), `whalestrike` offers a
69 simple way for users to adjust each of them, if needed for new applications.

70 Package installation and use

71 The package may be installed from its development website by typing

```
library(remotes)  
install_github("dankelley/whalestrike", ref="main")
```

72 in an R console¹. Once this is done, the user has access to over 20 functions and their
73 documentation. The latter makes frequent reference to the scientific literature, since the
74 package is aimed at scientists and managers who seek to trace the sources of the formulae
75 involved in a computation. A vignette is also provided for wider context.

76 A good way to start using `whalestrike` is to become familiar with `strike()`, a function that
77 simulates a collision event and produces an object that can then be plotted (using the R
78 generic function system) in multiple ways.

79 Three arguments must be provided to `strike()`. The first sets the times at which model
80 output is desired, the second establishes the initial locations and speeds of the ship and the
81 whale, and the third describes the biological and physical properties of the ship and the whale.
82 An example is provided in the documentation of `strike()`, e.g. typing

¹There are plans to submit `whalestrike` to the Comprehensive R Archive Network (CRAN, 2024).

```
library(whalestrike)
example(strike)
```

in an R console will run a sample simulation, and show a three-panel plot (reproduced here as Figure 1) of the relative position of whale and ship, the compression of the whale's layers, and the associated lethality index.




Figure 1: Diagram produced by typing `example(strike, package="whalestrike")` in an R session. Three of the possible 12 plots are shown. **Left:** positions of 45-tonne vessel initially moving at 10 knots (dashed line) and the boundaries between the three layers on the shipward side of the whale. Contact occurs at about 0.2 s, and continues to about 0.6 s. Note that a small fishing vessel is used in this simulation, and so its speed is significantly reduced by the collision. **Middle:** As the left panel, but showing only the positions of the interfaces between the whale layers, relative to the whale's centre position. In this view, the thin skin can be seen at the bottom, with blubber, sublayer and then bone to the interior. **Right:** An index of lethality, with the line thickened for the interval during which stresses are predicted to exceed a threshold for lethal damage according to Kelley et al. (2021).

Running the simulation and plotting the results as in Figure 1 takes a fraction of a second on a typical laptop, showing that the system is computationally inexpensive. This is helpful in detailed studies that involve calling `strike()` with a wide suite of parameter values, such as the creation of the diagrams in Kelley et al. (2021), some of which involved of order 10^5 model runs to cover parameter space in detail.

There are also applications for which a few model runs may suffice. For such work, `whalestrike` provides an R-shiny application that is run by executing the following in an R console.

```
library(whalestrike)
app2()
```

Doing this creates a window, shown in Figure 2 here and in video form online (Kelley, 2024). With a variety of sliders and other GUI elements, the application makes it easy to explore "what if" scenarios for ship strikes. For example, monitoring the Lethality Index plot while adjusting the ship-specification tools and the impact speed might prove useful in discussions of speed restrictions across ship masses and classes. More detailed (and reproducible) work is also facilitated by `app2()`, because it can display the underlying code used in the simulation, providing a good starting point for more extensive analyses, such as the exploration of covarying parameters.




Figure 2: View of an interactive application for simulating ship-whale collisions. Adjusting the slider for ship speed will reveal that the vessel in this simulation would have to slow down to 6.5 knots in order to reduce the inferred Lethality Index below a critical value (dashed line in right panel).

Conclusions

The `whalestrike` package is intended to provide guidance for the development of marine policies related to ship speeds. It is written in R, a language that is familiar to many marine biologists, and one that also offers a vast array of statistical tools for analysing the results of model simulations. In addition to tools for detailed control of simulations, the package also provides a GUI-based tools for basic exploration, which may be useful in making or explaining policy decisions.

Being founded on physical principles, `whalestrike` complements the more statistical approaches of most studies in this field. An advantage of this foundation is a reduction in the need for a database of collision events that covers the relevant range of ship types and speeds. This is especially important for an application such as this, because each entry in a collision database represents the loss of one more member of a species that is already at high risk of extinction.

Acknowledgements

I thank Sean W. Brilliant for asking me to explain what I (then) knew about ship-whale collisions, and James P. Vlasic for finding and collating published records of such collisions and discussing representations of material properties with me. I would not have considered writing the `whalestrike` package without the motivation of working with these two fine collaborators. Jaimie Harbin provided useful comments on this manuscript. I am also grateful to Christopher T. Taggart, for discussions about whales and other things that I never realized would interest me as much as they do. Finally, I thank the reviewers of this manuscript, for careful reading of this document and thoughtful examination of the `whalestrike` package code.

References

- Campbell-Malone, R., Barco, S. G., Daoust, P.-Y., Knowlton, A. R., McLellan, W. A., Rotstein, D. S., & Moore, M. J. (2008). Gross and histologic evidence of sharp and blunt trauma in North Atlantic Right Whales (*Eubalaena glacialis*) killed by vessels. *Journal of Zoo and Wildlife Medicine*, 39(1), 37–55. <http://www.jstor.org/stable/20460430>
- Conn, P. B., & Silber, G. K. (2013). Vessel speed restrictions reduce risk of collision-related mortality for North Atlantic right whales. *Ecosphere*, 4(4), art43. <https://doi.org/10.1890/ES13-00004.1>
- CRAN. (2024). *The Comprehensive R Archive Network*. <https://doi.org/10.1002/wics.1212>
- IUCN. (2020). *Eubalaena glacialis*: Cooke, J.G.: *The IUCN Red List of Threatened Species 2020: E.T41712A178589687*. International Union for Conservation of Nature. <https://doi.org/10.2305/IUCN.UK.2020-2.RLTS.T41712A178589687.en>
- Johnson, H., Morrison, D., & Taggart, C. (2021). WhaleMap: A tool to collate and display whale survey results in near real-time. *Journal of Open Source Software*, 6(62), 3094. <https://doi.org/10.21105/joss.03094>
- Keen, E. (2023). *Ericmkeen/shipstrike: Utilities for spatially and temporally explicit predictions of whale-ship collisions*. <https://github.com/ericmkeen/shipstrike>
- Kelley, D. E. (2024). *Using app2() of the whalestrike R package*. <https://www.youtube.com/watch?v=kTMI3nXa5A4>
- Kelley, D. E., Vlastic, J. P., & Brilliant, S. W. (2021). Assessing the lethality of ship strikes on whales using simple biophysical models. *Marine Mammal Science*, 37(1), 251–267. <https://doi.org/10.1111/mms.12745>
- Laist, D. W., Knowlton, A. R., Mead, J. G., Collet, A. S., & Podesta, M. (2001). Collisions between ships and whales. *Marine Mammal Science*, 17(1), 35–75. <https://doi.org/10.1111/j.1748-7692.2001.tb00980.x>
- Pace, R. M., Corkeron, P. J., & Kraus, S. D. (2017). State-space mark-recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecology and Evolution*, 7(21), 8730–8741. <https://doi.org/10.1002/ece3.3406>
- Pettis, H. M., Pace, R. M., & Hamilton, P. K. (2023). *North Atlantic Right Whale Consortium 2022 Annual Report Card*. North Atlantic Right Whale Consortium. <https://doi.org/10.1575/1912/29601>
- Raymond, J. J. (2007). *Development of a numerical model to predict impact forces on a North Atlantic Right Whale during collision with a vessel* [Master's thesis, University of New Hampshire]. <https://scholars.unh.edu/thesis/309>
- Soetaert, K., Petzoldt, T., & Setzer, R. W. (2010). Solving differential equations in R: Package deSolve. *Journal of Statistical Software; Vol 1, Issue 9 (2010)*. <https://doi.org/10.18637/jss.v033.i09>
- Transport Canada. (2023). Protecting the North Atlantic right whale: Speed restriction measures in the Gulf of St. Lawrence - SSB No.: 05/2023. In *AMSEC 18265176*. <https://tc.canada.ca/en/marine-transportation/marine-safety/ship-safety-bulletins/protecting-north-atlantic-right-whale-speed-restriction-measures-gulf-st-lawrence-ssb-no-05-2023>