FYS4560; ELEMENTARY PARTICLE PHYSICS

FINAL PROJECT

Higher Dimensions; Theoretical and Experimental Aspects

SEAN B.S. MILLER

1 Introduction

Higher dimensions, also called extra dimensions, are physical models for the dimensionality of our universe, mostly suggested with the goal of explaining the hierarchy problem of the standard model. There are many theories for higher dimensions. The most recognised are:

- Large extra dimensions: The theory connected to the often-heard theory that gravity acts through several dimensions, therefore becoming weaker. It originates from the ADD model as an attempt to solve the hierarchy problem¹.
- Warped extra dimensions: Describing our universe as a five-dimensional anti-de Sitter space, and claiming the SM particles are localized on a (3 + 1)-dimensional brane(s).
- Universal extra dimensions: -
- Multiple time dimensions: As the name implies, one increases the number of time dimensions. These theories have to deal with the problem of causality, to quote Wikipedia.

Obviously, a thorough description of any of these models is near impossible for such a small paper, let alone all the models together. Therefore, a brief outline of the theory behind the two currently most promising² models will be given.

The first is the large extra dimension model by Arkani-Hamed, Dimopoulos, and Dvali (ADD). Originally, it was proposed as a model to explain the hierarchy problem (why the weak force is 10^{32} times stronger than gravity, among other problems). The extra dimensions³ are then suggested as planes into which gravity, assumed just as strong as the other forces, spreads. Therefore gravity becomes "diluted", while the known SM particles stay in (1,3)-spacetime.

The second model is the warped extra dimension model by Randall and Sundrum (RS), made due to disliking the current universal extra dimensions models. They assumed that, rather than having universal extra dimensions in which all particles propagate, there is a small extra dimension. This means they model our world as a 5-dimensional anti-de Sitter space⁴. By small, it means the extra dimension has a large curvature, or is *warped*. From general relativity, gravity and curvature are very much the same thing, and therefore the extra dimension, called the Planckbrane, can easily host gravitons.

A question that then springs to mind is why exactly gravitons and extra dimensions are connected (other than gravitons "carrying" gravity). If the standard model is expanded, but without inclusion of extra dimensions, to include a graviton field, then measuring it would be, at best, very optimistic⁵. Should any extra dimensional model be true, it would certainly be desirable to prove it by measurement. Finding a particle with the properties of the graviton would mean that at least *some* extra dimensions model is true.

2 The standard model's plane(s) of existence

The standard model has it's roots in quantum field theory; a relativistic description of quantum particles and their interactions. Since particles are very, very small they exist in flat Minkowski space for all intents

¹The "hierarchy problem" is the problem in explaining why gravity and the weak force are so weak compared to QED and QCD.

²"Promising" in the sense that they provide measurable outcomes, and fit very well with what we already know from the standard model. The problem is that so far they have predicted nothing. Finding a graviton would possibly confirm either theory.

³Today, 6 dimensions is the most common expansion.

⁴This will be explained later on.

 $^{^5}$ Refer to "Can Gravitons be Detected?" by Rothman and Boughn (https://arxiv.org/pdf/gr-qc/0601043v3.pdf) for an impression of the problem.