
Sequence Diagrams


for UMaine Connect by Maineframe (Group 2)

Analysis Sequence Diagrams




- 1. User passes their username and password via login page.
- 2. Username and password get sent to the Firebase API to verify authenticity.
 - 2.1. If authentication is successful,
 - 2.1.1. The API returns a login successful message to the login page.
 - 2.1.2. The login page displays the login successful message to the user.
 - 2.2. If authentication is unsuccessful,
 - 2.2.1. The API returns a login failed message to the login page.
 - 2.2.2. The login page displays the login failed message to the user.

Upload Profile Picture




- 1. User select upload picture
- 2. User's file explorer opens up on the device they are using
- 3. The picture gets sent to the Firebase database once the user has selected their photo
- 4. If the picture has uploaded successfully, the "picture uploaded successfully" message will be sent back to the GUI and the User.
- 5. If the picture has not uploaded successfully, the "picture not uploaded successfully" message will be sent back to the GUI and the User.

View Event Information




- 1. The user selects an event on the UMaineConnect GUI.
- 2. The UMaineConnect GUI passes the ID of the selected event to the database manager (DBManager).
- 3. The database manager queries the FireBase database (FireBaseDB) for the event information associated with the event ID.
- 4. The database returns the associated event information to the database manager.
- 5. The database manager returns the event information to the GUI.
- 6. The GUI opens a new modal window displaying the details of the selected event to the user.

RSVP to an Event




- 1. While viewing an event information modal, the user clicks the RSVP button.
- 2. The UMaine Connect GUI passes the event's ID and the user's ID to the database manager (DBManager).
- 3. The database manager locates the event in the FireBase database (FireBaseDB) by its event ID and updates the event information:
 - 3.1. The database manager adds the user to the event's attendee list by appending their user ID to the list.
 - 3.2. The database manager increments the event's attendee tally by one.
- 4. The database returns the updated event information to the database manager.
- 5. The database manager returns the updated event information to the GUI.
- 6. The GUI displays a message to the user indicating their RSVP was successful.

Sending friends request




- 1. First the user inputs the username of the person they want to add on the friends list page
- 2. After adding the username, the user clicks on the send button on the friends list page.
- 3. The information is then passed on to the FireBaseDS, where its stored and sent to another user whose username was imputed.
- 4. After successfully sending the friends request the database updates the friends list page.
- 5. Lastly the friends list page displays "Friends request sent."

Adding an Event




- 1. To add an event the user first double clicks on the interaction page
- 2. After tapping a pop up should appear in which the user add the name of the event and its description.
- 3. The name of the event and the description is then passed to the database manager which starts the process of creating the event.
- 4. The database manager passes that information to the FireBase DB in which the event is created and stored.
- 5. The FireBase DB sends a message to the DB manager letting it know that an event is created.
- 6. The DBmanager sends a message to the interaction page letting it know that an event is created.
- 7. Lastly the Interaction page returns a success message to the user.




- 1. To create a profile the user inputs their name and uploads a picture in the sign up tab.
- 2. To upload the picture the user accesses its device.
 - 2.1. The user opens photos, selects the picture that they want to use and uploads it.
- 3. Then the user's name and the picture is sent to the firebase DB.
- 4. The firebase DB stores the information and creates a profile.
- 5. The firebase Db sends a message to the signup tab, which then displays the message "profile created successfully" to the user.

Design Sequence Diagrams




- 1. User passes their username and password via login page.
- 2. Username and password get sent to the Firebase API to verify authenticity.
 - 2.1. If authentication is successful,
 - 2.1.1. The API returns a login successful message to the login page.
 - 2.1.2. The login page displays the login successful message to the user.
 - 2.2. If authentication is unsuccessful,
 - 2.2.1. The API returns a login failed message to the login page.
 - 2.2.2. The login page displays the login failed message to the user.



- 1. First the user inputs the username of the person they want to add on the friends list page
- 2. After adding the username, the user clicks on the send button on the friends list page.
- 3. The information is then passed on to the FireBaseDS, where its stored and sent to another user whose username was imputed.
- 4. After successfully sending the friends request the database updates the friends list page.
- 5. Lastly, the friends list page displays "Friends request sent."

RSVP to an Event



- 1. While viewing an event information modal, the user clicks the RSVP button.
- 2. The UMaine Connect GUI passes the event's ID and the user's ID to the database manager (DBManager).
- 3. The database manager locates the event in the FireBase database (FireBaseDB) by its event ID and updates the event information:
 - 3.1. The database manager adds the user to the event's attendee list by appending their user ID to the list.
 - 3.2. The database manager increments the event's attendee tally by one.
- 4. The database returns the updated event information to the database manager.
- 5. The database manager returns the updated event information to the GUI.
- 6. The GUI displays a message to the user indicating their RSVP was successful.