

APPENDICES OF CLASSIFYING INTEGRAL GROTHENDIECK RINGS UP TO RANK 5 AND BEYOND

MAX A. ALEKSEYEV, WINFRIED BRUNS, JINGCHENG DONG, AND SEBASTIEN PALCOUX

Appendix A. INTEGRAL DRINFELD RINGS

A.1. Up to rank 5. This section presents the comprehensive list of integral Drinfeld rings up to rank 5—including their global FPdim, type, duality, formal codegrees, and fusion data. Copy-pastable data can be found in the file `GeneralUpToRank5DataOnly.txt`, located in the `Data/General` directory of [7]. For each case, either an explicit categorification is provided, or a reference is given to a theoretical result ruling out its existence.

A.1.1. *Rank 1.* Trivial case

A.1.2. *Rank 2.*

(1) FPdim 2, type $[1, 1]$, duality $[0, 1]$, fusion data:

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$$

- Formal codegrees: $[2, 2]$,
- Property: simple,
- Categorification: $\text{Rep}(C_2)$.

A.1.3. *Rank 3.*

(1) FPdim 3, type $[1, 1, 1]$, duality $[0, 2, 1]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 \\ 1 & 0 & 0 \\ 0 & 1 & 0 \end{bmatrix}$$

- Formal codegrees: $[3, 3, 3]$,
- Property: simple,
- Categorification: $\text{Rep}(C_3)$.

(2) FPdim 6, type $[1, 1, 2]$, duality $[0, 1, 2]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 \\ 0 & 0 & 1 \\ 1 & 1 & 1 \end{bmatrix}$$

- Formal codegrees: $[2, 3, 6]$,
- Categorification: $\text{Rep}(S_3)$.

A.1.4. *Rank 4.*

(1) FPdim 4, type $[1, 1, 1, 1]$, duality $[0, 1, 2, 3]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \end{bmatrix}$$

- Formal codegrees: $[4, 4, 4, 4]$,
- Categorification: $\text{Rep}(C_2^2)$.

(2) FPdim 4, type $[1, 1, 1, 1]$, duality $[0, 1, 2, 3]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \end{bmatrix}$$

- Formal codegrees: $[4, 4, 4, 4]$,
- Categorification: $\text{Rep}(C_4)$.

(3) FPdim 10, type $[1, 1, 2, 2]$, duality $[0, 1, 2, 3]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 \\ 1 & 1 & 0 & 1 \\ 0 & 0 & 1 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 1 \\ 1 & 1 & 1 & 0 \end{bmatrix}$$

- Formal codegrees: $[2, 5, 5, 10]$,
- Categorification: $\text{Rep}(D_5)$.

- Formal codegrees: $[3, 3, 5, 8, 120]$,
 - Property: non-1-Frobenius,
 - Categorification: excluded by Lemma 5.2.
- (16) FPdim 140, type $[1, 1, 5, 7, 8]$, duality $[0, 1, 2, 3, 4]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 1 & 1 & 0 & 1 & 2 \\ 0 & 0 & 1 & 2 & 2 \\ 0 & 0 & 2 & 2 & 2 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 2 & 2 \\ 1 & 1 & 2 & 3 & 2 \\ 0 & 0 & 2 & 2 & 4 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 2 & 2 & 2 \\ 0 & 0 & 2 & 2 & 4 \\ 1 & 1 & 2 & 4 & 3 \end{bmatrix}$$

- Formal codegrees: $[2, 4, 7, 10, 140]$,
 - Property: non-1-Frobenius,
 - Categorification: excluded by Lemma 5.2 or Corollary 5.13.
- (17) FPdim 156, type $[1, 1, 1, 3, 12]$, duality $[0, 2, 1, 3, 4]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 1 & 1 & 1 & 2 & 0 \\ 0 & 0 & 0 & 0 & 3 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 3 \\ 1 & 1 & 1 & 3 & 11 \end{bmatrix}$$

- Formal codegrees: $[3, 3, 4, 13, 156]$,
 - Categorification: excluded by Lemma 5.8.
- (18) FPdim 240, type $[1, 1, 2, 3, 15]$, duality $[0, 1, 2, 3, 4]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 1 & 1 & 1 & 0 & 0 \\ 0 & 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 0 & 2 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 2 & 0 \\ 1 & 1 & 2 & 1 & 0 \\ 0 & 0 & 0 & 0 & 3 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 2 \\ 0 & 0 & 0 & 0 & 3 \\ 1 & 1 & 2 & 3 & 14 \end{bmatrix}$$

- Formal codegrees: $[2, 3, 10, 16, 240]$,
 - Categorification: excluded by Lemma 5.2, or Corollary 5.13, or by the non-Drinfeld fusion subring of type $[1, 1, 2, 3]$.
- (19) FPdim 312, type $[1, 1, 2, 9, 15]$, duality $[0, 1, 2, 3, 4]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 1 & 1 & 1 & 0 & 0 \\ 0 & 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 0 & 2 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 2 & 0 \\ 1 & 1 & 2 & 0 & 5 \\ 0 & 0 & 0 & 5 & 6 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 2 \\ 0 & 0 & 0 & 5 & 6 \\ 1 & 1 & 2 & 6 & 11 \end{bmatrix}$$

- Formal codegrees: $[2, 3, 8, 26, 312]$,
 - Property: non-1-Frobenius,
 - Categorification: excluded by Lemma 5.2, or Corollary 5.13.
- (20) FPdim 1806, type $[1, 1, 2, 6, 42]$, duality $[0, 1, 2, 3, 4]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 1 & 1 & 1 & 0 & 0 \\ 0 & 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 0 & 2 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 2 & 0 \\ 1 & 1 & 2 & 5 & 0 \\ 0 & 0 & 0 & 0 & 6 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 2 \\ 0 & 0 & 0 & 0 & 6 \\ 1 & 1 & 2 & 6 & 41 \end{bmatrix}$$

- Formal codegrees: $[2, 3, 7, 43, 1806]$,
- Categorification: excluded by the fusion subring of type $[1, 1, 2, 6]$, see §A.1.4 (5).

A.2. Rank 6. This subsection presents the full list of all 58 integral 1-Frobenius Drinfeld rings of rank 6 in §A.2.1, as well as the list of 32 integral non-1-Frobenius Drinfeld rings of rank 6 with $\text{FPdim} \leq 200000$ in §A.2.2. Copy-pastable data can be found in the files `1FrobR6.txt` and `N1FrobR6d200000.txt`, located in the `Data/General` directory of [7].

A.2.1. *1-Frobenius case.* Here is the comprehensive list of 58 integral 1-Frobenius Drinfeld rings of rank 6.

- (1) FPdim 6, type $[1, 1, 1, 1, 1, 1]$, duality $[0, 1, 2, 3, 5, 4]$, fusion data: the group S_3 , see the rest in §C.1.
(2) FPdim 6, type $[1, 1, 1, 1, 1, 1]$, duality $[0, 1, 5, 4, 3, 2]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 & 0 & 0 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 & 0 & 0 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \end{bmatrix}$$

- Formal codegrees: $[6, 6, 6, 6, 6]$,
 - Categorification: $\text{Rep}(C_6)$.
- (3) FPDim 12, type $[1, 1, 1, 1, 2, 2]$, duality $[0, 1, 2, 3, 4, 5]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 1 & 0 & 0 & 1 & 0 & 1 \\ 0 & 1 & 1 & 0 & 1 & 0 \end{bmatrix}, \quad \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 1 & 1 & 0 & 1 & 0 \\ 1 & 0 & 0 & 1 & 1 & 0 \end{bmatrix}$$

- Formal codegrees: $[4, 4, 6, 6, 12, 12]$,
- Categorification: $\text{Rep}(D_6)$.

- Formal codegrees: $[3, 3, 6, 8, 42, 57, 3192]$,
- Property: simple, non-1-Frobenius, non-3-positive
- Categorification: open, non-braided, non-unitary

(5) FPdim 4284, type $[1, 17, 17, 20, 28, 35, 36]$, duality $[0, 2, 1, 3, 4, 5, 6]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 2 & 2 & 2 & 2 & 2 \\ 1 & 1 & 1 & 1 & 2 & 2 & 3 \\ 0 & 2 & 1 & 1 & 2 & 2 & 3 \\ 0 & 2 & 1 & 1 & 2 & 2 & 3 \\ 0 & 2 & 2 & 2 & 3 & 4 & 4 \\ 0 & 2 & 2 & 3 & 4 & 5 & 5 \\ 0 & 3 & 2 & 3 & 4 & 5 & 5 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 1 & 1 & 1 & 1 & 2 & 2 & 3 \\ 0 & 2 & 1 & 1 & 2 & 2 & 3 \\ 0 & 2 & 1 & 1 & 2 & 2 & 3 \\ 1 & 1 & 1 & 3 & 2 & 3 & 4 \\ 0 & 2 & 2 & 2 & 6 & 4 & 4 \\ 0 & 3 & 3 & 3 & 4 & 6 & 6 \\ 0 & 2 & 3 & 3 & 4 & 5 & 5 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 1 & 2 & 1 & 2 & 3 & 3 \\ 0 & 2 & 1 & 1 & 2 & 3 & 3 \\ 0 & 2 & 2 & 2 & 3 & 4 & 4 \\ 0 & 2 & 2 & 2 & 6 & 4 & 4 \\ 1 & 3 & 3 & 6 & 1 & 7 & 8 \\ 0 & 4 & 4 & 4 & 7 & 8 & 8 \\ 0 & 4 & 4 & 4 & 8 & 8 & 8 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 2 & 2 & 3 & 4 & 5 & 5 \\ 0 & 2 & 2 & 3 & 4 & 5 & 5 \\ 0 & 2 & 2 & 3 & 4 & 5 & 5 \\ 0 & 3 & 3 & 4 & 6 & 6 & 6 \\ 0 & 4 & 4 & 4 & 7 & 8 & 8 \\ 1 & 5 & 5 & 6 & 8 & 10 & 10 \\ 0 & 5 & 5 & 6 & 8 & 10 & 11 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 3 & 2 & 3 & 4 & 5 & 5 \\ 0 & 2 & 3 & 3 & 4 & 5 & 5 \\ 0 & 3 & 3 & 4 & 4 & 6 & 6 \\ 0 & 4 & 4 & 4 & 8 & 8 & 8 \\ 0 & 5 & 5 & 6 & 8 & 10 & 11 \\ 1 & 5 & 5 & 6 & 8 & 11 & 11 \end{bmatrix}$$

- Formal codegrees: $[3, 4, 7, 7, 9, 51, 4284]$,
- Property: simple, non-1-Frobenius, non-3-positive
- Categorification: open, non-braided, non-unitary

These fusion rings also invite questions in the spirit of Question 1.13.

A.4. Ranks 8 and 9. There are 792 integral 1-Frobenius Drinfeld rings of rank 8 with $\text{FPdim} \leq 25000$, and 1292 such rings of rank 9 with $\text{FPdim} \leq 2000$. Copy-pastable data can be found in the files `1FrobR8d25000.txt` and `1FrobR9d2000.txt`, located in the `Data/General` directory of [7].

A.5. Addressing divisibility. The classification at rank r begins with the list of length r Egyptian fractions representing the possible

$$\sum_V \sum_{i=1}^{n_V^2} \frac{1}{n_V f_V} = 1,$$

where the (f_V) are the formal codegrees of the Drinfeld ring; see §2.2. Under the Drinfeld assumption, each formal codegree f_V divides f_1 . Moreover, the Drinfeld ring is commutative if and only if $n_V = 1$ for all V . In this case, we can restrict to Egyptian fractions of length r satisfying the divisibility condition $f_V \mid f_1$ for all V .

In the noncommutative setting, it may happen that $n_V f_V$ does not divide f_1 for some V . However, as verified in Appendix C, no such exceptions occur up to rank 8 (but they do appear at rank 9; see §2.2). Therefore, for ranks $r \leq 8$, it is safe to restrict to Egyptian fractions of length r that satisfy the divisibility condition.

At rank 9, Lemma 9.3 shows that the complexified noncommutative Drinfeld ring must be isomorphic to either $\mathbb{C} \oplus M_2(\mathbb{C})^2$ or $\mathbb{C}^5 \oplus M_2(\mathbb{C})$. The exception corresponds to Egyptian fractions of length 5 or 7 with one or two terms having $n_V = 2$, and at least one violating the divisibility condition $n_V f_V \mid f_1$.

We verified that for $\text{FPdim} \leq 32000$, the values arising from these exceptional cases are already covered by those for the Egyptian fractions of length 9 satisfying the divisibility condition. Details of this computation can be found in the file `InvestNCRank9Except.txt` of the `Data/EgyptianFractionsDiv/Except` folder of [7].

Appendix B. MNSD DRINFELD RINGS

As established in §8, the Grothendieck ring of any odd-dimensional integral fusion category over \mathbb{C} is an MNSD integral Drinfeld ring (Definition 8.6). This section provides a complete classification of such rings up to rank 9.

B.1. Up to rank 5. There are four MNSD integral Drinfeld rings up to rank 5, contained in §A.1, namely the Grothendieck rings of $\text{Rep}(G)$, with $G = C_1, C_3, C_5, C_7 \rtimes C_3$.

B.2. Rank 7. Here is the complete list of 4 MNSD integral Drinfeld ring of rank 7. Copy-pastable data can be found in the file `MNSDRank7DataOnly.txt.txt`, located in the `Data/Odd` directory of [7].

(1) FPdim 7, type $[1, 1, 1, 1, 1, 1, 1]$, duality $[0, 6, 5, 4, 3, 2, 1]$, fusion data: see §A.3.1.

(2) FPdim 39, type $[1, 1, 1, 3, 3, 3, 3]$, duality $[0, 2, 1, 6, 5, 4, 3]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

- Formal codegrees: $[3, 3, 13, 13, 13, 13, 39]$,
- Categorification: $\text{Rep}(C_{13} \rtimes C_3)$.

(3) FPdim 55, type $[1, 1, 1, 1, 1, 5, 5]$, duality $[0, 4, 3, 2, 1, 6, 5]$, fusion data:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}, \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

- Formal codegrees: $[5, 5, 5, 5, 11, 11, 55]$,
- Categorification: $\text{Rep}(C_{11} \rtimes C_5)$.

(3) FPdim 20, type $[1, 1, 1, 1, 2, 2, 2, 2]$, duality $[0, 1, 2, 3, 4, 5, 7, 6]$, fusion data:

[illegible]

- Formal codegrees: $[4, 4, 5_2, 20, 20]$,
- Property: noncommutative,
- Categorification: $\mathcal{C}(F_5, 1, D_5, 1)$, $\mathcal{C}(F_5, 1, C_2, 1)$.

(4) FPdim 20, type $[1, 1, 1, 1, 2, 2, 2, 2]$, duality $[0, 1, 3, 2, 4, 5, 7, 6]$, fusion data:

[illegible]

- Formal codegrees: $[4, 4, 5_2, 20, 20]$,
- Property: noncommutative,
- Categorification:

(5) FPdim 24, type $[1, 1, 1, 1, 1, 1, 3, 3]$, duality $[0, 1, 2, 3, 5, 4, 6, 7]$, fusion data:

[illegible]

- Formal codegrees: $[3_2, 8, 12, 12, 24]$,
- Property: noncommutative,
- Categorification: excluded by Lemma 5.3.

(6) FPdim 24, type $[1, 1, 1, 1, 1, 1, 3, 3]$, duality $[0, 1, 2, 3, 5, 4, 6, 7]$, fusion data:

[illegible]

- Formal codegrees: $[3_2, 8, 8, 24, 24]$,
- Property: noncommutative,
- Categorification: $\mathcal{C}(S_4, 1, A_4, 1), \mathcal{C}(S_4, 1, S_3, 1)$.

(7) FPdim 24, type $[1, 1, 1, 1, 1, 1, 3, 3]$, duality $[0, 1, 2, 3, 5, 4, 7, 6]$, fusion data:

[illegible]

- Formal codegrees: $[3_2, 8, 12, 12, 24]$,
- Property: noncommutative,
- Categorification: excluded by Lemma 5.2.

(8) FPdim 78, type $[1, 1, 1, 1, 1, 1, 6, 6]$, duality $[0, 1, 2, 3, 5, 4, 6, 7]$, fusion data:

[illegible]

- Formal codegrees: $[3_2, 6, 13, 13, 78]$,
- Property: noncommutative,
- Categorification: excluded by Lemma 5.2.

(9) FPdim 96, type $[1, 1, 1, 3, 4, 4, 4, 6]$, duality $[0, 2, 1, 3, 4, 5, 6, 7]$, fusion data:

[illegible]

(16) FPdim 960, type $[1, 1, 1, 3, 4, 4, 30]$, duality $[0, 2, 1, 3, 4, 5, 6, 7]$, fusion data:

1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 0 1 0
0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 0 1 0
0 0 0 1 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 1 0 0 0 0 0	1 1 1 2 0 0 0 0 0	0 0 0 0 1 1 1 1 0	0 0 0 0 0 1 1 1 0	0 0 0 0 0 1 1 1 0	0 0 0 0 0 1 1 1 0	0 0 0 0 0 0 0 3 0
0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 1 1 0	1 0 0 1 1 1 1 1 0	0 0 1 1 1 1 1 1 0	0 0 1 1 1 1 1 1 0	0 1 0 1 1 1 1 1 0	0 0 0 0 0 0 0 4 0
0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 1 1 1 1 0	1 0 0 1 1 1 1 1 0	0 0 1 1 1 1 1 1 0	0 0 1 1 1 1 1 1 0	0 0 1 1 1 1 1 1 0	0 0 0 0 0 0 0 4 0
0 0 0 0 0 0 1 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 1 1 1 1 0	0 0 1 1 1 1 1 1 0	0 1 0 1 1 1 1 1 0	0 1 0 1 1 1 1 1 0	1 0 0 1 1 1 1 1 0	0 0 0 0 0 0 0 4 0
0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 1 1 1 1 0	0 0 1 1 1 1 1 1 0	0 1 0 1 1 1 1 1 0	0 1 0 1 1 1 1 1 0	1 0 0 1 1 1 1 1 0	0 0 0 0 0 0 0 4 0
0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	1 1 1 3 4 4 4 28

- Formal codegrees: $[3_2, 4, 15, 64, 960]$,
- Property: noncommutative,
- Categorification:

(17) FPdim 1806, type $[1, 1, 1, 1, 1, 1, 6, 42]$, duality $[0, 1, 2, 3, 5, 4, 6, 7]$, fusion data:

1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1
0 0 1 0 0 0 0 0 0	0 0 0 0 0 1 0 0 0	1 0 0 0 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1
0 0 0 1 0 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 1 0 0 0 0	1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 0 0 0 1 0 0 0 0	0 0 0 0 1 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1
0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1
0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 1 0 0	0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1
0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	1 1 1 1 1 1 5 0 0	0 0 0 0 0 0 0 0 6
0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 6	1 1 1 1 1 1 6 41

- Formal codegrees: $[3_2, 6, 7, 43, 1806]$,
- Property: noncommutative,
- Categorification:

(18) FPdim 2184, type $[1, 1, 1, 3, 12, 26, 26, 26]$, duality $[0, 2, 1, 3, 4, 5, 6, 7]$, fusion data:

1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 0 0 1 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 1 0 0 0 0 0	1 1 1 2 0 0 0 0 0	0 0 0 0 3 0 0 0 0	0 0 0 0 0 3 0 0 0	0 0 0 0 0 1 1 1 0	0 0 0 0 0 1 1 1 0	0 0 0 0 0 1 1 1 0
0 0 0 0 1 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 3 0 0 0 0	1 1 1 3 11 0 0 0 0	0 0 0 0 0 4 4 4 4	0 0 0 0 0 4 4 4 4	0 0 0 0 0 4 4 4 4	0 0 0 0 0 4 4 4 4
0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	1 0 0 1 4 8 8 8 8	0 0 1 1 4 8 8 8 8	0 1 0 1 4 8 8 8 8	0 0 1 1 4 8 8 8 8
0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	0 1 0 1 4 8 8 8 8	1 0 0 1 4 8 8 8 8	0 0 1 1 4 8 8 8 8	0 0 1 1 4 8 8 8 8
0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	0 0 1 1 4 8 8 8 8	0 1 0 1 4 8 8 8 8	1 0 0 1 4 8 8 8 8	0 0 1 1 4 8 8 8 8

- Formal codegrees: $[3_2, 4, 13, 168, 2184]$,
- Property: noncommutative,
- Categorification:

(19) FPdim 3660, type $[1, 1, 1, 3, 4, 4, 4, 60]$, duality $[0, 2, 1, 3, 4, 5, 6, 7]$, fusion data:

1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 0 0 1 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 1 0 0 0 0 0	1 1 1 2 0 0 0 0 0	0 0 0 0 3 0 0 0 0	0 0 0 0 0 3 0 0 0	0 0 0 0 0 1 1 1 0	0 0 0 0 0 1 1 1 0	0 0 0 0 0 0 0 3 0
0 0 0 0 1 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 3 0 0 0 0	1 1 1 3 11 0 0 0 0	0 0 0 0 0 4 4 4 4	0 0 0 0 0 4 4 4 4	0 0 0 0 0 4 4 4 4	0 0 0 0 0 4 4 4 4
0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	1 0 0 1 4 7 17 17 17	0 0 1 1 4 7 17 17 17	0 1 0 1 4 7 17 17 17	0 0 0 0 0 0 0 4 0
0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	0 1 0 1 4 7 17 17 17	0 0 1 1 4 7 17 17 17	0 1 0 1 4 7 17 17 17	0 0 0 0 0 0 0 4 0
0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	0 1 0 1 4 7 17 17 17	0 0 1 1 4 7 17 17 17	0 1 0 1 4 7 17 17 17	0 0 0 0 0 0 0 4 0
0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	0 0 1 1 4 7 17 17 17	0 1 0 1 4 7 17 17 17	1 0 0 1 4 7 17 17 17	1 1 1 3 4 4 4 59

- Formal codegrees: $[3_2, 4, 15, 61, 3660]$,
- Property: noncommutative,
- Categorification:

(20) FPdim 8268, type $[1, 1, 1, 3, 12, 52, 52, 52]$, duality $[0, 2, 1, 3, 4, 5, 6, 7]$, fusion data:

1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 1 0 0 0 0 0 0 0	0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 0 1 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 1
0 0 0 1 0 0 0 0 0	0 0 0 1 0 0 0 0 0	0 0 0 1 0 0 0 0 0	1 1 1 2 0 0 0 0 0	0 0 0 0 3 0 0 0 0	0 0 0 0 0 3 0 0 0	0 0 0 0 0 1 1 1 0	0 0 0 0 0 1 1 1 0	0 0 0 0 0 1 1 1 0
0 0 0 0 1 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 3 0 0 0 0	1 1 1 3 11 0 0 0 0	0 0 0 0 0 4 4 4 4	0 0 0 0 0 4 4 4 4	0 0 0 0 0 4 4 4 4	0 0 0 0 0 4 4 4 4
0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 0 0 0	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	1 0 0 1 4 7 17 17 17	0 0 1 1 4 7 17 17 17	0 1 0 1 4 7 17 17 17	0 0 0 0 0 0 0 4 0
0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 1 0 0	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	0 1 0 1 4 7 17 17 17	0 0 1 1 4 7 17 17 17	0 1 0 1 4 7 17 17 17	0 0 0 0 0 0 0 4 0
0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 1 0	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	0 1 0 1 4 7 17 17 17	0 0 1 1 4 7 17 17 17	0 1 0 1 4 7 17 17 17	0 0 0 0 0 0 0 4 0
0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 1	0 0 0 0 0 1 1 1 1	0 0 0 0 0 4 4 4 4	0 0 1 1 4 7 17 17 17	0 1 0 1 4 7 17 17 17	1 0 0 1 4 7 17 17 17	1 0 0 1 4 7 17 17 17

- Formal codegrees: $[3_2, 4, 13, 159, 8268]$,
- Property: noncommutative,
- Categorification:

C.4. Rank 9. There are 83 integral 1-Frobenius, noncommutative Drinfeld rings of rank 9 with FPdim ≤ 10000 . Copy-pastable data can be found in the file `1FrobR9NCd10000DataOnly.txt`, located in the `Data/Noncommutative` directory of [7].

REFERENCES

- [1] P. BRUILLARD, C.M. ORTIZ-MARRERO, *Classification of rank 5 premodular categories*. J. Math. Phys. 59 (2018), no. 1, 011702, 8 pp.
- [2] S. BURCIU, S. PALCOUX, *Structure constants, Isaacs property and extended Haagerup fusion categories*. Comm. Algebra 53 (2025), no. 4, 1438–1452.
- [3] M. IZUMI, *A Cuntz algebra approach to the classification of near-group categories*. Proceedings of the 2014 Maui and 2015 Qinhuangdao conferences in honour of Vaughan F. R. Jones' 60th birthday, 222–343, Proc. Centre Math. Appl. Austral. Nat. Univ., 46, Austral. Nat. Univ., Canberra, 2017.
- [4] M. IZUMI, H. KOSAKI, *Kac algebras arising from composition of subfactors: general theory and classification*. Mem. Amer. Math. Soc. 158 (2002), no. 750, 198 pp.
- [5] Z. LIU, S. PALCOUX, Y. REN, *Triangular prism equations and categorification*, arXiv:2203.06522 (2022).

- [6] Z. LIU, S. PALCOUX, Y. REN, *Classification of Grothendieck rings of complex fusion categories of multiplicity one up to rank six*. Lett. Math. Phys. 112 (2022), no. 3, Paper No. 54, 37 pp.
- [7] S. PALCOUX, *Fusion Categories Repository*, GitHub, <https://github.com/sebastienpalcoux/Fusion-Categories/tree/main/IntegralPaper>

M.A. ALEKSEYEV, DEPARTMENT OF MATHEMATICS, GEORGE WASHINGTON UNIVERSITY, WASHINGTON, DC, USA
Email address: `maxal@gwu.edu`

W. BRUNS, INSTITUT FÜR MATHEMATIK, UNIVERSITÄT OSNABRÜCK, 49069 OSNABRÜCK, GERMANY
Email address: `wbruns@uos.de`

J. DONG, COLLEGE OF MATHEMATICS AND STATISTICS NANJING UNIVERSITY OF INFORMATION SCIENCE AND TECHNOLOGY NANJING 210044, CHINA
Email address: `jcdong@nuist.edu.cn`

S. PALCOUX, BEIJING INSTITUTE OF MATHEMATICAL SCIENCES AND APPLICATIONS, HUIAIROU DISTRICT, BEIJING, CHINA
Email address: `sebastien.palcoux@gmail.com`
URL: <https://sites.google.com/view/sebastienpalcoux>