


Study size = 5, alpha = 0.051.00 -0.75 factor(mu0) -2 **bower** 0.50 -0.25 -0.00 --2 0 μ₁ -1



Study size = 10, alpha = 0.051.00 -0.75 factor(mu0) -2 bower 0.50 -0.25 -0.00 -2 -1 ό μ₁ -2

Study size = 20 2-T Var known (solid), T Var estimated (dashed) factor(mu0) -2 -1 -2 ο μ₁ 2 -2 -1


Study size = 20, alpha = 0.051.00 -0.75 factor(mu0) -2 o.50 --1 0.25 -0.00 --1 2 ο μ₁ -2

Study size = 30 2-T Var known (solid), T Var estimated (dashed) factor(mu0) -2 -1 -2 ο μ₁ 2 -2 -1


Study size = 30, alpha = 0.051.00 -0.75 factor(mu0) -2 0.50 **-**-1 0.25 -0.00 --1 2 ο μ₁ **-**2

Study size = 40 2-T Var known (solid), T Var estimated (dashed) factor(mu0) -2 -1 -2 **-**-2 ο μ₁ 2 -1


Study size = 40, alpha = 0.051.00 -0.75 factor(mu0) -2 0.50 **-**-1 0.25 -0.00 -2 -1 -<u>2</u> ο μ₁




Study size = 50, alpha = 0.051.00 -0.75 factor(mu0) -2 0.50 **-**-1 0.25 -0.00 -2 -2 -1 0 μ₁




Study size = 100, alpha = 0.051.00 -0.75 factor(mu0) -2 0.50 **-**-1 0.25 -0.00 --1 ο μ₁ -2



Study size = 200, alpha = 0.051.00 -0.75 factor(mu0) -2 0.50 **-**-1 0.25 -0.00 -0 μ₁ -1 2 -2



Study size = 500, alpha = 0.051.00 -0.75 factor(mu0) -2 0.50 **-**-1 0.25 -0.00 --1 -1 0 μ₁ 2 -2



Study size = 1000, alpha = 0.051.00 -0.75 factor(mu0) -2 0.50 **-**-1 0.25 -0.00 --1 -1 0 μ₁ 2 -2