Group Work - Chapter 10

1 The file "Galton-mother-daughter.csv" contains a subset 50 subjects from Galton's mother/daughter height data.

(a) Create a scatterplot of the data. Does there appear to be a linear relationship between mother's heights and daughter's heights?

There does appear to be a linear relationship.

(b) Conduct a correlation hypothesis test at $\alpha = 0.05$ significance level. If there is significant correlation, how would you describe the strength of the correlation?

$r = 0.427$, $p = 0.002 < \alpha = 0.05$. Reject H_0.
There is evidence that heights of mothers and daughters are correlated.
Mother and daughter heights are moderately correlated.

(c) Find the estimated regression line for the relationship between mother's heights (predictor variable) and daughter's heights (response variable)? Is the slope significantly different than zero?

daughter $= 38.235 + 0.487$ mother

$t = 3.2742973$, $p = 0.002$. The slope is significantly different than zero.

(d) What is the best predicted daughter's height for a mother that is 56 inches tall? Is it appropriate to make such a prediction?

Since we have a significant correlation, use the regression equation for the prediction.
**daughter $= 38.235 + 0.487\ (56) = 65.507$**
Or, from StatCrunch, daughter $= 65.51055$

Mothers' heights range from 58 to 69 inches. Thus, making a prediction for a mother's height of 56 inches is not appropriate.

2 The file "MCA_scores_17.csv" on D2L contains average math MCA scores for 11th graders in 2017 by MN public school district, as well as percentage of 11th graders receiving free lunches in the district. Districts with missing data and charter schools are excluded.

(a) Create a scatterplot of the data. Does there appear to be a linear relationship between percentage of students receiving free lunch and average MCA scores?

There does appear to be a linear relationship.

(b) Conduct a correlation hypothesis test at $\alpha = 0.01$ significance level. If there is significant correlation, how would you describe the strength of the correlation?

$r = -0.652$, $p < 0.0001 < \alpha = 0.01$. Reject H_0.
There is evidence that proportion of free lunch students in a district and average MCA scores are correlated.
Proportion of free lunch students in a district and average MCA scores are moderately correlated, close to highly correlated.

(c) Find the estimated regression line for the relationship between percentage of students receiving free lunch (predictor variable) and average MCA scores (response variable)? Is the slope significantly different than zero?

AvgMCA = 1153.070 - 30.173 FreeLunch

$t = -15.403601$, $p < 0.0001$. **The slope is significantly different than zero.**

(d) What is the best predicted average MCA score for a district that has 45% of 11th grade students receiving free lunch? Is it appropriate to make such a prediction?

Since we have a significant correlation, use the regression equation for the prediction.
AvgMCA = 1153.070 - 30.173 (0.45) = 1139.492
Or, from StatCrunch, AvgMCA = 1139.4923

Proportions of free lunch students range from 0.0202 to 0.8046. Thus, making a prediction for a free lunch proportion of 0.45 is appropriate.