

Exercise sheet 2

Probability and Statistics, MTH102

1. Show that if the probability of $P(E|F) = P(E|F^c)$ then E is independent of F . In other words, if the probability of E remains unchanged whether F occurs or does not occur, then E must be independent of F .
2. Show that if $P(E|F^c) = 0$, then $P(F|E) = 1$. Can you give a real life interpretation of this?
3. Show that $P(A \cap B \cap C) = P(A)P(B|A)P(C|A \cap B)$
4. Show that $P(E_1 \cap E_2 \cap E_3 \cap E_4) = P(E_1)P(E_2|E_1)P(E_3|E_1 \cap E_2)P(E_4|E_1 \cap E_2 \cap E_3)$
5. If a deck of playing cards is divided into 4 piles of 13 cards each then what is the probability that each pile has at least one ace.
6. If a pair of dice is rolled and we know that the numbers on it are different, what is the probability that one of them is a 4?
7. Suppose 90% of all the students who attend the lectures regularly pass a certain course. While, only 30% of students who do not attend the lectures regularly pass the course. If I know that a student passed the course, what is the probability that that student attended regularly? Assume that half the students attended the course regularly.
8. Prove that if E and F are independent events, then so is E and F^c .
9. If three cards are in a box so that one card has both sides black, another has both sides white, and the remaining card has one side black and one side white. If a card is picked at random and is found to have one side white, what is the probability that the other side is black?
10. A scientist has four competing hypothesis, say H_1 , H_2 , H_3 , and H_4 for a particular phenomenon. Initially, the scientist assumes that H_1 is very likely and believes the probability to be around 0.7. However, the scientist believes that the other 3 hypotheses are equally likely. To test this the scientist performs an experiment and obtains some outcome E . Unfortunately, the experiment is not foolproof. If H_1 were true, then the probability of the experimental outcome being E is 0.1. If H_2 were true, then E will still occur with probability 0.8. If H_3 were true, then the probability of the experimental outcome being E is 0.2, and if H_4 were true, then the probability of the experimental outcome being E is 0.1. How should the scientist update the probabilities of H_1 , H_2 , H_3 , and H_4 ,

now that the experiment has been performed and resulted in outcome E . Which hypothesis does the scientist now believe is most probable? Which hypothesis does the scientist now believe is most probable?