# The penguins of Antarctica

### Selina Baldauf

## 5/9/23

### **Table of contents**

1	Introduction	1
	Methods    2.1 The data     2.2 The analysis	
3	Results	3
Re	eferences	4

#### 1 Introduction

There are three main penguin species in Antarctica (*Chinstrap*, *Gentoo*, *Adelie*). You can see them in Figure 1:

In this paper we want to answer the following questions

- 1. How bill depth depends on bill length?
- 2. Which penguin species has the highest body mass?

#### 2 Methods

All analysis was done using R version 4.1.3 (R Core Team 2022) and Quarto (Allaire 2022)




Figure 1: Illustration of the three penguin species by Allison Horst

#### 2.1 The data

The data was collected on islands in Antarctica and published by Gorman, Williams, and Fraser (2014). You can find the original paper with the title "Ecological sexual dimorphism and environmental variability within a community of Antarctic penguins (genus Pygoscelis)" (Gorman, Williams, and Fraser 2014) in PLoS ONE<sup>1</sup>

The data is published via the palmerpenguins R package (Horst, Hill, and Gorman 2020) which you can find on this website.

The data contains (among others) the following measurements:

- bill length
- bill depth
- body mass
- sex
  - male
  - female


#### 2.2 The analysis

We did some plots, calculated some summary statistics and a linear model of the form  $y = ax + b + \epsilon$ 

<sup>&</sup>lt;sup>1</sup>paper available here.

## 3 Results

The mean weight of all penguin species is 4201.754386 g. *Gentoo* penguins have an average weight of 5076 g, *Adelie* penguins of 3701 g and *Chinstrap* penguins of 3733 g.






Figure 2: Histogram of weight of the three penguin species.

There is a positive relationship between bill length and bill depth for all 3 species, as Figure 3 shows.

In general, it looks like the body characteristics differ between the sexes but also between the penguin species, as Table 1 below illustrates:

Table 1: A summary of the penguin data

species	sex	bill_length	bill_depth	flipper_length	body_mass
Adelie	female	37.25753	17.62192	187.7945	3368.836
Adelie	male	40.39041	19.07260	192.4110	4043.493
Chinstrap	female	46.57353	17.58824	191.7353	3527.206
Chinstrap	$_{\mathrm{male}}$	51.09412	19.25294	199.9118	3938.971
Gentoo	female	45.56379	14.23793	212.7069	4679.741
Gentoo	male	49.47377	15.71803	221.5410	5484.836




Figure 3: Scatter plot with regression lines showing the relationship between bill length and bill depth for the 3 penguin species

#### References

Allaire, JJ. 2022. "Quarto: R Interface to 'Quarto' Markdown Publishing System." https://CRAN.R-project.org/package=quarto.

Gorman, Kristen B., Tony D. Williams, and William R. Fraser. 2014. "Ecological Sexual Dimorphism and Environmental Variability Within a Community of Antarctic Penguins (Genus Pygoscelis)." Edited by André Chiaradia. *PLoS ONE* 9 (3): e90081. https://doi.org/10.1371/journal.pone.0090081.

Horst, Allison Marie, Alison Presmanes Hill, and Kristen B Gorman. 2020. Palmerpenguins: Palmer Archipelago (Antarctica) Penguin Data. https://doi.org/10.5281/zenodo.39602 18.

R Core Team. 2022. R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing. https://www.R-project.org/.