
Relative Reward Function Performance for QLearn and A2C



```
10.00, ¬H ∧ ¬T:
H \Lambda T:
         -0.50; H Λ ¬T: -0.50; ¬H Λ T:
                                                                    10.00
                                                                    1.00
H \Lambda T:
         -1.00; H ∧ ¬T:
                            -0.40; ¬H ∧ T:
                                               0.30, ¬H ∧ ¬T:
H \wedge T: -10.00; H \wedge \negT:
                           -6.50; ¬H ∧ T:
                                                5.50, ¬H ∧ ¬T:
                                                                    10.00
H \Lambda T:
         -1.00; H ∧ ¬T:
                            -0.90; ¬H ∧ T:
                                               0.00, ¬H ∧ ¬T:
                                                                    1.00
H \Lambda T:
                                                                    1.00
         -0.25; H ∧ ¬T:
                            -0.10; ¬H ∧ T:
                                               0.10, \neg H \land \neg T:
         -1.00; H ∧ ¬T:
                            -1.50; ¬H ∧ T:
                                               10.00, ¬H ∧ ¬T:
H ∧ T:
                                                                    10.00
         -5.00; H ∧ ¬T:
                            -5.00; ¬H ∧ T:
                                               -2.50, ¬H ∧ ¬T:
                                                                    10.00
H \wedge T:
H \wedge T: -10.00; H \wedge \negT:
                                                                    10.00
                           -9.00; ¬H ∧ T:
                                                5.00, ¬H ∧ ¬T:
       -3.00; H \wedge \negT: -1.00; \negH \wedge T:
                                               -1.00, ¬H ∧ ¬T:
                                                                    5.00
H \wedge T:
```