
Relative Reward Function Performance for A2C and QLearn



```
H \Lambda T:
         -0.50; H Λ ¬T: -0.50; ¬H Λ T:
                                              10.00, ¬H ∧ ¬T:
                                                                    10.00
                                                                    1.00
H \Lambda T:
         -1.00; H ∧ ¬T:
                            -0.40; ¬H ∧ T:
                                               0.30, ¬H ∧ ¬T:
H \wedge T: -10.00; H \wedge ¬T: -6.50; ¬H \wedge T:
                                                5.50, ¬H ∧ ¬T:
                                                                    10.00
H \Lambda T:
         -1.00; H ∧ ¬T:
                            -0.90; ¬H ∧ T:
                                               0.00, ¬H ∧ ¬T:
                                                                    1.00
                                                                    1.00
H \wedge T:
         -0.25; H ∧ ¬T:
                           -0.10; ¬H ∧ T:
                                               0.10, \neg H \land \neg T:
                                              10.00, ¬H ∧ ¬T:
         -1.00; H ∧ ¬T:
                           -1.50; ¬H ∧ T:
                                                                    10.00
H Λ T:
                           -5.00; ¬H ∧ T:
                                              -2.50, ¬H ∧ ¬T:
                                                                   10.00
H \Lambda T:
         -5.00; H ∧ ¬T:
H \wedge T: -10.00; H \wedge ¬T: -9.00; ¬H \wedge T:
                                                                    10.00
                                                5.00, ¬H ∧ ¬T:
H \wedge T: -3.00; H \wedge ¬T: -1.00; ¬H \wedge T:
                                              -1.00, ¬H ∧ ¬T:
                                                                    5.00
```