
## Relative Reward Function Performance for A2C and QLearn



```
H \Lambda T:
        -0.50; H ∧ ¬T:
                                            10.00, ¬H ∧ ¬T:
                                                                 10.00
                          -0.50; ¬H ∧ T:
                                                                 1.00
H \Lambda T:
        -0.25; H ∧ ¬T:
                          -0.10; ¬H ∧ T:
                                             0.10, ¬H ∧ ¬T:
                          -0.70; ¬H ∧ T:
H \Lambda T:
        -1.00; H ∧ ¬T:
                                            -0.50, ¬H ∧ ¬T:
                                                                 1.00
H ^ T:
        -5.00; H ∧ ¬T:
                          -5.00; ¬H ∧ T:
                                            -2.50, ¬H ∧ ¬T:
                                                                10.00
                                                                 1.00
H \Lambda T:
        -1.00; H ∧ ¬T:
                          -0.40; ¬H ∧ T:
                                             0.30, ¬H ∧ ¬T:
        -1.00; H ∧ ¬T:
                          -0.90; ¬H ∧ T:
                                             0.00, ¬H ∧ ¬T:
                                                                 1.00
H Λ T:
       -10.00; H ∧ ¬T:
                           -6.50; ¬H ∧ T:
H \Lambda T:
                                              5.50, ¬H ∧ ¬T:
                                                                 10.00
                          -1.00; ¬H ∧ T:
                                            -1.00, ¬H ∧ ¬T:
                                                                 5.00
H \Lambda T:
       -3.00; H ∧ ¬T:
H \wedge T: -10.00; H \wedge \negT:
                          -9.00; ¬H ∧ T:
                                              5.00, ¬H ∧ ¬T:
                                                                 10.00
```