Computer Systems – Activities 2

UD 02. FUNCTIONAL ELEMENTS OF A COMPUTER

Computer Systems
CFGS DAW

Sergio García / Alfredo Oltra

sergio.garcia@ceedcv.es

alfredo.oltra@ceedcv.es

2022/2023


Versión:220601.1143

Licencia

Reconocimiento - NoComercial - Compartirlgual (by-nc-sa): No se permite un uso comercial de la obra original ni de las posibles obras derivadas, la distribución de las cuales se debe hacer con una licencia igual a la que regula la obra original.

Nomenclatura

A lo largo de este tema se utilizarán distintos símbolos para distinguir elementos importantes dentro del contenido. Estos símbolos son:



UD02. FUNCTIONAL ELEMENTS OF A COMPUTER Activities-2

(Exercise 1) We have a computer with this instruction set:

	Code	Instruction	<u>Description</u>
	ENT M(m)	000mmmmm	Read data from keyboard to memory.
	SAL M(m)	001mmmmm	Show data on screen from memory.
	CAR RO, M(m)	010mmmmm	Store content a memory address in
			register RO.
	ALM M(m), R0	011mmmmm	Store content of R0 in a memory
address.			ddress.
	MOV Rx, Ry	1000xxyy	Copy content of RY to RX (X, Y are
		<u>register numbers).</u>	
	SUM Rx, Ry	1001xxyy Ad	dd RX+RY and it is stored in RX.
	RES Rx, Ry	1010xxyy Su	ubtract RX-RY and it is stored in RX.
	MUL Rx, Ry	1011xxyy	Multiply RX * RY and it is stored in RX.
	DIV Rx,Ry	1100xxyy Di	vide RX / RY and it is stored in RX.

Following the instruction sequence:

Where A, B, C, D represents the input using the keyboard and their values are:

A=1

B=2

C=3

D=4

- a) What is the formula associated to A, B, C, D?
- b) What is the result shown on screen?
- c) What is the state of memory?
- d) If Program Counter (PC) initial value was 258... Which is it actual value?
- e) How many registers of general purpose (RX) has our architecture?

Share your solution and your doubts in the forum!!! If a classmate has problems with it, try to help him.