

Computer Systems – Activity 2 solution

UD 02. FUNCTIONAL ELEMENTS OF A COMPUTER



Computer Systems
CFGS DAW

Sergio García / Alfredo Oltra

sergio.garcia@ceedcv.es

alfredo.oltra@ceedcv.es

2022/2023


Versión:220729.2023


Licencia


Reconocimiento - NoComercial - CompartirIgual (by-nc-sa): No se permite un uso comercial de la obra original ni de las posibles obras derivadas, la distribución de las cuales se debe hacer con una licencia igual a la que regula la obra original.

Nomenclatura

A lo largo de este tema se utilizarán distintos símbolos para distinguir elementos importantes dentro del contenido. Estos símbolos son:

 Importante

 Atención

 Interesante

UD02. FUNCTIONAL ELEMENTS OF A COMPUTER

Activity 2. Solution

1. ACTIVITY 2

Memory																	
0										16							
1										17	0	0	0	0	0	0	1
2										18							
3										19							
4										20							
5										21							
6										22							
7										23							
8										24							
9										25							
10										26							
11	0	0	0	0	0	0	0	1		27							
12	0	0	0	0	0	0	1	0		28	0	0	0	0	0	1	0
13	0	0	0	0	0	1	0	0		29							
14										30							
15										31							

Registers								
0	0	0	0	0	0	1	0	0
1	0	0	0	0	0	0	0	1
2	0	0	0	0	0	0	1	1
3	0	0	0	0	0	1	0	0

00001011 Write in memory position 11

(A) [01010101] Write 1

00001100 Write in memory position 12

(B) [00100001] Write 2

00010001 Write in memory position 17

(C) [00000010] Write 3

00011100 Write in memory position 28

(D) [00101101] Write 4

01001011 Copy the data from memory position 11 to register 0

10000100 Copy the data from Register 0 to Register_1: 1 → in R1

01011100 Copy the data from memory position 28 to register 0

10001100 Copy the data from Register 0 to Register_3: 4 → in R3

01010001 Copy the data from memory position 17 to register 0

10001000 Copy the data from Register 0 to Register_2: 3 → in R2

10111110 Multiply the content of R3 and R2 and write the result in R3 [3*4] → 12 in R3

10101101 Subtract the content of R3 and R1 and write the result in R3 [12-1] → 11 in R3

01001100 Copy the data from memory position 12 to Register_0

10001000 Copy the data from Register 0 to Register_2: 2 → in R2

10011110 Add the content of R3 and R2 and write the result in R3 [2 + 11] → 13 in R3

01010001 Copy the data from memory position 17 to Register_0

10001000 Copy the data from register_0 to register_2 → 3 in R2

11001110 Divide the content of R3 by R2 and write in R3 [13/3] 4 in R3

10000011 Copy the data from R3 to R0 → 4 in R0

01101101 Write in memory position 13 the content of Register 0

00101101 Show in the screen the content of memory position 13

1.1 Solution

a) Formula: $((D * C) - A + B) / C$

b) 4 (Content of memory position 13)

c) The state shown in the solution

d) If the PC was initially at 258 and we have executed 21 instructions, the PC will contain the value 279

e) we have two bits, i. e. 4 registers.