

Applied Thermodynamics Workbook

Supplementary Exercises for In-Class Learning

Serhat Beyenir

November 7, 2024

Contents

Preface	1
1 International System of Units	3
1.1 Objectives	3
1.2 Concepts	3
1.2.1 Unity Fraction	5
1.3 Classwork	5
1.4 Problem Set	6
1.4.1 Answer Key	7
1.5 Further Reading	8
Summary	9
References	11

List of Tables

1.1	Base SI units.	4
1.2	Derived SI units.	4
1.3	Common multiples and submultiples for SI units.	5

Preface

This workbook is a collection of lecture notes on Applied Thermodynamics. It aims to provide concise yet essential insights into the topics covered in class. Each chapter includes a problem set designed to help you understand the material better.

Chapter 1: Mastering and practicing SI units may seem like a small step, but it's a powerful one! Building a strong foundation in SI units will not only support you in this course but will also give you a solid footing in future studies and practical applications. This skill is essential in so many courses, and your efforts now are setting you up for success.

Chapter 1

International System of Units

1.1 Objectives

- Recall the base and derived units.
- Practice the application of unity fraction.

1.2 Concepts

The International System of Units (SI) is the globally accepted standard for measurement. Established to provide a consistent framework for scientific and technical measurements, SI units facilitate clear communication and data comparison across various fields and countries. The system is based on seven fundamental units: the meter for length, the kilogram for mass, the second for time, the ampere for electric current, the kelvin for temperature, the mole for substance, and the candela for luminous intensity.

Table 1.1: Base SI units.

Physical Quantity	SI Base Unit	Symbol
Length	Meter	m
Mass	Kilogram	kg
Time	Second	s
Electric Current	Ampere	A
Temperature	Kelvin	K
Amount of Substance	Mole	mol
Luminous Intensity	Candela	cd

Table 1.2: Derived SI units.

Physical Quantity	Derived SI Unit	Symbol
Area	Square meter	m ²
Volume	Cubic meter	m ³
Speed	Meter per second	m/s
Acceleration	Meter per second squared	m/s ²
Force	Newton	N
Pressure	Pascal	Pa
Energy	Joule	J
Power	Watt	W
Electric Charge	Coulomb	C
Electric Potential	Volt	V
Resistance	Ohm	Ω
Capacitance	Farad	F
Frequency	Hertz	Hz
Luminous Flux	Lumen	lm
Illuminance	Lux	lx
Specific Energy	Joule per kilogram	J/kg
Specific Heat Capacity	Joule per kilogram Kelvin	J/(kg · K)

Table 1.3: Common multiples and submultiples for SI units.

Factor	Prefix	Symbol
10^9	giga	G
10^6	mega	M
10^3	kilo	k
10^2	hecto	h
10^1	deca	da
10^{-1}	deci	d
10^{-2}	centi	c
10^{-3}	milli	m
10^{-6}	micro	μ

1.2.1 Unity Fraction

The **unity fraction** method, or **unit conversion using unity fractions**, is a systematic way to convert one unit of measurement into another. This method relies on multiplying by fractions that are equal to one, where the numerator and the denominator represent the same quantity in different units. Since any number multiplied by one remains the same, unity fractions allow for seamless conversion without changing the value.

The principle of unity fractions is based on:

1. **Setting up equal values:** Write a fraction where the numerator and denominator are equivalent values in different units, so the fraction equals one. For example, $\frac{1km}{1000m}$ is a unity fraction because 1 km equals 1000 m.
2. **Multiplying by unity fractions:** Multiply the initial quantity by the unity fraction(s) so that the undesired units cancel out, leaving only the desired units.

1.3 Classwork

Example 1.1. Suppose we want to convert 5 kilometers to meters.

1. Start with 5 kilometers:

$$5 \text{ km}$$

2. Multiply by a unity fraction that cancels kilometers and introduces meters.
We use $(\frac{1000m}{1km})$, since $1 \text{ km} = 1000 \text{ m}$:

$$5 \text{ km} \times \frac{1000 \text{ m}}{1 \text{ km}} = 5000 \text{ m}$$

3. The kilometers km cancel out, leaving us with meters m:

$$5 \text{ km} = 5000 \text{ m}$$

This step-by-step approach illustrates how the unity fraction cancels the undesired units and achieves the correct result in meters.

Unity fractions can be extended by using multiple conversion steps. For example, converting hours to seconds would require two unity fractions: one to convert hours to minutes and another to convert minutes to seconds. This approach ensures accuracy and is widely used in science, engineering, and other fields that require precise unit conversions.

Example 1.2. Convert 15 m/s to km/h.

1. Start with 15 m/s.
2. To convert meters to kilometers, multiply by $\frac{1 \text{ km}}{1000 \text{ m}}$.
3. To convert seconds to hours, multiply by $\frac{3600 \text{ s}}{1 \text{ h}}$.

$$15 \text{ m/s} \times \frac{1 \text{ km}}{1000 \text{ m}} \times \frac{3600 \text{ s}}{1 \text{ h}} = 54 \text{ km/h}$$

The meters and seconds cancel out, leaving kilometers per hour: 54 km/h.

1.4 Problem Set

Instructions:

1. Use unity fraction to convert between derived SI units.
2. Show each step of your work to ensure accuracy.
3. Simplify your answers and include correct units.

1. **Speed**

Convert 72 km/h to m/s.

2. **Force**

Convert 980 N (newtons) to $\text{kg} \cdot \text{m/s}^2$.

3. **Energy**

Convert 2500 J (joules) to kJ.

4. **Power**

Convert 1500 W (watts) to kW.

5. **Pressure**

Convert 101325 Pa (pascals) to kPa.

6. **Volume Flow Rate**

Convert $3 \text{ m}^3/\text{min}$ to L/s.

7. Density

Convert 1000 kg/m^3 to g/cm^3 .

8. Acceleration

Convert 9.8 m/s^2 to cm/s^2 .

9. Torque

Convert $50 \text{ N} \cdot \text{m}$ to $\text{kN} \cdot \text{cm}$.

10. Frequency

Convert 500 Hz (hertz) to kHz .

11. Work to Energy Conversion

A force of 20 N moves an object 500 cm . Convert the work done to joules.

12. Kinetic Energy Conversion

Calculate the kinetic energy in kilojoules of a 1500 kg car moving at 72 km/h .

13. Power to Energy Conversion

A machine operates at 2 kW for 3 hours. Convert the energy used to megajoules.

14. Pressure to Force Conversion

Convert a pressure of 200 kPa applied to an area of 0.5 m^2 to force in newtons.

15. Density to Mass Conversion

Convert 0.8 g/cm^3 for an object with a volume of 250 cm^3 to mass in grams.

1.4.1 Answer Key

- $72 \text{ km/h} = 20 \text{ m/s}$
- $980 \text{ N} = 980 \text{ kg} \cdot \text{m/s}^2$
- $2500 \text{ J} = 2.5 \text{ kJ}$
- $1500 \text{ W} = 1.5 \text{ kW}$
- $101325 \text{ Pa} = 101.325 \text{ kPa}$
- $3 \text{ m}^3/\text{min} = 50 \text{ L/s}$
- $1000 \text{ kg/m}^3 = 1 \text{ g/cm}^3$
- $9.8 \text{ m/s}^2 = 980 \text{ cm/s}^2$
- $50 \text{ N} \cdot \text{m} = 0.5 \text{ kN} \cdot \text{cm}$
- $500 \text{ Hz} = 0.5 \text{ kHz}$
- $20 \text{ N} \times 5 \text{ m} = 100 \text{ J}$
- Kinetic energy $= 1500 \text{ kg} \times (20 \text{ m/s})^2 / 2 = 300 \text{ kJ}$
- $2 \text{ kW} \times 3 \text{ hours} = 21.6 \text{ MJ}$
- $200 \text{ kPa} \times 0.5 \text{ m}^2 = 100,000 \text{ N}$

15. $0.8 \text{ g/cm}^3 \times 250 \text{ cm}^3 = 200 \text{ g}$

1.5 Further Reading

Read introduction in (Russell, Jackson, and Embleton 2021) and complete the end of chapter problems.

Summary

You have solved a great many problems in your studies this term, reading various texts like (Joel 1996), (Russell, Jackson, and Embleton 2021), (Fermi 1956) and (Polya and Conway 2014). These sources have helped you understand complex concepts.

As you near the final exam, remember that your knowledge and skills will help you succeed in your future courses. Stay confident, trust your preparation, and be composed. You have put in a lot of effort; now's the time to show what you know.

We wish you the best on the exam.

References

- Fermi, Enrico. 1956. *Thermodynamics*. New ed.
- Joel, Rayner. 1996. *Basic Engineering Thermodynamics*. 5th ed. Pearson/Prentice Hall.
- Polya, G., and John H. Conway. 2014. *How to Solve It: A New Aspect of Mathematical Method*. With a Foreword by John H. Conway. edition. Princeton Oxford: Princeton University Press.
- Russell, Paul A., Leslie Jackson, and William Embleton. 2021. *Applied Mechanics for Marine Engineers*. 7th edition. Reeds Marine Engineering and Technology Series, vol. 2. London: Reeds.

Index

Base units, 4

Derived units, 4

SI, 3

Unity fraction, 5, 6