

REPORT

January 26, 2025

Clouds Course

Assignment 2 Deliverable

Name :

Brice Robert

Email :

robert@eurecom.fr

Run Locust for 3 minutes each on :

- (i) locally deployed numericalintegral,
- (ii) VM scaleset with 2 VMs where you shutdown the VM running the workload after 1 minute,
- (iii) autoscale webapp initially configured with 1 instance and max 3,
- (iv) autoscale function. Save locust output.

Plot a graph of number of successful requests/seconds with one line for each of the four cases above.

Paste the graph below.

Your answer:

☐ Locust File Extractions

All the CSV extractions from Local, WebApp, Function, ScaleSet are explained here <https://github.com/setrar/Clouds/tree/main/Labs/Azure/lab2/locust>

```
[11]: using CSV, DataFrames, Plots

# Load the data from all three sources
data_local = CSV.read("locust/logs/locust_log-local-u10r2t3.csv_stats.csv", ␣
    ↪DataFrame)
```

```

data_webapp = CSV.read("locust/logs/locust_log-webapp-u10r2t3.csv_stats.csv",
↳DataFrame)
data_function = CSV.read("locust/logs/locust_log-function-u10r2t3.csv_stats.
↳csv", DataFrame)

# Extract the Requests/s field for all sources
requests_local = data_local."Requests/s"[1] # Assuming we take the aggregated
↳row
requests_webapp = data_webapp."Requests/s"[1] # Assuming we take the aggregated
↳row
requests_function = data_function."Requests/s"[1] # Assuming we take the
↳aggregated row


# Create labels for the deployments (as x-axis points)
deployments = [1, 2, 3] # Assign numeric labels for Local, Web App, Function
deployment_labels = ["Local Deployment", "Web App Deployment", "Function
↳Deployment"]

# Create the corresponding requests/s values
requests = [requests_local, requests_webapp, requests_function]

# Plot the data as a line
plot(
    deployments,
    requests,
    xlabel="Deployment Type",
    xticks=(deployments, deployment_labels),
    ylabel="Requests per Second",
    title="Requests per Second for Different Deployments",
    label="Requests/s",
    lw=2,
    marker=:circle,
    grid=true
)

```

[11]:



```
[19]: using CSV, DataFrames, Plots

# Load the data for all three sources
data_local = CSV.read("locust/logs/locust_log-local-u10r2t3.csv_stats_history.
    ↳csv", DataFrame)
data_webapp = CSV.read("locust/logs/locust_log-webapp-u10r2t3.csv_stats_history.
    ↳csv", DataFrame)
data_function = CSV.read("locust/logs/locust_log-function-u10r2t3.
    ↳csv_stats_history.csv", DataFrame)

# Convert timestamps from Unix time to seconds relative to the start of the test
timestamps_local = data_local.Timestamp .- minimum(data_local.Timestamp)
timestamps_webapp = data_webapp.Timestamp .- minimum(data_webapp.Timestamp)
timestamps_function = data_function.Timestamp .- minimum(data_function.Timestamp)

# Extract Total Average Response Time for all sources
avg_response_time_local = data_local."Total Average Response Time"
avg_response_time_webapp = data_webapp."Total Average Response Time"
avg_response_time_function = data_function."Total Average Response Time"

# Plot Total Average Response Time for Local Deployment
plot(
    timestamps_local,
```

```


    avg_response_time_local,
    xlabel="Time (seconds)",
    ylabel="Total Average Response Time (ms)",
    title="Total Average Response Time Different Deployments",
    label="Local Deployment (10 users)",
    lw=2,
    marker=:circle,
    grid=true,
    size = (800,500)
)

# Add Total Average Response Time for Web App Deployment
plot!(
    timestamps_webapp,
    avg_response_time_webapp,
    label="Web App Deployment (10 users)",
    lw=2,
    marker=:square,
    linestyle=:dash
)

# Add Total Average Response Time for Function Deployment
plot!(
    timestamps_function,
    avg_response_time_function,
    label="Function Deployment (1 user)",
    lw=2,
    marker=:diamond,
    linestyle=:dot
)

```

[19]:



What is the address of the numerical integrap webapp where we can access your site?

Your answer: <https://webappclouds2025nibr.azurewebsites.net/numericalintegralservice/0/3.14156>

What is the address of the numerical integrap function deployment?

Your answer: <https://clouds25lab2eurbrnifnc.azurewebsites.net/api/numericalintegralservice/0/3.14156>

What is the address of the mapreduce durable function deployment where can invoke it?

Your answer: <https://clouds25brlab2mrfnc.azurewebsites.net/>

What is the gitlab URL where you have saved your assignment code?

Your answer:

- Source Code for all IaC management

<https://github.com/setrar/Clouds/tree/main/Labs/Azure/lab2>

- Source Code for Numerical Integration (used by the Local App and the WebApp)

<https://github.com/setrar/CloudsNumericalIntegration>

- Source Code for Numerical Integration Function

<https://github.com/setrar/CloudsNIFunction>

- (attempted) Source Code for MR function

<https://github.com/setrar/CloudsMRFunction>

[]: