


v1e Test seed=1 Normalised Distribution C2 tonic vs C1 tonic



v1e Test seed=1 Normalised Distribution C2 octave vs C1 octave



v1e Test seed=1 Normalised Distribution C2 scale vs C1 scale



v1e Test seed=1 Normalised Distribution C2 rhythm_bar1 vs C1 rhythm_bar1 1.0 8.0 0.6 C2 rhythm_bar1 0.4 0.2 0.0 0.2 0.0 0.8 0.4 0.6 1.0

C1 rhythm_bar1

v1e Test seed=1 Normalised Distribution C2 rhythm_bar2 vs C1 rhythm_bar2 1.0 8.0 C2 rhythm_bar2 0 6 9 0.4 0.2 0.0 0.0 0.2 0.8 0.4 0.6 1.0

C1 rhythm_bar2

v1e Test seed=1 Normalised Distribution C2 arp_chord1 vs C1 arp_chord1 1.0 8.0 0.6 C2 arp_chord1 0.4 0.2 0.0 0.2 0.4 0.6 0.8 0.0 1.0

C1 arp_chord1

v1e Test seed=1 Normalised Distribution C2 arp_chord2 vs C1 arp_chord2

1.0

8.0

0.6

0.4

0.2

0.0

0.0

0.2

0.4

C1 arp_chord2

0.6

0.8

1.0

C2 arp_chord2

v1e Test seed=1 Normalised Distribution C2 arp_chord3 vs C1 arp_chord3 1.0 8.0 0.6 C2 arp_chord3 0.4 0.2 0.0 0.2 0.4 0.6 0.8 0.0 1.0

C1 arp_chord3

v1e Test seed=1 Normalised Distribution C2 arp_chord4 vs C1 arp_chord4 1.0 8.0 0.6 C2 arp_chord4 0.4 0.2 0.0 0.2 0.4 0.6 0.8 0.0 1.0

C1 arp_chord4