

156. Binary Tree Upside Down

Medium

👍 68

👎 109


🤍 Add to List

🔗 Share

Given the `root`, of a binary tree, turn the tree upside down and return *the new root*.


You can turn a binary tree upside down with the following steps:

1. The original left child becomes the new root.
2. The original root becomes the new right child.
3. The original right child becomes the new left child.



The mentioned steps are done level by level. It is **guaranteed** that every right node has a sibling (a left node with the same parent) and has no children.

Example 1:



Input: root = [1,2,3,4,5]

Output: [4,5,2,null,null,3,1]

Example 2:

Input: root = []

Output: []

Example 3:

Input: root = [1]

Output: [1]

Constraints:

- The number of nodes in the tree will be in the range `[0, 10]`.
- $1 \leq \text{node.val} \leq 10$
- Every right node in the tree has a sibling (a left node that shares the same parent).
- Every right node in the tree has no children.

Accepted 76,783 Submissions 131,283

Seen this question in a real interview before?

Yes No

Companies 🍷 1

0 ~ 6 months 6 months ~ 1 year 1 year ~ 2 years

LinkedIn 9

Related Topics

Tree Depth-First Search Binary Tree

Similar Questions

Reverse Linked List

Easy

```
1 //
2 /**
3  * Definition for a binary tree node.
4  * public class TreeNode {
5  *     int val;
6  *     TreeNode left;
7  *     TreeNode right;
8  *     TreeNode(int val) { this.val = val; }
9  *     TreeNode(int val, TreeNode left, TreeNode right) {
10 *         this.val = val;
11 *         this.left = left;
12 *         this.right = right;
13 *     }
14 * }
15 */
16 class Solution {
17     public TreeNode upsideDownBinaryTree(TreeNode root) {
18     }
19 }
20 }
```