

---

# Exam 2 Take-Home Portion

## Table of Contents

Setup .....	1
Program Main .....	1
Prove Convergence for a Bar (Problem 2.05) .....	5
Program End .....	6
Program Workspace / Debug Station .....	6

BIOE-3040-H01 Introduction to Biomechanics w/ Prof. Hunter Author(s): - Neil A. Kumar - Linea Gutierrez - Elise Carter Dependencies: - cls.m - Mixed2.05.mat - Prob2.04.mat - Prob2.05.mat - Prob2.06.mat - Graded\_Bar1.mat - Graded\_Bar2.mat - mech\_main.m

## Setup

```
% Generic Reset
cls; % alias used for ease; does following commands:
    % close all;           % Close all open windows / plots
    % clear;              % Clear the workspace of any variables
    % format short e;     % Reset command window formatting
    % clc;                % Clear the command line

% Formatting and Metadata
fprintf("<strong># ~/denkr/Documents/School/UCD/'5. BIOE.3020.H01 -
  BioMechanics'/Matlab/BiomechanicsExam2 m</strong>\n");
fprintf("<strong># File: run.m</strong>\n");
fprintf("<strong># Title: Exam 2 Take-Home Portion</strong>\n");
fprintf("<strong># Authors: Neil A. Kumar, Linea Gutierrez, and Elise
  Carter</strong>\n");
fprintf("<strong># Dependencies:</strong> cls.m | Mixed2.05.mat
  | Prob2.04.mat | Prob2.05.mat |\n          Prob2.06.mat |
  Graded_Bar1.mat | Graded_Bar2.mat |\n          mech_main.m\n");

<strong># ~/denkr/Documents/School/UCD/'5. BIOE.3020.H01 -
  BioMechanics'/Matlab/BiomechanicsExam2 m</strong>
<strong># File: run.m</strong>
<strong># Title: Exam 2 Take-Home Portion</strong>
<strong># Authors: Neil A. Kumar, Linea Gutierrez, and Elise Carter</
strong>
<strong># Dependencies:</strong> cls.m | Mixed2.05.mat | Prob2.04.mat
  | Prob2.05.mat |
          Prob2.06.mat | Graded_Bar1.mat | Graded_Bar2.mat |
          mech_main.m
```

## Program Main

```
% Load in example models
fprintf('\n- Loading in example models -\n'); % Look good formatting
(lgf)
```

```
bar(1) = load('Example Models/Prob2.04.mat').bar;
    fprintf('Prob2.04.mat loaded into bar(1)\n'); %lgf
bar(2) = load('Example Models/Prob2.05.mat').bar;
    fprintf('Prob2.05.mat loaded into bar(2)\n'); %lgf
bar(3) = load('Example Models/Prob2.06.mat').bar;
    fprintf('Prob2.06.mat loaded into bar(3)\n'); %lgf
bar(4) = load('Example Models/Mixed2.05.mat').bar;
    fprintf('Mixed2.05.mat loaded into bar(4)\n'); %lgf

% Load in graded models
gradbar(1) = load('Graded Models/Graded_Bar1.mat').bar;
gradbar(2) = load('Graded Models/Graded_Bar2.mat').bar;

% Add graded models to bar (removes redundant fields)
bar(5) = rmfield(gradbar(1),'comment'); fprintf('Graded_Bar1.mat
loaded into bar(5)\n'); %lgf
bar(6) = rmfield(gradbar(2),'comment'); fprintf('Graded_Bar2.mat
loaded into bar(6)\n'); %lgf

for i = 1: 1: length(bar)
    fprintf('\nRunning mech_main.m on bar model %i\n', i); %lgf
    out(i) = mech_main(bar(i));
    fprintf('Output for bar(%d) \n', i)
    disp(out(i));
end
```

```
- Loading in example models -
Prob2.04.mat loaded into bar(1)
Prob2.05.mat loaded into bar(2)
Prob2.06.mat loaded into bar(3)
Mixed2.05.mat loaded into bar(4)
Graded_Bar1.mat loaded into bar(5)
Graded_Bar2.mat loaded into bar(6)
```

```
Running mech_main.m on bar model 1
****COMBINED MECHANICAL/THERMAL AXIAL LOADING ANALYSIS****
mech_main.m || Using bar model provided in call
mech_main.m || Calculating Free Deformation...
mech_main.m || Done!
mech_main.m || Checking if there is a gap...
mech_main.m || No Gap
mech_main.m || Done!
mech_main.m || Calculating Reaction Return...
mech_main.m || Done!
****END OF ANALYSIS****
Output for bar(1)
    UncLoad: [0 600000 600000 900000]
    UncMDef: [0 1.1250e-03 1.8000e-03 2.7000e-03]
    UncTDef: [0 0 0 0]
    React0: -5.7692e+05
    React1: -3.2308e+05
    TotLoad: [-5.7692e+05 2.3077e+04 2.3077e+04 3.2308e+05]
    MecDef: [-1.0817e-03 4.3269e-05 6.9231e-05 9.6923e-04]
```

```
TotDef: [-1.0817e-03 4.3269e-05 6.9231e-05 9.6923e-04]
Stress: [-1.4423e+09 5.7692e+07 9.2308e+07 1.2923e+09]
```

Running mech\_main.m on bar model 2

```
****COMBINED MECHANICAL/THERMAL AXIAL LOADING ANALYSIS****
mech_main.m || Using bar model provided in call
mech_main.m || Calculating Free Deformation...
mech_main.m || Done!
mech_main.m || Checking if there is a gap...
mech_main.m || Gap, problem may be statically determinate...
mech_main.m || Gap closed. Indeterminate
mech_main.m || Done!
mech_main.m || Calculating Reaction Return...
mech_main.m || Done!
****END OF ANALYSIS****
Output for bar(2)
  UncLoad: [0 600000 600000 900000]
  UncMDef: [0 1.1250e-03 1.8000e-03 2.7000e-03]
  UncTDef: [0 0 0 0]
  React0: -1.1538e+05
  React1: -7.8462e+05
  TotLoad: [-1.1538e+05 4.8462e+05 4.8462e+05 7.8462e+05]
  MecDef: [-2.1635e-04 9.0865e-04 1.4538e-03 2.3538e-03]
  TotDef: [-2.1635e-04 9.0865e-04 1.4538e-03 2.3538e-03]
  Stress: [-2.8846e+08 1.2115e+09 1.9385e+09 3.1385e+09]
```

Running mech\_main.m on bar model 3

```
****COMBINED MECHANICAL/THERMAL AXIAL LOADING ANALYSIS****
mech_main.m || Using bar model provided in call
mech_main.m || Calculating Free Deformation...
mech_main.m || Done!
mech_main.m || Checking if there is a gap...
mech_main.m || No Gap
mech_main.m || Done!
mech_main.m || Calculating Reaction Return...
mech_main.m || Done!
****END OF ANALYSIS****
Output for bar(3)
  UncLoad: [0 0]
  UncMDef: [0 0]
  UncTDef: [-9.7500e-03 -9.7500e-03]
  React0: 1.8850e+04
  React1: -1.8850e+04
  TotLoad: [1.8850e+04 1.8850e+04]
  MecDef: [6.5000e-03 1.3000e-02]
  TotDef: [-3.2500e-03 3.2500e-03]
  Stress: [1.5708e+04 3.1417e+04]
```

Running mech\_main.m on bar model 4

```
****COMBINED MECHANICAL/THERMAL AXIAL LOADING ANALYSIS****
mech_main.m || Using bar model provided in call
```

```
mech_main.m || Calculating Free Deformation...
mech_main.m || Done!
mech_main.m || Checking if there is a gap...
mech_main.m || Gap, problem may be statically determinate...
mech_main.m || Gap closed. Indeterminate
mech_main.m || Done!
mech_main.m || Calculating Reaction Return...
mech_main.m || Done!
****END OF ANALYSIS****
```

Output for bar(4)

```
UnLoad: [0 600000 600000 900000]
UnCMDef: [0 1.1250e-03 1.8000e-03 2.7000e-03]
UnCTDef: [3.1590e-04 3.1590e-04 3.1590e-04 3.1590e-04]
React0: -2.4498e+05
React1: -6.5502e+05
TotLoad: [-2.4498e+05 3.5502e+05 3.5502e+05 6.5502e+05]
MecDef: [-4.5935e-04 6.6565e-04 1.0650e-03 1.9650e-03]
TotDef: [-1.4345e-04 9.8155e-04 1.3809e-03 2.2809e-03]
Stress: [-6.1246e+08 8.8754e+08 1.4201e+09 2.6201e+09]
```

Running mech\_main.m on bar model 5

```
****COMBINED MECHANICAL/THERMAL AXIAL LOADING ANALYSIS****
mech_main.m || Using bar model provided in call
mech_main.m || Calculating Free Deformation...
mech_main.m || Done!
mech_main.m || Checking if there is a gap...
mech_main.m || Gap, problem may be statically determinate...
mech_main.m || Gap closed. Indeterminate
mech_main.m || Done!
mech_main.m || Calculating Reaction Return...
mech_main.m || Done!
****END OF ANALYSIS****
```

Output for bar(5)

```
UnLoad: [0 50000 120000 260000]
UnCMDef: [0 3.6032e-05 1.0477e-04 2.5374e-04]
UnCTDef: [7.3150e-04 1.0450e-03 1.8408e-03 3.3984e-03]
React0: -9.9330e+05
React1: 7.3330e+05
TotLoad: [-9.9330e+05 -9.4330e+05 -8.7330e+05 -7.3330e+05]
MecDef: [-8.5782e-04 -6.7978e-04 -7.6246e-04 -7.1564e-04]
TotDef: [-1.2632e-04 3.6522e-04 1.0783e-03 2.6828e-03]
Stress: [-8.9537e+08 -5.8588e+08 -4.4477e+08 -5.0130e+08]
```

Running mech\_main.m on bar model 6

```
****COMBINED MECHANICAL/THERMAL AXIAL LOADING ANALYSIS****
mech_main.m || Using bar model provided in call
mech_main.m || Calculating Free Deformation...
mech_main.m || Done!
mech_main.m || Checking if there is a gap...
mech_main.m || No Gap
mech_main.m || Done!
mech_main.m || Calculating Reaction Return...
```

```

mech_main.m || Done!
****END OF ANALYSIS****
Output for bar(6)
  UncLoad: [0 170000 130000 180000 115000]
  UncMDef: [0 9.1224e-05 6.5000e-05 1.3576e-04 1.2151e-04]
  UncTDef: [-9.4050e-04 -6.6880e-04 -5.7330e-04 -7.0200e-04
-8.2600e-04]
  React0: 8.3565e+05
  React1: -9.5065e+05
  TotLoad: [8.3565e+05 1.0056e+06 9.6565e+05 1.0156e+06 9.5065e+05]
  MecDef: [9.1759e-04 5.3964e-04 4.8282e-04 7.6605e-04 1.0045e-03]
  TotDef: [-2.2906e-05 -1.2916e-04 -9.0476e-05 6.4051e-05
1.7848e-04]
  Stress: [1.0014e+09 8.5148e+08 6.8975e+08 8.1107e+08 9.8808e+08]

```

## Prove Convergence for a Bar (Problem 2.05)

Prove convergence by changing step size

```

fprintf('\n -Proving Convergence- \n'); %lgf

% Load prob 2.05
convbar = load('Example Models/Prob2.05.mat').bar;

% Store original solve structure in a cell
fprintf('\nRunning mech_main.m on convergence bar model 1\n'); %lgf
convbar_out{1} = mech_main(convbar);

% Define original number of steps (Nistp)
step_original = convbar.Nistp;

% Define new number of steps to be tested
step_new = step_original * 100;

% Set Nistp equal to 200 steps and solve
fprintf('\nRunning mech_main.m on convergence bar model 2\n'); %lgf
convbar.Nistp = step_new;
convbar_out{2} = mech_main(convbar);

% Relative error between bar elements with 20 and 2000 steps
rel_error = (convbar_out{1}.UncMDef - convbar_out{2}.UncMDef) ./
  convbar_out{1}.UncMDef;
tol = 1e-6; % tolerance

if any(rel_error > tol) % relative error greater than tolerance
  fprintf('\n Does not converge with original step size. Original
  Step Size Insufficient \n'); %lgf
else % relative error less than tolerance
  fprintf('\n Convergence Proved! Original Step Size Sufficient
  \n'); %lgf
end

```

```
% EXPLANATION: convbar_out.UncMDef is assigned to the output of the
first
% time our integration function is used in mech_main. If the relative
error
% between UncMDef when solved with original Nistp value is within a
tolerance (1e-6) of
% UncMDef solved with Nistp*100 steps, it is concluded that solving
with
% the original step size does indeed converge within the integration
function.
```

*-Proving Convergence-*

```
Running mech_main.m on convergence bar model 1
****COMBINED MECHANICAL/THERMAL AXIAL LOADING ANALYSIS****
mech_main.m || Using bar model provided in call
mech_main.m || Calculating Free Deformation...
mech_main.m || Done!
mech_main.m || Checking if there is a gap...
mech_main.m || Gap, problem may be statically determinate...
mech_main.m || Gap closed. Indeterminate
mech_main.m || Done!
mech_main.m || Calculating Reaction Return...
mech_main.m || Done!
****END OF ANALYSIS****
```

```
Running mech_main.m on convergence bar model 2
****COMBINED MECHANICAL/THERMAL AXIAL LOADING ANALYSIS****
mech_main.m || Using bar model provided in call
mech_main.m || Calculating Free Deformation...
mech_main.m || Done!
mech_main.m || Checking if there is a gap...
mech_main.m || Gap, problem may be statically determinate...
mech_main.m || Gap closed. Indeterminate
mech_main.m || Done!
mech_main.m || Calculating Reaction Return...
mech_main.m || Done!
****END OF ANALYSIS****
```

*Convergence Proved! Original Step Size Sufficient*

## Program End

```
fprintf("\n<strong>## End of Program</strong>\n");
```

```
<strong>## End of Program</strong>
```

## Program Workspace / Debug Station

A place to mess around with ideas if unsure where it will be placed organizationally. Ideally there should be nothing in this section once the file is complete.

*Published with MATLAB® R2020b*