

ICPSR 21600

**National Longitudinal Study of  
Adolescent to Adult Health (Add  
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris  
*University of North Carolina-Chapel Hill*

J. Richard Udry  
*University of North Carolina-Chapel Hill*

Wave III: In-Home Questionnaire, Public Use  
Sample (Section 23: Current Pregnancies)  
Variable Description and Frequencies

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **ICPSR PROCESSING NOTES FOR #21600**

*National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008*  
*[Public Use]*

*DS13: Wave III: In-Home Questionnaire, Public Use Sample*  
*(Section 23: Current Pregnancies)*

1. **Truncated Value Labels:** Due to limitations in the statistical packages, a number of variables feature truncated value labels. Please see the P.I. Codebook/Questionnaire for full value labels.

# **ICPSR 21600**

## **National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]**

### **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Wave III: In-Home Questionnaire, Public Use Sample (Section 23: Current Pregnancies)

## AID: RESPONDENT IDENTIFIER

Respondent identification number

Value	Label	Unweighted Frequency	%
57118381	-	1	0.6 %
57134970	-	1	0.6 %
57135078	-	2	1.1 %
57164981	-	1	0.6 %
57191909	-	1	0.6 %
57248884	-	1	0.6 %
57249576	-	1	0.6 %
90506725	-	1	0.6 %
90506828	-	1	0.6 %
90508033	-	1	0.6 %
90571861	-	1	0.6 %
90574204	-	1	0.6 %
90577712	-	1	0.6 %
90577964	-	1	0.6 %
90578044	-	1	0.6 %
90578461	-	1	0.6 %
90578846	-	1	0.6 %
90579990	-	1	0.6 %
90712290	-	1	0.6 %
90714018	-	1	0.6 %
90716994	-	1	0.6 %
91544302	-	1	0.6 %
91572389	-	1	0.6 %
91572918	-	1	0.6 %
91573248	-	1	0.6 %
91575358	-	1	0.6 %
91575420	-	1	0.6 %
91576270	-	1	0.6 %
91576919	-	1	0.6 %
91577786	-	1	0.6 %
91578605	-	1	0.6 %
91579230	-	1	0.6 %
91579942	-	1	0.6 %

Value	Label	Unweighted Frequency	%
91678373	-	1	0.6 %
91710339	-	1	0.6 %
91715280	-	1	0.6 %
91716908	-	1	0.6 %
91717916	-	1	0.6 %
91719936	-	1	0.6 %
92504321	-	1	0.6 %
92506022	-	1	0.6 %
92507952	-	1	0.6 %
92507983	-	1	0.6 %
92570396	-	1	0.6 %
92572061	-	1	0.6 %
92572397	-	1	0.6 %
92575959	-	1	0.6 %
92577112	-	1	0.6 %
92578580	-	2	1.1 %
92578722	-	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 180 valid cases out of 180 total cases.

*Location:* 1-8 (width: 8; decimal: 0)

*Variable Type:* character

## RRELNO: ROMANTIC RELATIONSHIP NUMBER

Romantic relationship number

Value	Label	Unweighted Frequency	%
1	-	78	43.3 %
2	-	22	12.2 %
3	-	30	16.7 %
4	-	13	7.2 %
5	-	14	7.8 %
6	-	9	5.0 %
7	-	6	3.3 %
8	-	2	1.1 %
9	-	1	0.6 %
10	-	3	1.7 %
12	-	1	0.6 %

Value	Label	Unweighted Frequency	%
17	-	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 180 valid cases out of 180 total cases.

- Mean: 2.86
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 2.46

*Location:* 9-10 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## RPREGNO: RELATIONSHIP PREGNANCY NUMBER

Relationship pregnancy number

Value	Label	Unweighted Frequency	%
1	-	123	68.3 %
2	-	41	22.8 %
3	-	12	6.7 %
4	-	3	1.7 %
7	-	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 180 valid cases out of 180 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.81

*Location:* 11-11 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## H3PC1: S23Q1 1 TOLD PARTNER PREGNANT-W3

Have you told <PARTNER> that you are pregnant?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.3)	2	1.1 %
1	(1) Yes	104	57.8 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %

Value	Label	Unweighted Frequency	%
7	(7) Legitimate skip	73	40.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 106 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 12-12 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 6 , 7

---

### H3PC2: S23Q2 MONTHS PREG WHEN TOLD PARTNER-W3

How many months pregnant ... [if the respondent is male:] ...was <PARTNER> when she told you she was pregnant? [if the respondent is female:] ...were you when you told him you were pregnant?

Value	Label	Unweighted Frequency	%
0	(0) 0 months	6	3.3 %
1	(1) 1 month	112	62.2 %
2	(2) 2 months	34	18.9 %
3	(3) 3 months	12	6.7 %
4	(4) 4 months	2	1.1 %
5	(5) 5 months	2	1.1 %
6	(6) 6 months	1	0.6 %
7	(7) 7 months	3	1.7 %
8	(8) 8 months	1	0.6 %
9	(9) 9 months	2	1.1 %
	<b>Missing Data</b>		
97	(97) Legitimate skip	3	1.7 %
98	(98) Don't know	2	1.1 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 175 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 9.00

*Location:* 13-14 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98

---

### H3PC3: S23Q3 MONTH PREGNANCY IN NOW-W3

What month of pregnancy {IS SHE/ARE YOU} in now?



Value	Label	Unweighted Frequency	%
1	(1) Month 1	17	9.4 %
2	(2) Month 2	23	12.8 %
3	(3) Month 3	22	12.2 %
4	(4) Month 4	14	7.8 %
5	(5) Month 5	28	15.6 %
6	(6) Month 6	22	12.2 %
7	(7) Month 7	22	12.2 %
8	(8) Month 8	15	8.3 %
9	(9) Month 9	13	7.2 %
	<b>Missing Data</b>		
96	(96) Refused	1	0.6 %
98	(98) Don't know	3	1.7 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98

---

### H3PC4: S23Q4 PRENATAL CARE DURING PREG-W3

{HAS SHE/HAVE YOU} seen a doctor or nurse-midwife for prenatal care during this pregnancy?

Value	Label	Unweighted Frequency	%
0	(0) No	15	8.3 %
1	(1) Yes (skip to Q.6)	161	89.4 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	2	1.1 %
9	(9) Not applicable	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9

---

### H3PC5: S23Q5 PLAN HAVE PRENATAL CARE-W3

{DOES SHE/DO YOU} plan to see a doctor or nurse-midwife for prenatal care?

Value	Label	Unweighted Frequency	%
0	(0) No	0	0.0 %
1	(1) Yes (skip to Q.8)	16	8.9 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
7	(7) Legitimate skip	161	89.4 %
8	(8) Don't know	1	0.6 %
9	(9) Not applicable	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 16 valid cases out of 180 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 18-18 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 6 , 7 , 8 , 9

## H3PC6: S23Q6 #PRENATAL-CARE VISITS HAD-W3

How many prenatal-care visits {HAS SHE/HAVE YOU} had?

Value	Label	Unweighted Frequency	%
0	(0) 0 visits	1	0.6 %
1	-	25	13.9 %
2	-	18	10.0 %
3	-	17	9.4 %
4	-	17	9.4 %
5	-	17	9.4 %
6	-	13	7.2 %
7	-	9	5.0 %
8	-	10	5.6 %
9	-	4	2.2 %
10	-	8	4.4 %
11	-	1	0.6 %
12	-	5	2.8 %
14	-	3	1.7 %
15	-	5	2.8 %
16	-	1	0.6 %
18	-	2	1.1 %
20	-	1	0.6 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
97	(97) Legitimate skip	19	10.6 %
98	(98) Don't know	4	2.2 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 157 valid cases out of 180 total cases.

- Mean: 5.49
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 4.19

*Location:* 19-20 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97 , 98

### H3PC7: S23Q7 PARTNER GONE ANY CHECKUPS-W3

{HAVE YOU GONE WITH HER/HAS <PARTNER> GONE WITH YOU} to any prenatal-care visits?

Value	Label	Unweighted Frequency	%
0	(0) No	41	22.8 %
1	(1) Yes	120	66.7 %
	<b>Missing Data</b>		
7	(7) Legitimate skip	19	10.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 161 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 21-21 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7

### H3PC8: S23Q8 WHERE GO FOR PRENATAL CARE-W3

[If the respondent is male and Q.4 = 1:] Where does she [if Q.6 > 1, add: "usually"]... [If the respondent is male and Q.5 = 1:] Where will she... [If the respondent is female and Q4 = 1:] Where do you [if Q.6 > 1, add: "usually"]... [If the respondent is female and Q.5 = 1:] Where will you go for prenatal care?

Value	Label	Unweighted Frequency	%
1	(1) Private doctor's office	106	58.9 %
2	(2) Nurse-midwife's office	10	5.6 %
3	(3) County or city health department	4	2.2 %
4	(4) Community health center	9	5.0 %

Value	Label	Unweighted Frequency	%
5	(5) HMO (health maintenance organization)	6	3.3 %
6	(6) Clinic at work or at school	0	0.0 %
7	(7) Clinic in a hospital	36	20.0 %
8	(8) Emergency room in a hospital	2	1.1 %
9	(9) Birthing center	1	0.6 %
10	(10) Another sort of place	2	1.1 %
	<b>Missing Data</b>		
96	(96) Refused	1	0.6 %
97	(97) Legitimate skip	3	1.7 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 96 , 97

### H3PC9A: S23Q9A PD PREN CARE-YOUR/PARTNER INC-W3

[If the respondent is male and Q.4 = 1:] How is she paying... [If the respondent is male and Q.5 = 1:] How will she pay... [If the respondent is female and Q.4 = 1:] How are you paying... [If the respondent is female and Q.5 = 1:] How will you pay for prenatal care? Your or <PARTNER>'s income or savings

Value	Label	Unweighted Frequency	%
0	(0) Not marked	141	78.3 %
1	(1) Marked	35	19.4 %
	<b>Missing Data</b>		
7	(7) Legitimate skip	3	1.7 %
8	(8) Don't know	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8

### H3PC9B: S23Q9B PD PREN CARE-YOU/PARTN PARENT-W3

[If the respondent is male and Q.4 = 1:] How is she paying... [If the respondent is male and Q.5 = 1:] How will she pay... [If the respondent is female and Q.4 = 1:] How are you paying... [If the respondent is female and Q.5 = 1:] How will you pay for prenatal care? Your or <PARTNER>'s parents or other relatives

Value	Label	Unweighted Frequency	%
0	(0) Not marked	164	91.1 %
1	(1) Marked	12	6.7 %
	<b>Missing Data</b>		
7	(7) Legitimate skip	3	1.7 %
8	(8) Don't know	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

### H3PC9C: S23Q9C PD PREN CARE-PRIV INSURANCE-W3

[If the respondent is male and Q.4 = 1:] How is she paying... [If the respondent is male and Q.5 = 1:] How will she pay... [If the respondent is female and Q.4 = 1:] How are you paying... [If the respondent is female and Q.5 = 1:] How will you pay for prenatal care? Private insurance

Value	Label	Unweighted Frequency	%
0	(0) Not marked	106	58.9 %
1	(1) Marked	70	38.9 %
	<b>Missing Data</b>		
7	(7) Legitimate skip	3	1.7 %
8	(8) Don't know	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

### H3PC9D: S23Q9D PD PREN CARE-MEDICAID-W3

[If the respondent is male and Q.4 = 1:] How is she paying... [If the respondent is male and Q.5 = 1:] How will she pay... [If the respondent is female and Q.4 = 1:] How are you paying... [If the respondent is female and Q.5 = 1:] How will you pay for prenatal care? Medicaid

Value	Label	Unweighted Frequency	%
0	(0) Not marked	103	57.2 %
1	(1) Marked	73	40.6 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
7	(7) Legitimate skip	3	1.7 %
8	(8) Don't know	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 27-27 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8

### H3PC9E: S23Q9E PD PREN CARE-GOV ASSISTANCE-W3

[If the respondent is male and Q.4 = 1:] How is she paying... [If the respondent is male and Q.5 = 1:] How will she pay... [If the respondent is female and Q.4 = 1:] How are you paying... [If the respondent is female and Q.5 = 1:] How will you pay for prenatal care? Government assistance other than Medicaid (state or local)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	159	88.3 %
1	(1) Marked	17	9.4 %
	<b>Missing Data</b>		
7	(7) Legitimate skip	3	1.7 %
8	(8) Don't know	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 28-28 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8

### H3PC9F: S23Q9F PD PREN CARE-OTHER SOURCE-W3

[If the respondent is male and Q.4 = 1:] How is she paying... [If the respondent is male and Q.5 = 1:] How will she pay... [If the respondent is female and Q.4 = 1:] How are you paying... [If the respondent is female and Q.5 = 1:] How will you pay for prenatal care? Some other source of money

Value	Label	Unweighted Frequency	%
0	(0) Not marked	172	95.6 %
1	(1) Marked	4	2.2 %
	<b>Missing Data</b>		
7	(7) Legitimate skip	3	1.7 %

Value	Label	Unweighted Frequency	%
8	(8) Don't know	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

### H3PC10A: S23Q10A PD HOSP-YOUR/PARTNER INC-W3

How will {<PARTNER>/YOU} pay for {HER/YOUR} delivery and hospital stay? Your or <PARTNER>'s income or savings

Value	Label	Unweighted Frequency	%
0	(0) Not marked	141	78.3 %
1	(1) Marked	36	20.0 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	2	1.1 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 177 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8

### H3PC10B: S23Q10B PD HOSP-YOU/PARTN PARENT-W3

How will {<PARTNER>/YOU} pay for {HER/YOUR} delivery and hospital stay? Your or <PARTNER>'s parents or other relatives

Value	Label	Unweighted Frequency	%
0	(0) Not marked	165	91.7 %
1	(1) Marked	12	6.7 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	2	1.1 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 177 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 31-31 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 6 , 8

### H3PC10C: S23Q10C PD HOSP-PRIV INSURANCE-W3

How will {<PARTNER>/YOU} pay for {HER/YOUR} delivery and hospital stay? Private insurance

Value	Label	Unweighted Frequency	%
0	(0) Not marked	107	59.4 %
1	(1) Marked	70	38.9 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	2	1.1 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 177 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 32-32 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 6 , 8

### H3PC10D: S23Q10D PD HOSP-MEDICAID-W3

How will {<PARTNER>/YOU} pay for {HER/YOUR} delivery and hospital stay? Medicaid

Value	Label	Unweighted Frequency	%
0	(0) Not marked	104	57.8 %
1	(1) Marked	73	40.6 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	2	1.1 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 177 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 33-33 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 6 , 8

### H3PC10E: S23Q10E PD HOSP-GOV ASSISTANCE-W3



How will {<PARTNER>/YOU} pay for {HER/YOUR} delivery and hospital stay? Government assistance other than Medicaid (state or local)

Value	Label	Unweighted Frequency	%
0	(0) Not marked	162	90.0 %
1	(1) Marked	16	8.9 %
	<b>Missing Data</b>		
8	(8) Don't know	2	1.1 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 178 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 34-34 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 6 , 8

---

### H3PC10F: S23Q10F PD HOSP-OTHER SOURCE-W3

How will {<PARTNER>/YOU} pay for {HER/YOUR} delivery and hospital stay? Some other source of money

Value	Label	Unweighted Frequency	%
0	(0) Not marked	170	94.4 %
1	(1) Marked	7	3.9 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	2	1.1 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 177 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 35-35 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 6 , 8

---

### H3PC11: S23Q11 OFTEN DUR PREG DRINK ALCOHOL-W3

During this pregnancy, how often {HAS SHE/HAVE YOU} been drinking alcoholic beverages?

Value	Label	Unweighted Frequency	%
0	(0) Never	167	92.8 %
1	(1) Less than once a month	7	3.9 %
2	(2) Several times a month	2	1.1 %
3	(3) Several times a week	0	0.0 %

Value	Label	Unweighted Frequency	%
4	(4) Nearly every day	0	0.0 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	2	1.1 %
9	(9) Not applicable	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9

### H3PC12: S23Q12 OFTEN DUR PREG USE DRUGS-W3

How often {HAS SHE/HAVE YOU} been using drugs such as marijuana, crack cocaine, or heroin?

Value	Label	Unweighted Frequency	%
0	(0) Never	167	92.8 %
1	(1) Less than once a month	4	2.2 %
2	(2) Several times a month	2	1.1 %
3	(3) Several times a week	1	0.6 %
4	(4) Nearly every day	2	1.1 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	2	1.1 %
9	(9) Not applicable	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9

### H3PC13: S23Q13 DUR PREG #CIGARETTES SMOKE-W3

How many cigarettes {HAS SHE/HAVE YOU} been smoking?

Value	Label	Unweighted Frequency	%
0	(0) None	147	81.7 %

Value	Label	Unweighted Frequency	%
1	(1) Less than 1 pack a day	26	14.4 %
2	(2) 1 pack a day or more/but less than 2 packs a day	3	1.7 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	2	1.1 %
9	(9) Not applicable	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 38-38 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 6 , 8 , 9

---

### H3PC14: S23Q14 YOU AND PARTNER MARRIED-W3

Are you and <PARTNER> married?

Value	Label	Unweighted Frequency	%
0	(0) No	98	54.4 %
1	(1) Yes	80	44.4 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
9	(9) Not applicable	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 178 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 39-39 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 6 , 9

---

### H3PC15: S23Q15 YOU & PARTN LIVING TOGETHER-W3

Are you and {SHE/HE} living together in the same household?

Value	Label	Unweighted Frequency	%
0	(0) No	52	28.9 %
1	(1) Yes	126	70.0 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %

Value	Label	Unweighted Frequency	%
9	(9) Not applicable	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 178 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 9

### H3PC16: S23Q16 BEST DESCRIBES RELSHP PRESENT-W3

Which of the following statements best describes your relationship with {HER/HIM} at present?

Value	Label	Unweighted Frequency	%
1	(1) We never see or talk to each other	5	2.8 %
2	(2) We hardly ever see or talk to each other	6	3.3 %
3	(3) We are just friends	9	5.0 %
4	(4) We are involved in an on-again/off-again relationship	5	2.8 %
5	(5) We are romantically involved on a steady basis	25	13.9 %
	<b>Missing Data</b>		
97	(97) Legitimate skip	129	71.7 %
98	(98) Don't know	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 50 valid cases out of 180 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98

### H3PC17: S23Q17 AGE WHEN GOT PREGNANT-W3

How old was <PARTNER> when {SHE/YOU} got pregnant?

Value	Label	Unweighted Frequency	%
17	-	8	4.4 %
18	-	8	4.4 %
19	-	15	8.3 %
20	-	18	10.0 %
21	-	15	8.3 %
22	-	28	15.6 %

Value	Label	Unweighted Frequency	%
23	-	20	11.1 %
24	-	19	10.6 %
25	-	13	7.2 %
26	-	8	4.4 %
27	-	7	3.9 %
28	-	5	2.8 %
29	-	3	1.7 %
30	-	4	2.2 %
31	-	3	1.7 %
32	-	2	1.1 %
33	-	1	0.6 %
35	-	1	0.6 %
	<b>Missing Data</b>		
96	(96) Refused	1	0.6 %
98	(98) Don't know	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 178 valid cases out of 180 total cases.

- Mean: 22.84
- Median: 22.00
- Mode: 22.00
- Minimum: 17.00
- Maximum: 35.00
- Standard Deviation: 3.57

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98

### H3PC18: S23Q18 FAR IN SCHOOL WHEN GOT PREGN-W3

How far has {SHE/HE} gone in school?

Value	Label	Unweighted Frequency	%
1	(1) 8th grade or less	1	0.6 %
2	(2) >8th grade/but not a high school graduate	32	17.8 %
3	(3) Business/trade/voc. school instead high school	2	1.1 %
4	(4) High school graduate	60	33.3 %
5	(5) Completed GED	14	7.8 %
6	(6) Business/trade/voc. school after high school	10	5.6 %
7	(7) Attending college	7	3.9 %
8	(8) College/hasn't graduated	27	15.0 %
9	(9) College/university graduate	17	9.4 %

Value	Label	Unweighted Frequency	%
10	(10) Attending graduate school	4	2.2 %
11	(11) Receiving professional training beyond 4-year college/u	2	1.1 %
	<b>Missing Data</b>		
96	(96) Refused	1	0.6 %
98	(98) Don't know	1	0.6 %
99	(99) Not applicable	2	1.1 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98 , 99

### H3PC19: S23Q19 BEFORE PREG,USE BIRTH CONTROL-W3

Before {SHE/YOU} became pregnant, were you or <PARTNER> using any kind of birth control when you had sex with each other?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.22)	104	57.8 %
1	(1) Yes	73	40.6 %
	<b>Missing Data</b>		
6	(6) Refused	2	1.1 %
9	(9) Not applicable	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 177 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 9

### H3PC20A: S23Q20A 1ST METHOD BIRTH CONTROL USED-W3

What methods of birth control were you or {SHE/HE} using? 1st response.

Value	Label	Unweighted Frequency	%
1	(1) Condoms (rubbers)	39	21.7 %
2	(2) Withdrawal	6	3.3 %
4	(4) Natural fam plan/safe period by temp/cervical mucus test	1	0.6 %
5	(5) Birth control pills (the pill)	24	13.3 %

Value	Label	Unweighted Frequency	%
14	(14) The injectable or Depo Provera	1	0.6 %
	<b>Missing Data</b>		
97	(97) Legitimate skip	107	59.4 %
99	(99) Not applicable	1	0.6 %
.	-	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 71 valid cases out of 180 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 99 , .

### H3PC20B: S23Q20B 2ND METHOD BIRTH CONTROL USED-W3

What methods of birth control were you or {SHE/HE} using? 2nd response.

Value	Label	Unweighted Frequency	%
1	(1) Condoms (rubbers)	26	14.4 %
2	(2) Withdrawal	5	2.8 %
3	(3) Rhythm (safe time) or safe period by the calendar	1	0.6 %
4	(4) Natural fam plan/safe period by temp/cervical mucus test	1	0.6 %
5	(5) Birth control pills (the pill)	16	8.9 %
6	(6) Vaginal sponge	0	0.0 %
7	(7) Spermicidal foam/jelly/creme/suppositories	1	0.6 %
8	(8) Diaphragm, with/without jelly/cream	1	0.6 %
9	(9) Cervical cap	0	0.0 %
10	(10) Female condom	0	0.0 %
11	(11) IUD (intrauterine device)/coil/loop	0	0.0 %
12	(12) The implant of Norplant	1	0.6 %
13	(13) Ring	0	0.0 %
14	(14) The injectable or Depo Provera	1	0.6 %
15	(15) Vaginal contraceptive film or insert	0	0.0 %
16	(16) Female sterilization/tubal ligation	1	0.6 %
17	(17) Hysterectomy	0	0.0 %
18	(18) Vasectomy	0	0.0 %
19	(19) Emer contraception-high dose birth cont/morning after p	0	0.0 %
20	(20) Some other method	0	0.0 %
21	(21) No other method	16	8.9 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
96	(96) Refused	1	0.6 %
97	(97) Legitimate skip	107	59.4 %
98	(98) Don't know	1	0.6 %
.	-	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 70 valid cases out of 180 total cases.

- Minimum: 1.00
- Maximum: 21.00

*Location:* 50-51 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 96 , 97 , 98 , .

### H3PC20C: S23Q20C 3RD METHOD BIRTH CONTROL USED-W3

What methods of birth control were you or {SHE/HE} using? 3rd response.

Value	Label	Unweighted Frequency	%
1	(1) Condoms (rubbers)	21	11.7 %
2	(2) Withdrawal	3	1.7 %
3	(3) Rhythm (safe time) or safe period by the calendar	3	1.7 %
4	(4) Natural fam plan/safe period by temp/cervical mucus test	1	0.6 %
5	(5) Birth control pills (the pill)	12	6.7 %
6	(6) Vaginal sponge	0	0.0 %
7	(7) Spermicidal foam/jelly/creme/suppositories	0	0.0 %
8	(8) Diaphragm, with/without jelly/cream	0	0.0 %
9	(9) Cervical cap	0	0.0 %
10	(10) Female condom	0	0.0 %
11	(11) IUD (intrauterine device)/coil/loop	0	0.0 %
12	(12) The implant of Norplant	0	0.0 %
13	(13) Ring	0	0.0 %
14	(14) The injectable or Depo Provera	0	0.0 %
15	(15) Vaginal contraceptive film or insert	1	0.6 %
16	(16) Female sterilization/tubal ligation	0	0.0 %
17	(17) Hysterectomy	0	0.0 %
18	(18) Vasectomy	0	0.0 %
19	(19) Emer contraception-high dose birth cont/morning after p	0	0.0 %
20	(20) Some other method	0	0.0 %
21	(21) No other method	13	7.2 %
	<b>Missing Data</b>		
96	(96) Refused	2	1.1 %



Value	Label	Unweighted Frequency	%
97	(97) Legitimate skip	123	68.3 %
.	-	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 54 valid cases out of 180 total cases.

- Minimum: 1.00
- Maximum: 21.00

*Location:* 52-53 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 96 , 97 , 98 , .

### H3PC21: S23Q21 MO BEF PG,BIRTH CON EVERY TIME-W3

In the month before {SHE/YOU} got pregnant, did you or <PARTNER> use {THIS METHOD/AT LEAST ONE OF THESE METHODS} of birth control every time you and {SHE/HE} had sexual intercourse with each other?

Value	Label	Unweighted Frequency	%
0	(0) No	30	16.7 %
1	(1) Yes	42	23.3 %
	<b>Missing Data</b>		
7	(7) Legitimate skip	107	59.4 %
.	-	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 72 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 54-54 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

### H3PC22: S23Q22 WANT A CHILD BEFORE PREGNANCY-W3

Please think back to the time just before {<PARTNER>/YOU} became pregnant. Did you want to have a child then?

Value	Label	Unweighted Frequency	%
0	(0) No	70	38.9 %
1	(1) Yes (skip to Q.24)	106	58.9 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
8	(8) Don't know	1	0.6 %
9	(9) Not applicable	1	0.6 %
.	-	1	0.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 176 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 55-55 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 6 , 8 , 9 , .

### H3PC23: S23Q23 WANT A CHILD LATER-W3

Did you want to have a child sometime later?

Value	Label	Unweighted Frequency	%
0	(0) No	18	10.0 %
1	(1) Yes (Return to Q.1 for the next pregnancy)	52	28.9 %
	<b>Missing Data</b>		
6	(6) Refused	1	0.6 %
7	(7) Legitimate skip	106	58.9 %
8	(8) Don't know	1	0.6 %
9	(9) Not applicable	1	0.6 %
.	-	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 70 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 56-56 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 6 , 7 , 8 , 9 , .

### H3PC24: S23Q24 WANT PARTNER BE CHILD'S PARENT-W3

Did you want <PARTNER> to be your child's{MOTHER/FATHER}?

Value	Label	Unweighted Frequency	%
0	(0) No	5	2.8 %
1	(1) Yes	150	83.3 %
	<b>Missing Data</b>		
7	(7) Legitimate skip	21	11.7 %
8	(8) Don't know	3	1.7 %
.	-	1	0.6 %
	<b>Total</b>	<b>180</b>	<b>100%</b>

Based upon 155 valid cases out of 180 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 57-57 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , .