

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Wave III: In-Home Questionnaire, Public Use
Sample (Section 24: Live Births) Variable
Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave III: In-Home Questionnaire, Public Use Sample (Section 24: Live Births)

AID: RESPONDENT IDENTIFIER

Respondent identification number

Value	Label	Unweighted Frequency	%
57101310	-	2	0.1 %
57120046	-	1	0.1 %
57135078	-	3	0.2 %
57154249	-	2	0.1 %
57154779	-	3	0.2 %
57157723	-	1	0.1 %
57160648	-	1	0.1 %
57165081	-	1	0.1 %
57178110	-	1	0.1 %
57191909	-	3	0.2 %
57200870	-	1	0.1 %
57211108	-	2	0.1 %
57212347	-	1	0.1 %
57214806	-	1	0.1 %
57217465	-	1	0.1 %
57233403	-	2	0.1 %
57234514	-	1	0.1 %
57241075	-	1	0.1 %
57245293	-	1	0.1 %
57245315	-	3	0.2 %
57262270	-	1	0.1 %
57265490	-	1	0.1 %
57275298	-	1	0.1 %
88149345	-	2	0.1 %
88202138	-	1	0.1 %
88249047	-	2	0.1 %
90500516	-	1	0.1 %
90500914	-	1	0.1 %
90504142	-	1	0.1 %
90504248	-	3	0.2 %
90506094	-	1	0.1 %
90506203	-	2	0.1 %
90506849	-	1	0.1 %

Value	Label	Unweighted Frequency	%
90507350	-	2	0.1 %
90507957	-	1	0.1 %
90508165	-	2	0.1 %
90570023	-	1	0.1 %
90570184	-	1	0.1 %
90570222	-	1	0.1 %
90570280	-	2	0.1 %
90570655	-	1	0.1 %
90570720	-	2	0.1 %
90570725	-	1	0.1 %
90570778	-	2	0.1 %
90570892	-	3	0.2 %
90571107	-	2	0.1 %
90571171	-	3	0.2 %
90571319	-	2	0.1 %
90571472	-	1	0.1 %
90571506	-	1	0.1 %
	Total	1,357	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,357 valid cases out of 1,357 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

RRELNO: ROMANTIC RELATIONSHIP NUMBER

Romantic relationship number

Value	Label	Unweighted Frequency	%
1	-	779	57.4 %
2	-	250	18.4 %
3	-	123	9.1 %
4	-	73	5.4 %
5	-	42	3.1 %
6	-	28	2.1 %
7	-	30	2.2 %
8	-	8	0.6 %
9	-	4	0.3 %
10	-	2	0.1 %
11	-	3	0.2 %

Value	Label	Unweighted Frequency	%
12	-	7	0.5 %
13	-	2	0.1 %
14	-	1	0.1 %
15	-	3	0.2 %
16	-	1	0.1 %
19	-	1	0.1 %
	Total	1,357	100%

Based upon 1,357 valid cases out of 1,357 total cases.

- Mean: 2.13
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 2.05

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

RPREGNO: RELATIONSHIP PREGNANCY NUMBER

Relationship pregnancy number

Value	Label	Unweighted Frequency	%
1	-	1022	75.3 %
2	-	263	19.4 %
3	-	59	4.3 %
4	-	11	0.8 %
5	-	2	0.1 %
	Total	1,357	100%

Based upon 1,357 valid cases out of 1,357 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.61

Location: 11-11 (width: 1; decimal: 0)

Variable Type: numeric

BIRTHNO: PREGNANCY BIRTH NUMBER

Pregnancy birth number

Value	Label	Unweighted Frequency	%
1	(1) 1st birth listed	1310	96.5 %
2	(2) 2nd birth listed	47	3.5 %
	Total	1,357	100%

Based upon 1,357 valid cases out of 1,357 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

H3LB1: S24Q1 BABY GO HOME W/YOU-W3

Did the {BABY/ FIRST BABY/SECOND BABY} [If AGGIE > 1, add: "born on <BPEMTH> of <BPEYR>"] eventually go home with you?

Value	Label	Unweighted Frequency	%
0	(0) No	60	4.4 %
1	(1) Yes (skip to Q.3)	1270	93.6 %
	Missing Data		
6	(6) Refused	7	0.5 %
8	(8) Don't know	1	0.1 %
9	(9) Not applicable	16	1.2 %
.	-	3	0.2 %
	Total	1,357	100%

Based upon 1,330 valid cases out of 1,357 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9 , .

H3LB2: S24Q2 WHY BABY NOT GO HOME W/YOU-W3

Did the {BABY/ FIRST BABY/SECOND BABY} [If AGGIE > 1, add: "born on <BPEMTH> of <BPEYR>"] eventually go home with you? Why not?

Value	Label	Unweighted Frequency	%
2	(2) Put up for adoption	7	0.5 %
3	(3) Died in the hospital	4	0.3 %
4	(4) Went to live with <PARTNER>	39	2.9 %
5	(5) Went to live with another relative	1	0.1 %
6	(6) Still in the hospital	2	0.1 %

Value	Label	Unweighted Frequency	%
7	(7) Other	5	0.4 %
	Missing Data		
97	(97) Legitimate skip	1294	95.4 %
99	(99) Not applicable	2	0.1 %
.	-	3	0.2 %
	Total	1,357	100%

Based upon 58 valid cases out of 1,357 total cases.

- Minimum: 2.00
- Maximum: 7.00

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 99 , .

H3LB3: S24Q3 BABY BOY OR GIRL-W3

Was {THE BABY/THE FIRST BABY/THE SECOND BABY} a boy or a girl?

Value	Label	Unweighted Frequency	%
1	(1) Boy	687	50.6 %
2	(2) Girl	644	47.5 %
	Missing Data		
6	(6) Refused (skip to Q.5)	6	0.4 %
8	(8) Don't know (skip to Q.5)	3	0.2 %
9	(9) Not applicable	15	1.1 %
.	-	2	0.1 %
	Total	1,357	100%

Based upon 1,331 valid cases out of 1,357 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9 , .

H3LB4: S24Q4 NAME THIS BABY-W3

Did you name this baby?

Value	Label	Unweighted Frequency	%
0	(0) No	38	2.8 %
1	(1) Yes	1248	92.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
7	(7) Legitimate skip	69	5.1 %
.	-	2	0.1 %
	Total	1,357	100%

Based upon 1,286 valid cases out of 1,357 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

H3LB5A: S24Q5A BABY BIRTH WT - LBS-W3

What was {THE BABY/THE FIRST BABY/THE SECOND BABY}'s birth weight (pounds)? The response range for height and weight was not restricted, therefore there are some cases which appear to be out of range for one or both variables.

Value	Label	Unweighted Frequency	%
1	(1) 1 pound	9	0.7 %
2	(2) 2 pounds	8	0.6 %
3	(3) 3 pounds	16	1.2 %
4	(4) 4 pounds	37	2.7 %
5	(5) 5 pounds	126	9.3 %
6	(6) 6 pounds	338	24.9 %
7	(7) 7 pounds	438	32.3 %
8	(8) 8 pounds	253	18.6 %
9	(9) 9 pounds	63	4.6 %
10	(10) 10 pounds	22	1.6 %
	Missing Data		
96	(96) Refused	9	0.7 %
98	(98) Don't know	27	2.0 %
99	(99) Not applicable	9	0.7 %
.	-	2	0.1 %
	Total	1,357	100%

Based upon 1,310 valid cases out of 1,357 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98 , 99 , .

H3LB5B: S24Q5B BABY BIRTH WT - OZS-W3

What was {THE BABY/THE FIRST BABY/THE SECOND BABY}'s birth weight (ounces)?

Value	Label	Unweighted Frequency	%
0	-	96	7.1 %
1	-	78	5.7 %
2	-	77	5.7 %
3	-	89	6.6 %
4	-	87	6.4 %
5	-	88	6.5 %
6	-	91	6.7 %
7	-	71	5.2 %
8	-	116	8.5 %
9	-	82	6.0 %
10	-	63	4.6 %
11	-	80	5.9 %
12	-	105	7.7 %
13	-	60	4.4 %
14	-	67	4.9 %
15	-	55	4.1 %
	Missing Data		
96	(96) Refused	9	0.7 %
98	(98) Don't know	32	2.4 %
99	(99) Not applicable	9	0.7 %
.	-	2	0.1 %
	Total	1,357	100%

Based upon 1,305 valid cases out of 1,357 total cases.

- Mean: 7.13
- Median: 7.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 4.46

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98 , 99 , .

H3LB6: S24Q6 INCHES LONG BABY BIRTH-W3

How many inches long was {HE/SHE} at birth? The response range for height and weight was not restricted, therefore there are some cases which appear to be out of range for one or both variables.

Value	Label	Unweighted Frequency	%
1	-	3	0.2 %

Value	Label	Unweighted Frequency	%
5	-	1	0.1 %
7	-	1	0.1 %
8	-	1	0.1 %
9	-	3	0.2 %
10	-	3	0.2 %
12	-	3	0.2 %
13	-	3	0.2 %
14	-	6	0.4 %
15	-	12	0.9 %
16	-	18	1.3 %
17	-	39	2.9 %
18	-	113	8.3 %
19	-	337	24.8 %
20	-	223	16.4 %
21	-	343	25.3 %
22	-	95	7.0 %
23	-	20	1.5 %
24	-	10	0.7 %
25	-	2	0.1 %
26	-	2	0.1 %
27	-	2	0.1 %
28	-	3	0.2 %
29	-	2	0.1 %
30	-	1	0.1 %
	Missing Data		
96	(96) Refused	9	0.7 %
98	(98) Don't know	93	6.9 %
99	(99) Not applicable	8	0.6 %
.	-	1	0.1 %
	Total	1,357	100%

Based upon 1,246 valid cases out of 1,357 total cases.

- Mean: 19.73
- Median: 20.00
- Mode: 21.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.23

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 96 , 98 , 99 , .

H3LB7: S24Q7 BABY BORN TOO EARLY-W3

Was {THE BABY/THE FIRST BABY/THE SECOND BABY} born too early--that is, after a pregnancy of less than 40 weeks?

Value	Label	Unweighted Frequency	%
0	(0) No (skip to Q.9)	1047	77.2 %
1	(1) Yes	281	20.7 %
	Missing Data		
6	(6) Refused	9	0.7 %
8	(8) Don't know	8	0.6 %
9	(9) Not applicable	11	0.8 %
.	-	1	0.1 %
	Total	1,357	100%

Based upon 1,328 valid cases out of 1,357 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9 , .

H3LB8: S24Q8 HOW MANY WEEKS EARLY-W3

How many weeks early?

Value	Label	Unweighted Frequency	%
1	-	40	2.9 %
2	-	77	5.7 %
3	-	42	3.1 %
4	-	55	4.1 %
5	-	12	0.9 %
6	-	14	1.0 %
7	-	6	0.4 %
8	-	14	1.0 %
10	-	1	0.1 %
12	-	15	1.1 %
	Missing Data		
97	(97) Legitimate skip	1075	79.2 %
98	(98) Don't know	5	0.4 %
.	-	1	0.1 %
	Total	1,357	100%

Based upon 276 valid cases out of 1,357 total cases.

- Mean: 3.72
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.72

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , .

H3LB9: S24Q9 WAS PARTNER PRESENT AT BIRTH-W3

[If the respondent is male:] Were you present at {THE BABY/THE FIRST BABY/THE SECOND BABY}'s birth? [If the respondent is female:] Was <PARTNER> present at {THE BABY/THE FIRST BABY/THE SECOND BABY}'s birth?

Value	Label	Unweighted Frequency	%
0	(0) No	279	20.6 %
1	(1) Yes	1055	77.7 %
	Missing Data		
6	(6) Refused	6	0.4 %
8	(8) Don't know	4	0.3 %
9	(9) Not applicable	12	0.9 %
.	-	1	0.1 %
	Total	1,357	100%

Based upon 1,334 valid cases out of 1,357 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9 , .

H3LB10: S24Q10 BABY MAJOR HEALTH PROB BIRTH-W3

Did {THE BABY/THE FIRST BABY/THE SECOND BABY} have any major health problems at birth?

Value	Label	Unweighted Frequency	%
0	(0) No	1212	89.3 %
1	(1) Yes	119	8.8 %
	Missing Data		
6	(6) Refused	6	0.4 %
8	(8) Don't know	8	0.6 %
9	(9) Not applicable	11	0.8 %
.	-	1	0.1 %
	Total	1,357	100%

Based upon 1,331 valid cases out of 1,357 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9 , .

H3LB11: S24Q11 BABY STILL LIVING-W3

Is {HE/SHE} still living?

Value	Label	Unweighted Frequency	%
0	(0) No	9	0.7 %
1	(1) Yes (skip to Q.13)	1323	97.5 %
	Missing Data		
6	(6) Refused	5	0.4 %
7	(7) Legitimate skip	4	0.3 %
8	(8) Don't know	4	0.3 %
9	(9) Not applicable	12	0.9 %
	Total	1,357	100%

Based upon 1,332 valid cases out of 1,357 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 7 , 8 , 9

H3LB12M: S24Q12A MONTH BABY DIED-W3

In what month (and year) did {HE/SHE} die?

Value	Label	Unweighted Frequency	%
1	(1) January	0	0.0 %
2	(2) February	2	0.1 %
3	(3) March	0	0.0 %
4	(4) April	1	0.1 %
5	(5) May	1	0.1 %
6	(6) June	0	0.0 %
7	(7) July	2	0.1 %
8	(8) August	0	0.0 %
9	(9) September	1	0.1 %
10	(10) October	0	0.0 %
11	(11) November	1	0.1 %

Value	Label	Unweighted Frequency	%
12	(12) December	1	0.1 %
	Missing Data		
97	(97) Legitimate skip	1348	99.3 %
	Total	1,357	100%

Based upon 9 valid cases out of 1,357 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97

H3LB12Y: S24Q12B YEAR BABY DIED-W3

In what (month and) year did {HE/SHE} die?

Value	Label	Unweighted Frequency	%
1993	(1993) 1993	1	0.1 %
1996	(1996) 1996	1	0.1 %
1997	(1997) 1997	1	0.1 %
1998	(1998) 1998	0	0.0 %
1999	(1999) 1999	2	0.1 %
2000	(2000) 2000	2	0.1 %
2001	(2001) 2001	2	0.1 %
	Missing Data		
9997	(9997) Legitimate skip	1348	99.3 %
	Total	1,357	100%

Based upon 9 valid cases out of 1,357 total cases.

- Minimum: 1993.00
- Maximum: 2001.00

Location: 32-35 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997

H3LB13: S24Q13 NAME ON BIRTH CERTIFICATE-W3

Is {YOUR/<PARTNER>'S} name on {<Q.5>/THE BABY}'s birth certificate?

Value	Label	Unweighted Frequency	%
0	(0) No	233	17.2 %
1	(1) Yes	1096	80.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
6	(6) Refused	6	0.4 %
8	(8) Don't know	9	0.7 %
9	(9) Not applicable	13	1.0 %
	Total	1,357	100%

Based upon 1,329 valid cases out of 1,357 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9

H3LB14: S24Q14 DID BABY GET PARTNER LAST NAME-W3

Did {<ROO05>/THE BABY} get {YOUR/<PARTNER>'S} last name?

Value	Label	Unweighted Frequency	%
0	(0) No	270	19.9 %
1	(1) Yes	1034	76.2 %
2	(2) Partly-child has hyphenated/combination name	30	2.2 %
	Missing Data		
6	(6) Refused	7	0.5 %
8	(8) Don't know	3	0.2 %
9	(9) Not applicable	13	1.0 %
	Total	1,357	100%

Based upon 1,334 valid cases out of 1,357 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 6 , 8 , 9