

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris

University of North Carolina-Chapel Hill

J. Richard Udry

University of North Carolina-Chapel Hill

Wave I: Public Use Contextual Database
Variable Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave I: Public Use Contextual Database

AID: RESPONDENT IDENTIFIER

Respondent AID

Based upon 6,504 valid cases out of 6,504 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

MATCH: Geocode Match Indicator

Geocode Match Indicator

Value	Label	Unweighted Frequency	%
0	(0) No match	73	1.1 %
1	(1) GPS match	1869	28.7 %
2	(2) Address match	4451	68.4 %
3	(3) ZIP+4 match/urban	111	1.7 %
	Total	6,504	100%

Based upon 6,504 valid cases out of 6,504 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

MOVER: Mover Indicator: Respondent Moved Between Wave I and Wave II

Mover Indicator: Respondent Moved Between Wave I and Wave II

Value	Label	Unweighted Frequency	%
0	(0) Respondent didn't move	4536	69.7 %
1	(1) Moved to a different block group	214	3.3 %
2	(2) Moved within same block group	39	0.6 %
3	(3) Moved, location unknown	48	0.7 %
	Missing Data		
9	(9) Respondent didn't participate in both waves	1667	25.6 %
	Total	6,504	100%

Based upon 4,837 valid cases out of 6,504 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

BST90P01: Urbanicity Code (Urban/Not Urban)

Urbanicity Code

Value	Label	Unweighted Frequency	%
1	(1) Completely urban	3362	51.7 %
2	(2) Not completely urban	3066	47.1 %
	Missing Data		
8	(8) Unstable estimates	3	0.0 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,428 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 11-11 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P02: Modal Race

Modal Race

Value	Label	Unweighted Frequency	%
1	(1) White	5153	79.2 %
2	(2) Black	1034	15.9 %
3	(3) Other	233	3.6 %
	Missing Data		
8	(8) Unstable estimates	11	0.2 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,420 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P03: Dispersion in Race Composition

Dispersion in Race Composition

Value	Label	Unweighted Frequency	%
0.000	-	700	10.8 %
0.003	-	4	0.1 %
0.004	-	1	0.0 %
0.006	-	40	0.6 %
0.007	-	2	0.0 %
0.008	-	6	0.1 %
0.009	-	35	0.5 %
0.010	-	17	0.3 %
0.011	-	12	0.2 %
0.012	-	21	0.3 %
0.013	-	5	0.1 %
0.014	-	76	1.2 %
0.015	-	4	0.1 %
0.016	-	8	0.1 %
0.017	-	24	0.4 %
0.018	-	10	0.2 %
0.019	-	35	0.5 %
0.020	-	24	0.4 %
0.021	-	32	0.5 %
0.022	-	35	0.5 %
0.023	-	21	0.3 %
0.024	-	51	0.8 %
0.025	-	29	0.4 %
0.026	-	15	0.2 %
0.027	-	20	0.3 %
0.028	-	9	0.1 %
0.029	-	30	0.5 %
0.030	-	17	0.3 %
0.031	-	14	0.2 %
0.032	-	54	0.8 %
0.033	-	34	0.5 %
0.034	-	16	0.2 %
0.035	-	30	0.5 %
0.036	-	8	0.1 %
0.037	-	80	1.2 %
0.038	-	16	0.2 %
0.039	-	42	0.6 %
0.040	-	25	0.4 %
0.041	-	20	0.3 %

Value	Label	Unweighted Frequency	%
0.042	-	41	0.6 %
0.043	-	52	0.8 %
0.044	-	6	0.1 %
0.045	-	8	0.1 %
0.046	-	17	0.3 %
0.047	-	32	0.5 %
0.048	-	7	0.1 %
0.049	-	14	0.2 %
0.050	-	15	0.2 %
0.051	-	17	0.3 %
0.052	-	17	0.3 %
	Missing Data		
9998.000	(9998) Unstable estimates	11	0.2 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,420 valid cases out of 6,504 total cases.

- Mean: 0.302
- Minimum: 0.000
- Maximum: 0.998
- Standard Deviation: 0.286

Location: 13-20 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P04: Prop Hispanic (Low/Med/High/Very High)

Proportion Hispanic

Value	Label	Unweighted Frequency	%
1	(1) Low	5867	90.2 %
2	(2) Medium	305	4.7 %
3	(3) High	137	2.1 %
4	(4) Very high	119	1.8 %
	Missing Data		
8	(8) Unstable estimates	3	0.0 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,428 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 21-21 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P05: Sex Composition (Male/Balanced/Female)

Sex Composition

Value	Label	Unweighted Frequency	%
1	(1) Heavily male	577	8.9 %
2	(2) Balanced	5245	80.6 %
3	(3) Heavily female	606	9.3 %
	Missing Data		
8	(8) Unstable estimates	3	0.0 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,428 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P06: Median Age

Median Age

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
17	-	4	0.1 %
18	-	1	0.0 %
19	-	14	0.2 %
20	-	13	0.2 %
21	-	23	0.4 %
22	-	18	0.3 %
23	-	47	0.7 %
24	-	109	1.7 %
25	-	117	1.8 %
26	-	182	2.8 %
27	-	207	3.2 %
28	-	351	5.4 %

Value	Label	Unweighted Frequency	%
29	-	416	6.4 %
30	-	429	6.6 %
31	-	413	6.3 %
32	-	586	9.0 %
33	-	614	9.4 %
34	-	433	6.7 %
35	-	398	6.1 %
36	-	500	7.7 %
37	-	314	4.8 %
38	-	183	2.8 %
39	-	199	3.1 %
40	-	223	3.4 %
41	-	133	2.0 %
42	-	89	1.4 %
43	-	106	1.6 %
44	-	40	0.6 %
45	-	41	0.6 %
46	-	32	0.5 %
47	-	30	0.5 %
48	-	18	0.3 %
49	-	23	0.4 %
50	-	25	0.4 %
51	-	13	0.2 %
52	-	9	0.1 %
53	-	17	0.3 %
54	-	5	0.1 %
55	-	6	0.1 %
56	-	3	0.0 %
57	-	15	0.2 %
59	-	1	0.0 %
60	-	13	0.2 %
62	-	3	0.0 %
63	-	1	0.0 %
65	-	1	0.0 %
72	-	1	0.0 %
	Missing Data		
98	(98) Unstable estimates	11	0.2 %
99	(99) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,420 valid cases out of 6,504 total cases.

- Mean: 33.53
- Median: 33.00
- Mode: 33.00
- Minimum: 16.00
- Maximum: 72.00
- Standard Deviation: 5.78

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

BST90P07: Dispersion in Age Distribution

Dispersion in Age Distribution

Value	Label	Unweighted Frequency	%
0.203	-	1	0.0 %
0.655	-	1	0.0 %
0.656	-	1	0.0 %
0.673	-	1	0.0 %
0.703	-	1	0.0 %
0.714	-	1	0.0 %
0.745	-	1	0.0 %
0.749	-	1	0.0 %
0.751	-	1	0.0 %
0.756	-	1	0.0 %
0.769	-	1	0.0 %
0.778	-	1	0.0 %
0.786	-	1	0.0 %
0.795	-	1	0.0 %
0.797	-	1	0.0 %
0.804	-	1	0.0 %
0.807	-	1	0.0 %
0.820	-	2	0.0 %
0.825	-	1	0.0 %
0.826	-	1	0.0 %
0.828	-	2	0.0 %
0.831	-	2	0.0 %
0.835	-	1	0.0 %
0.837	-	1	0.0 %
0.849	-	3	0.0 %
0.850	-	2	0.0 %
0.851	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.853	-	2	0.0 %
0.854	-	2	0.0 %
0.855	-	1	0.0 %
0.856	-	2	0.0 %
0.857	-	1	0.0 %
0.861	-	3	0.0 %
0.863	-	2	0.0 %
0.864	-	1	0.0 %
0.867	-	1	0.0 %
0.868	-	1	0.0 %
0.871	-	5	0.1 %
0.874	-	2	0.0 %
0.875	-	5	0.1 %
0.878	-	5	0.1 %
0.879	-	2	0.0 %
0.881	-	4	0.1 %
0.882	-	2	0.0 %
0.883	-	1	0.0 %
0.884	-	1	0.0 %
0.885	-	3	0.0 %
0.886	-	3	0.0 %
0.887	-	6	0.1 %
0.888	-	3	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	11	0.2 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,420 valid cases out of 6,504 total cases.

- Mean: 0.959
- Median: 0.963
- Mode: 0.969
- Minimum: 0.203
- Maximum: 0.997
- Standard Deviation: 0.027

Location: 25-32 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P08: Modal Marital Status

Modal Marital Status

Value	Label	Unweighted Frequency	%
1	(1) Never married	656	10.1 %
2	(2) Married, spouse present	5728	88.1 %
3	(3) Separated or divorced	22	0.3 %
	Missing Data		
8	(8) Unstable estimates	25	0.4 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,406 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P09: Dispersion in Marital Status

Dispersion in Marital Status

Value	Label	Unweighted Frequency	%
0.000	-	1	0.0 %
0.203	-	1	0.0 %
0.333	-	5	0.1 %
0.346	-	3	0.0 %
0.349	-	2	0.0 %
0.351	-	1	0.0 %
0.368	-	1	0.0 %
0.375	-	1	0.0 %
0.380	-	2	0.0 %
0.382	-	1	0.0 %
0.405	-	1	0.0 %
0.408	-	2	0.0 %
0.410	-	10	0.2 %
0.412	-	2	0.0 %
0.413	-	1	0.0 %
0.416	-	3	0.0 %
0.419	-	1	0.0 %
0.421	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.423	-	2	0.0 %
0.426	-	7	0.1 %
0.427	-	1	0.0 %
0.428	-	2	0.0 %
0.429	-	2	0.0 %
0.430	-	9	0.1 %
0.431	-	5	0.1 %
0.432	-	6	0.1 %
0.441	-	8	0.1 %
0.445	-	6	0.1 %
0.449	-	2	0.0 %
0.452	-	1	0.0 %
0.454	-	4	0.1 %
0.456	-	3	0.0 %
0.462	-	4	0.1 %
0.466	-	13	0.2 %
0.467	-	1	0.0 %
0.468	-	1	0.0 %
0.469	-	1	0.0 %
0.474	-	18	0.3 %
0.477	-	2	0.0 %
0.478	-	1	0.0 %
0.479	-	2	0.0 %
0.481	-	1	0.0 %
0.482	-	3	0.0 %
0.484	-	2	0.0 %
0.486	-	17	0.3 %
0.489	-	3	0.0 %
0.490	-	2	0.0 %
0.492	-	1	0.0 %
0.493	-	1	0.0 %
0.495	-	22	0.3 %
	Missing Data		
9998.000	(9998) Unstable estimates	25	0.4 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,406 valid cases out of 6,504 total cases.

- Mean: 0.766
- Minimum: 0.000
- Maximum: 0.999
- Standard Deviation: 0.136

Location: 34-41 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P10: Prop Children (Low/Medium/High)

Proportion of Population that are Children Under Five Years Old

Value	Label	Unweighted Frequency	%
1	(1) Low	721	11.1 %
2	(2) Medium	4985	76.6 %
3	(3) High	714	11.0 %
	Missing Data		
8	(8) Unstable estimates	11	0.2 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,420 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P11: Modal Migration Status

Modal Migration Status

Value	Label	Unweighted Frequency	%
1	(1) Lived in same house in 1985	5491	84.4 %
2	(2) Lived in different house in 1985/same county	400	6.2 %
3	(3) Lived in different house in 1985/different county	529	8.1 %
	Missing Data		
8	(8) Unstable estimates	11	0.2 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,420 valid cases out of 6,504 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P12: Dispersion in Migration Status

Dispersion in Migration Status

Value	Label	Unweighted Frequency	%
0.131	-	2	0.0 %
0.163	-	1	0.0 %
0.175	-	1	0.0 %
0.198	-	1	0.0 %
0.203	-	1	0.0 %
0.237	-	1	0.0 %
0.251	-	1	0.0 %
0.260	-	1	0.0 %
0.266	-	1	0.0 %
0.268	-	1	0.0 %
0.295	-	1	0.0 %
0.297	-	1	0.0 %
0.317	-	1	0.0 %
0.328	-	1	0.0 %
0.338	-	3	0.0 %
0.342	-	4	0.1 %
0.346	-	11	0.2 %
0.355	-	1	0.0 %
0.362	-	1	0.0 %
0.363	-	2	0.0 %
0.364	-	1	0.0 %
0.368	-	1	0.0 %
0.383	-	1	0.0 %
0.387	-	1	0.0 %
0.396	-	2	0.0 %
0.402	-	1	0.0 %
0.411	-	2	0.0 %
0.413	-	7	0.1 %
0.414	-	1	0.0 %
0.416	-	1	0.0 %
0.417	-	1	0.0 %
0.418	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.419	-	1	0.0 %
0.421	-	8	0.1 %
0.427	-	1	0.0 %
0.428	-	1	0.0 %
0.429	-	1	0.0 %
0.430	-	1	0.0 %
0.431	-	4	0.1 %
0.435	-	3	0.0 %
0.444	-	1	0.0 %
0.445	-	3	0.0 %
0.446	-	3	0.0 %
0.452	-	1	0.0 %
0.454	-	4	0.1 %
0.455	-	1	0.0 %
0.458	-	12	0.2 %
0.461	-	1	0.0 %
0.462	-	18	0.3 %
0.463	-	1	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	11	0.2 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,420 valid cases out of 6,504 total cases.

- Mean: 0.803
- Minimum: 0.131
- Maximum: 1.000
- Standard Deviation: 0.137

Location: 44-51 (width: 8; decimal: 3)

Variable Type: numeric

(Range of Missing Values: 9998.000 , 9999.000

BST90P13: Modal Household Type

Modal Household Type

Value	Label	Unweighted Frequency	%
1	(1) Married couple family household	5332	82.0 %
2	(2) Other family household	303	4.7 %

Value	Label	Unweighted Frequency	%
3	(3) Non-family household	585	9.0 %
	Missing Data		
8	(8) Unstable estimates	211	3.2 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,220 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P14: Dispersion in Household Type

Dispersion in Household Type

Value	Label	Unweighted Frequency	%
0.121	-	1	0.0 %
0.143	-	2	0.0 %
0.169	-	3	0.0 %
0.173	-	1	0.0 %
0.187	-	1	0.0 %
0.191	-	18	0.3 %
0.203	-	1	0.0 %
0.208	-	1	0.0 %
0.213	-	1	0.0 %
0.217	-	1	0.0 %
0.219	-	1	0.0 %
0.228	-	1	0.0 %
0.250	-	2	0.0 %
0.255	-	1	0.0 %
0.258	-	2	0.0 %
0.262	-	2	0.0 %
0.293	-	4	0.1 %
0.294	-	1	0.0 %
0.299	-	1	0.0 %
0.302	-	3	0.0 %
0.305	-	1	0.0 %
0.311	-	2	0.0 %
0.314	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.317	-	1	0.0 %
0.318	-	2	0.0 %
0.319	-	3	0.0 %
0.321	-	1	0.0 %
0.329	-	4	0.1 %
0.330	-	2	0.0 %
0.336	-	1	0.0 %
0.342	-	1	0.0 %
0.343	-	2	0.0 %
0.345	-	5	0.1 %
0.348	-	2	0.0 %
0.351	-	3	0.0 %
0.354	-	1	0.0 %
0.363	-	1	0.0 %
0.372	-	2	0.0 %
0.375	-	5	0.1 %
0.376	-	11	0.2 %
0.377	-	1	0.0 %
0.380	-	2	0.0 %
0.381	-	1	0.0 %
0.383	-	4	0.1 %
0.384	-	2	0.0 %
0.385	-	1	0.0 %
0.386	-	1	0.0 %
0.388	-	7	0.1 %
0.389	-	7	0.1 %
0.390	-	1	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	211	3.2 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,220 valid cases out of 6,504 total cases.

- Mean: 0.772
- Minimum: 0.121
- Maximum: 1.000
- Standard Deviation: 0.163

Location: 53-60 (width: 8; decimal: 3)

Variable Type: numeric
(Range of) Missing Values: 9998.000 , 9999.000

BST90P15: Median Household Income in 1989 (Dollars)

Median Household Income in 1989

Value	Label	Unweighted Frequency	%
4999	-	6	0.1 %
5000	-	12	0.2 %
6000	-	8	0.1 %
7000	-	33	0.5 %
8000	-	29	0.4 %
9000	-	76	1.2 %
10000	-	60	0.9 %
11000	-	75	1.2 %
12000	-	89	1.4 %
13000	-	124	1.9 %
14000	-	176	2.7 %
15000	-	96	1.5 %
16000	-	129	2.0 %
17000	-	157	2.4 %
18000	-	166	2.6 %
19000	-	237	3.6 %
20000	-	186	2.9 %
21000	-	243	3.7 %
22000	-	171	2.6 %
23000	-	158	2.4 %
24000	-	143	2.2 %
25000	-	173	2.7 %
26000	-	232	3.6 %
27000	-	234	3.6 %
28000	-	151	2.3 %
29000	-	225	3.5 %
30000	-	173	2.7 %
31000	-	111	1.7 %
32000	-	214	3.3 %
33000	-	146	2.2 %
34000	-	109	1.7 %
35000	-	155	2.4 %
36000	-	162	2.5 %
37000	-	174	2.7 %

Value	Label	Unweighted Frequency	%
38000	-	50	0.8 %
39000	-	154	2.4 %
40000	-	146	2.2 %
41000	-	115	1.8 %
42000	-	102	1.6 %
43000	-	62	1.0 %
44000	-	85	1.3 %
45000	-	103	1.6 %
46000	-	78	1.2 %
47000	-	47	0.7 %
48000	-	22	0.3 %
49000	-	53	0.8 %
50000	-	44	0.7 %
51000	-	28	0.4 %
52000	-	42	0.6 %
53000	-	34	0.5 %
	Missing Data		
999998	(999998) Unstable estimates	211	3.2 %
999999	(999999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,220 valid cases out of 6,504 total cases.

- Mean: 30308.85
- Median: 28000.00
- Mode: 21000.00
- Minimum: 4999.00
- Maximum: 100001.00
- Standard Deviation: 14358.11

Location: 61-66 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998 , 999999

BST90P16: Dispersion in Household Income in 1989

Dispersion in Household Income in 1989

Value	Label	Unweighted Frequency	%
0.494	-	1	0.0 %
0.504	-	1	0.0 %
0.623	-	2	0.0 %

Value	Label	Unweighted Frequency	%
0.627	-	3	0.0 %
0.634	-	8	0.1 %
0.657	-	1	0.0 %
0.664	-	3	0.0 %
0.665	-	2	0.0 %
0.691	-	2	0.0 %
0.696	-	2	0.0 %
0.706	-	4	0.1 %
0.717	-	4	0.1 %
0.728	-	1	0.0 %
0.734	-	2	0.0 %
0.735	-	1	0.0 %
0.736	-	3	0.0 %
0.741	-	1	0.0 %
0.745	-	1	0.0 %
0.752	-	4	0.1 %
0.759	-	1	0.0 %
0.764	-	2	0.0 %
0.767	-	1	0.0 %
0.769	-	1	0.0 %
0.772	-	1	0.0 %
0.773	-	2	0.0 %
0.776	-	3	0.0 %
0.778	-	1	0.0 %
0.780	-	1	0.0 %
0.781	-	1	0.0 %
0.783	-	1	0.0 %
0.787	-	3	0.0 %
0.789	-	1	0.0 %
0.790	-	1	0.0 %
0.793	-	3	0.0 %
0.794	-	4	0.1 %
0.799	-	1	0.0 %
0.803	-	8	0.1 %
0.804	-	6	0.1 %
0.808	-	1	0.0 %
0.811	-	4	0.1 %
0.813	-	1	0.0 %
0.814	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.815	-	2	0.0 %
0.816	-	2	0.0 %
0.817	-	2	0.0 %
0.818	-	5	0.1 %
0.819	-	6	0.1 %
0.821	-	3	0.0 %
0.823	-	9	0.1 %
0.824	-	1	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	211	3.2 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,220 valid cases out of 6,504 total cases.

- Mean: 0.918
- Median: 0.926
- Mode: 0.938
- Minimum: 0.494
- Maximum: 0.992
- Standard Deviation: 0.039

Location: 67-74 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P17: Median Family Income in 1989 (Dollars)

Median Family Income in 1989

Value	Label	Unweighted Frequency	%
4999	-	8	0.1 %
5000	-	4	0.1 %
6000	-	7	0.1 %
8000	-	13	0.2 %
9000	-	24	0.4 %
10000	-	16	0.2 %
11000	-	74	1.1 %
12000	-	34	0.5 %
13000	-	29	0.4 %
14000	-	71	1.1 %
15000	-	74	1.1 %

Value	Label	Unweighted Frequency	%
16000	-	79	1.2 %
17000	-	179	2.8 %
18000	-	72	1.1 %
19000	-	100	1.5 %
20000	-	107	1.6 %
21000	-	163	2.5 %
22000	-	170	2.6 %
23000	-	122	1.9 %
24000	-	119	1.8 %
25000	-	198	3.0 %
26000	-	154	2.4 %
27000	-	183	2.8 %
28000	-	185	2.8 %
29000	-	223	3.4 %
30000	-	148	2.3 %
31000	-	152	2.3 %
32000	-	180	2.8 %
33000	-	198	3.0 %
34000	-	123	1.9 %
35000	-	177	2.7 %
36000	-	138	2.1 %
37000	-	160	2.5 %
38000	-	153	2.4 %
39000	-	118	1.8 %
40000	-	114	1.8 %
41000	-	73	1.1 %
42000	-	143	2.2 %
43000	-	130	2.0 %
44000	-	174	2.7 %
45000	-	107	1.6 %
46000	-	77	1.2 %
47000	-	103	1.6 %
48000	-	50	0.8 %
49000	-	87	1.3 %
50000	-	57	0.9 %
51000	-	37	0.6 %
52000	-	69	1.1 %
53000	-	60	0.9 %
54000	-	50	0.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	(999998) Unstable estimates	631	9.7 %
999999	(999999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,800 valid cases out of 6,504 total cases.

- Mean: 34637.59
- Median: 33000.00
- Mode: 29000.00
- Minimum: 4999.00
- Maximum: 100001.00
- Standard Deviation: 15021.23

Location: 75-80 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998 , 999999

BST90P18: Dispersion in Family Income in 1989

Dispersion in Family Income in 1989

Value	Label	Unweighted Frequency	%
0.409	-	1	0.0 %
0.517	-	1	0.0 %
0.571	-	11	0.2 %
0.597	-	3	0.0 %
0.637	-	2	0.0 %
0.650	-	2	0.0 %
0.662	-	2	0.0 %
0.674	-	3	0.0 %
0.682	-	2	0.0 %
0.689	-	1	0.0 %
0.699	-	5	0.1 %
0.702	-	1	0.0 %
0.714	-	1	0.0 %
0.715	-	2	0.0 %
0.718	-	3	0.0 %
0.721	-	1	0.0 %
0.722	-	4	0.1 %
0.727	-	1	0.0 %
0.737	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.746	-	1	0.0 %
0.747	-	1	0.0 %
0.749	-	1	0.0 %
0.750	-	1	0.0 %
0.751	-	2	0.0 %
0.758	-	1	0.0 %
0.764	-	2	0.0 %
0.765	-	2	0.0 %
0.766	-	3	0.0 %
0.772	-	2	0.0 %
0.773	-	6	0.1 %
0.774	-	2	0.0 %
0.776	-	3	0.0 %
0.777	-	1	0.0 %
0.778	-	8	0.1 %
0.779	-	2	0.0 %
0.781	-	2	0.0 %
0.783	-	1	0.0 %
0.784	-	10	0.2 %
0.785	-	1	0.0 %
0.786	-	2	0.0 %
0.787	-	1	0.0 %
0.788	-	3	0.0 %
0.789	-	1	0.0 %
0.790	-	1	0.0 %
0.791	-	5	0.1 %
0.794	-	4	0.1 %
0.796	-	3	0.0 %
0.797	-	1	0.0 %
0.798	-	28	0.4 %
0.799	-	1	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	631	9.7 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,800 valid cases out of 6,504 total cases.

- Mean: 0.902
- Median: 0.910
- Mode: 0.906
- Minimum: 0.409
- Maximum: 0.986
- Standard Deviation: 0.045

Location: 81-88 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P19: Proportion Persons with Below Poverty-Level Income in 1989

Proportion Persons with Below Poverty-Level Income in 1989

Value	Label	Unweighted Frequency	%
1	(1) Low	3510	54.0 %
2	(2) Medium	1468	22.6 %
3	(3) High	1450	22.3 %
	Missing Data		
8	(8) Unstable estimates	3	0.0 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,428 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P20: Modal Educational Attainment of Individuals Aged 25 Years and Over

Modal Educational Attainment of Individuals Aged 25 Years and Over

Value	Label	Unweighted Frequency	%
1	(1) No high school or equivalency	1057	16.3 %
2	(2) High school degree/no college degree	4705	72.3 %
3	(3) College degree or more	633	9.7 %
	Missing Data		
8	(8) Unstable estimates	36	0.6 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,395 valid cases out of 6,504 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P21: Dispersion in Educational Attainment of Individuals Aged 25 Years and Over

Dispersion in Educational Attainment of Individuals Aged 25 Years and Over

Value	Label	Unweighted Frequency	%
0.159	-	1	0.0 %
0.352	-	1	0.0 %
0.402	-	5	0.1 %
0.417	-	1	0.0 %
0.422	-	2	0.0 %
0.429	-	7	0.1 %
0.453	-	1	0.0 %
0.455	-	1	0.0 %
0.463	-	2	0.0 %
0.472	-	1	0.0 %
0.477	-	1	0.0 %
0.498	-	1	0.0 %
0.510	-	25	0.4 %
0.535	-	4	0.1 %
0.544	-	1	0.0 %
0.546	-	1	0.0 %
0.552	-	1	0.0 %
0.561	-	1	0.0 %
0.563	-	2	0.0 %
0.564	-	1	0.0 %
0.567	-	1	0.0 %
0.572	-	1	0.0 %
0.574	-	1	0.0 %
0.576	-	2	0.0 %
0.577	-	1	0.0 %
0.580	-	1	0.0 %
0.584	-	2	0.0 %
0.585	-	2	0.0 %
0.587	-	10	0.2 %
0.590	-	9	0.1 %
0.595	-	1	0.0 %
0.602	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.604	-	3	0.0 %
0.605	-	3	0.0 %
0.606	-	1	0.0 %
0.608	-	1	0.0 %
0.611	-	1	0.0 %
0.613	-	8	0.1 %
0.616	-	2	0.0 %
0.618	-	4	0.1 %
0.622	-	3	0.0 %
0.623	-	1	0.0 %
0.625	-	1	0.0 %
0.627	-	4	0.1 %
0.629	-	7	0.1 %
0.630	-	2	0.0 %
0.631	-	3	0.0 %
0.633	-	1	0.0 %
0.634	-	1	0.0 %
0.640	-	3	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	36	0.6 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,395 valid cases out of 6,504 total cases.

- Mean: 0.849
- Minimum: 0.159
- Maximum: 1.000
- Standard Deviation: 0.085

Location: 91-98 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P22: Proportion Females Aged 16 Years and Over in Civilian Labor Force

Proportion Females Aged 16 Years and Over in Civilian Labor Force

Value	Label	Unweighted Frequency	%
1	(1) Low	1068	16.4 %
2	(2) Medium	4236	65.1 %

Value	Label	Unweighted Frequency	%
3	(3) High	977	15.0 %
	Missing Data		
8	(8) Unstable estimates	150	2.3 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,281 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P23: Unemployment Rate (Low/Medium/High)

Unemployment Rate

Value	Label	Unweighted Frequency	%
1	(1) Low	3348	51.5 %
2	(2) Medium	1542	23.7 %
3	(3) High	1422	21.9 %
	Missing Data		
8	(8) Unstable estimates	119	1.8 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,312 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P24: Modal Occupation Type for Employed Persons Aged 16 Years and Over

Modal Occupation Type for Employed Persons Aged 16 Years and Over

Value	Label	Unweighted Frequency	%
1	(1) Managerial or professional	1387	21.3 %
2	(2) Technical/sales/administrative support	3273	50.3 %
3	(3) Service occupations	404	6.2 %
4	(4) Farming/forestry/fishing	44	0.7 %
5	(5) Production/craft/repair	86	1.3 %

Value	Label	Unweighted Frequency	%
6	(6) Operators/fabricators/laborers	1057	16.3 %
	Missing Data		
8	(8) Unstable estimates	180	2.8 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,251 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P25: Dispersion in Occupation Type for Employed Persons Aged 16 Years and Over

Dispersion in Occupation Type for Employed Persons Aged 16 Years and Over

Value	Label	Unweighted Frequency	%
0.326	-	6	0.1 %
0.416	-	1	0.0 %
0.481	-	1	0.0 %
0.490	-	3	0.0 %
0.498	-	1	0.0 %
0.513	-	5	0.1 %
0.529	-	1	0.0 %
0.541	-	1	0.0 %
0.556	-	1	0.0 %
0.559	-	1	0.0 %
0.562	-	2	0.0 %
0.564	-	3	0.0 %
0.572	-	1	0.0 %
0.587	-	2	0.0 %
0.598	-	7	0.1 %
0.602	-	3	0.0 %
0.610	-	1	0.0 %
0.611	-	2	0.0 %
0.618	-	1	0.0 %
0.619	-	2	0.0 %
0.620	-	1	0.0 %
0.622	-	1	0.0 %
0.624	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.625	-	3	0.0 %
0.626	-	1	0.0 %
0.630	-	2	0.0 %
0.631	-	1	0.0 %
0.632	-	28	0.4 %
0.634	-	1	0.0 %
0.635	-	1	0.0 %
0.642	-	8	0.1 %
0.643	-	5	0.1 %
0.645	-	2	0.0 %
0.646	-	1	0.0 %
0.647	-	1	0.0 %
0.649	-	3	0.0 %
0.650	-	1	0.0 %
0.651	-	1	0.0 %
0.652	-	3	0.0 %
0.655	-	1	0.0 %
0.657	-	1	0.0 %
0.658	-	2	0.0 %
0.662	-	8	0.1 %
0.663	-	1	0.0 %
0.664	-	3	0.0 %
0.673	-	7	0.1 %
0.677	-	1	0.0 %
0.679	-	3	0.0 %
0.680	-	1	0.0 %
0.682	-	1	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	180	2.8 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,251 valid cases out of 6,504 total cases.

- Mean: 0.894
- Minimum: 0.326
- Maximum: 0.994
- Standard Deviation: 0.071

Location: 102-109 (width: 8; decimal: 3)

Variable Type: numeric
(Range of Missing Values: 9998.000 , 9999.000)

BST90P26: Tenure of Occupied Housing Units

Tenure of Occupied Housing Units

Value	Label	Unweighted Frequency	%
1	(1) Heavily renter occupied	401	6.2 %
2	(2) Mixed tenure	2865	44.0 %
3	(3) Heavily owner occupied	3149	48.4 %
	Missing Data		
8	(8) Unstable estimates	16	0.2 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,415 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 110-110 (width: 1; decimal: 0)
Variable Type: numeric
(Range of Missing Values: 8 , 9)

BST90P27: Proportion Occupied Housing Units Moved into Between 1985 and March 1990

Proportion Occupied Housing Units Moved into Between 1985 and March 1990

Value	Label	Unweighted Frequency	%
1	(1) Low	953	14.7 %
2	(2) Medium	4470	68.7 %
3	(3) High	787	12.1 %
	Missing Data		
8	(8) Unstable estimates	221	3.4 %
9	(9) Geocode missing	73	1.1 %
	Total	6,504	100%

Based upon 6,210 valid cases out of 6,504 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 111-111 (width: 1; decimal: 0)
Variable Type: numeric
(Range of Missing Values: 8 , 9)

BST90P28: Median Housing Value of Owner-Occupied Housing Units (Dollars)

Median Housing Value of Owner-Occupied Housing Units

Value	Label	Unweighted Frequency	%
14999	-	10	0.2 %
16000	-	3	0.0 %
17000	-	1	0.0 %
18000	-	14	0.2 %
19000	-	11	0.2 %
20000	-	10	0.2 %
21000	-	9	0.1 %
22000	-	1	0.0 %
23000	-	16	0.2 %
24000	-	18	0.3 %
25000	-	62	1.0 %
26000	-	21	0.3 %
27000	-	4	0.1 %
28000	-	14	0.2 %
29000	-	38	0.6 %
30000	-	4	0.1 %
31000	-	34	0.5 %
32000	-	31	0.5 %
33000	-	21	0.3 %
34000	-	42	0.6 %
35000	-	70	1.1 %
36000	-	37	0.6 %
37000	-	60	0.9 %
38000	-	64	1.0 %
39000	-	83	1.3 %
40000	-	97	1.5 %
41000	-	30	0.5 %
42000	-	42	0.6 %
43000	-	71	1.1 %
44000	-	74	1.1 %
45000	-	30	0.5 %
46000	-	24	0.4 %
47000	-	47	0.7 %
48000	-	42	0.6 %
49000	-	32	0.5 %
50000	-	26	0.4 %
51000	-	32	0.5 %
52000	-	28	0.4 %
53000	-	9	0.1 %

Value	Label	Unweighted Frequency	%
54000	-	33	0.5 %
55000	-	52	0.8 %
56000	-	68	1.0 %
57000	-	40	0.6 %
58000	-	53	0.8 %
59000	-	28	0.4 %
60000	-	52	0.8 %
61000	-	46	0.7 %
62000	-	76	1.2 %
63000	-	97	1.5 %
64000	-	70	1.1 %
	Missing Data		
999998	(999998) Unstable estimates	2341	36.0 %
999999	(999999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,090 valid cases out of 6,504 total cases.

- Mean: 89187.79
- Median: 68500.00
- Minimum: 14999.00
- Maximum: 300001.00
- Standard Deviation: 60128.33

Location: 112-117 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998 , 999999

BST90P29: Dispersion in Value of Specified Owner-Occupied Housing Units

Dispersion in Value of Specified Owner-Occupied Housing Units

Value	Label	Unweighted Frequency	%
0.000	-	5	0.1 %
0.055	-	2	0.0 %
0.057	-	2	0.0 %
0.103	-	2	0.0 %
0.110	-	1	0.0 %
0.129	-	1	0.0 %
0.145	-	2	0.0 %
0.148	-	3	0.0 %
0.155	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.164	-	3	0.0 %
0.177	-	1	0.0 %
0.185	-	2	0.0 %
0.188	-	1	0.0 %
0.210	-	1	0.0 %
0.214	-	1	0.0 %
0.229	-	2	0.0 %
0.234	-	18	0.3 %
0.247	-	3	0.0 %
0.251	-	2	0.0 %
0.252	-	1	0.0 %
0.254	-	1	0.0 %
0.267	-	2	0.0 %
0.269	-	7	0.1 %
0.276	-	1	0.0 %
0.280	-	1	0.0 %
0.286	-	1	0.0 %
0.289	-	3	0.0 %
0.290	-	7	0.1 %
0.302	-	4	0.1 %
0.311	-	1	0.0 %
0.312	-	1	0.0 %
0.316	-	3	0.0 %
0.329	-	6	0.1 %
0.331	-	4	0.1 %
0.335	-	1	0.0 %
0.337	-	3	0.0 %
0.341	-	1	0.0 %
0.342	-	8	0.1 %
0.350	-	2	0.0 %
0.353	-	1	0.0 %
0.354	-	2	0.0 %
0.355	-	11	0.2 %
0.357	-	1	0.0 %
0.360	-	2	0.0 %
0.363	-	2	0.0 %
0.368	-	5	0.1 %
0.378	-	4	0.1 %
0.379	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.383	-	6	0.1 %
0.390	-	2	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	2341	36.0 %
9999.000	(9999) Geocode missing	73	1.1 %
	Total	6,504	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,090 valid cases out of 6,504 total cases.

- Mean: 0.706
- Minimum: 0.000
- Maximum: 0.956
- Standard Deviation: 0.144

Location: 118-125 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000