

ICPSR 21600

**National Longitudinal Study of
Adolescent to Adult Health (Add
Health), 1994-2008 [Public Use]**

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Wave II: Public Use Contextual Database
Variable Description and Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 21600

National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2008 [Public Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave II: Public Use Contextual Database

AID: RESPONDENT IDENTIFIER

Respondent AID

Based upon 4,834 valid cases out of 4,834 total cases.

Location: 1-8 (width: 8; decimal: 0)

Variable Type: character

MATCH: Geocode Match Indicator

Geocode Match Indicator

Value	Label	Unweighted Frequency	%
0	(0) No match	66	1.4 %
1	(1) GPS match	1407	29.1 %
2	(2) Address match	3277	67.8 %
3	(3) ZIP+4 match/urban	84	1.7 %
	Total	4,834	100%

Based upon 4,834 valid cases out of 4,834 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

MOVER: Mover Indicator: Respondent Moved Between Wave I and Wave II

Mover Indicator: Respondent Moved Between Wave I and Wave II

Value	Label	Unweighted Frequency	%
0	(0) Respondent didn't move	4533	93.8 %
1	(1) Moved to a different block group	214	4.4 %
2	(2) Moved within same block group	39	0.8 %
3	(3) Moved, location unknown	48	1.0 %
9	(9) Respondent didn't participate in both waves	0	0.0 %
	Total	4,834	100%

Based upon 4,834 valid cases out of 4,834 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

BST90P01: Urbanicity Code (Urban/Not Urban)

Urbanicity Code

Value	Label	Unweighted Frequency	%
1	(1) Completely urban	2443	50.5 %
2	(2) Not completely urban	2320	48.0 %
	Missing Data		
8	(8) Unstable estimates	5	0.1 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,763 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 11-11 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P02: Modal Race

Modal Race

Value	Label	Unweighted Frequency	%
1	(1) White	3880	80.3 %
2	(2) Black	698	14.4 %
3	(3) Other	182	3.8 %
	Missing Data		
8	(8) Unstable estimates	8	0.2 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,760 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P03: Dispersion in Race Composition

Dispersion in Race Composition

Value	Label	Unweighted Frequency	%
0.000	-	501	10.4 %

Value	Label	Unweighted Frequency	%
0.003	-	4	0.1 %
0.004	-	1	0.0 %
0.006	-	34	0.7 %
0.007	-	2	0.0 %
0.008	-	6	0.1 %
0.009	-	31	0.6 %
0.010	-	16	0.3 %
0.011	-	10	0.2 %
0.012	-	14	0.3 %
0.013	-	4	0.1 %
0.014	-	56	1.2 %
0.015	-	4	0.1 %
0.016	-	6	0.1 %
0.017	-	19	0.4 %
0.018	-	9	0.2 %
0.019	-	26	0.5 %
0.020	-	19	0.4 %
0.021	-	29	0.6 %
0.022	-	30	0.6 %
0.023	-	10	0.2 %
0.024	-	36	0.7 %
0.025	-	23	0.5 %
0.026	-	11	0.2 %
0.027	-	15	0.3 %
0.028	-	9	0.2 %
0.029	-	20	0.4 %
0.030	-	14	0.3 %
0.031	-	10	0.2 %
0.032	-	47	1.0 %
0.033	-	24	0.5 %
0.034	-	15	0.3 %
0.035	-	22	0.5 %
0.036	-	7	0.1 %
0.037	-	56	1.2 %
0.038	-	10	0.2 %
0.039	-	32	0.7 %
0.040	-	26	0.5 %
0.041	-	16	0.3 %
0.042	-	29	0.6 %

Value	Label	Unweighted Frequency	%
0.043	-	32	0.7 %
0.044	-	4	0.1 %
0.045	-	8	0.2 %
0.046	-	14	0.3 %
0.047	-	26	0.5 %
0.048	-	8	0.2 %
0.049	-	14	0.3 %
0.050	-	9	0.2 %
0.051	-	13	0.3 %
0.052	-	11	0.2 %
	Missing Data		
9998.000	(9998) Unstable estimates	8	0.2 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,760 valid cases out of 4,834 total cases.

- Mean: 0.298
- Minimum: 0.000
- Maximum: 0.997
- Standard Deviation: 0.285

Location: 13-20 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P04: Prop Hispanic (Low/Med/High/Very High)

Proportion Hispanic

Value	Label	Unweighted Frequency	%
1	(1) Low	4349	90.0 %
2	(2) Medium	223	4.6 %
3	(3) High	105	2.2 %
4	(4) Very high	86	1.8 %
	Missing Data		
8	(8) Unstable estimates	5	0.1 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,763 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 21-21 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P05: Sex Composition (Male/Balanced/Female)

Sex Composition

Value	Label	Unweighted Frequency	%
1	(1) Heavily male	450	9.3 %
2	(2) Balanced	3882	80.3 %
3	(3) Heavily female	431	8.9 %
	Missing Data		
8	(8) Unstable estimates	5	0.1 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,763 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P06: Median Age

Median Age

Value	Label	Unweighted Frequency	%
17	-	4	0.1 %
18	-	1	0.0 %
19	-	10	0.2 %
20	-	11	0.2 %
21	-	20	0.4 %
22	-	13	0.3 %
23	-	35	0.7 %
24	-	69	1.4 %
25	-	76	1.6 %
26	-	144	3.0 %
27	-	146	3.0 %
28	-	246	5.1 %
29	-	301	6.2 %

Value	Label	Unweighted Frequency	%
30	-	316	6.5 %
31	-	304	6.3 %
32	-	420	8.7 %
33	-	490	10.1 %
34	-	337	7.0 %
35	-	296	6.1 %
36	-	360	7.4 %
37	-	245	5.1 %
38	-	139	2.9 %
39	-	162	3.4 %
40	-	162	3.4 %
41	-	91	1.9 %
42	-	72	1.5 %
43	-	78	1.6 %
44	-	27	0.6 %
45	-	27	0.6 %
46	-	25	0.5 %
47	-	22	0.5 %
48	-	16	0.3 %
49	-	17	0.4 %
50	-	15	0.3 %
51	-	8	0.2 %
52	-	7	0.1 %
53	-	10	0.2 %
54	-	5	0.1 %
55	-	5	0.1 %
56	-	2	0.0 %
57	-	11	0.2 %
60	-	9	0.2 %
62	-	3	0.1 %
63	-	1	0.0 %
65	-	1	0.0 %
72	-	1	0.0 %
	Missing Data		
98	(98) Unstable estimates	8	0.2 %
99	(99) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,760 valid cases out of 4,834 total cases.

- Mean: 33.58
- Median: 33.00
- Mode: 33.00
- Minimum: 17.00
- Maximum: 72.00
- Standard Deviation: 5.74

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

BST90P07: Dispersion in Age Distribution

Dispersion in Age Distribution

Value	Label	Unweighted Frequency	%
0.334	-	1	0.0 %
0.655	-	1	0.0 %
0.656	-	2	0.0 %
0.673	-	1	0.0 %
0.703	-	1	0.0 %
0.756	-	1	0.0 %
0.769	-	1	0.0 %
0.778	-	1	0.0 %
0.797	-	1	0.0 %
0.804	-	1	0.0 %
0.820	-	1	0.0 %
0.826	-	1	0.0 %
0.828	-	2	0.0 %
0.831	-	1	0.0 %
0.835	-	1	0.0 %
0.837	-	2	0.0 %
0.849	-	2	0.0 %
0.850	-	2	0.0 %
0.851	-	1	0.0 %
0.853	-	2	0.0 %
0.855	-	1	0.0 %
0.856	-	2	0.0 %
0.857	-	1	0.0 %
0.861	-	2	0.0 %
0.863	-	1	0.0 %
0.866	-	1	0.0 %
0.871	-	5	0.1 %
0.872	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.874	-	2	0.0 %
0.875	-	4	0.1 %
0.877	-	1	0.0 %
0.878	-	5	0.1 %
0.879	-	1	0.0 %
0.881	-	1	0.0 %
0.884	-	1	0.0 %
0.885	-	2	0.0 %
0.886	-	3	0.1 %
0.887	-	4	0.1 %
0.888	-	3	0.1 %
0.889	-	10	0.2 %
0.890	-	1	0.0 %
0.892	-	6	0.1 %
0.893	-	4	0.1 %
0.894	-	1	0.0 %
0.895	-	17	0.4 %
0.896	-	4	0.1 %
0.898	-	10	0.2 %
0.900	-	2	0.0 %
0.901	-	4	0.1 %
0.902	-	3	0.1 %
	Missing Data		
9998.000	(9998) Unstable estimates	8	0.2 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,760 valid cases out of 4,834 total cases.

- Mean: 0.959
- Median: 0.964
- Mode: 0.969
- Minimum: 0.334
- Maximum: 0.998
- Standard Deviation: 0.027

Location: 25-32 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

Modal Marital Status

Value	Label	Unweighted Frequency	%
1	(1) Never married	465	9.6 %
2	(2) Married, spouse present	4269	88.3 %
3	(3) Separated or divorced	15	0.3 %
	Missing Data		
8	(8) Unstable estimates	19	0.4 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,749 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P09: Dispersion in Marital Status

Dispersion in Marital Status

Value	Label	Unweighted Frequency	%
0.000	-	1	0.0 %
0.137	-	1	0.0 %
0.333	-	2	0.0 %
0.346	-	3	0.1 %
0.368	-	1	0.0 %
0.375	-	1	0.0 %
0.380	-	1	0.0 %
0.382	-	1	0.0 %
0.405	-	1	0.0 %
0.408	-	2	0.0 %
0.410	-	4	0.1 %
0.412	-	1	0.0 %
0.413	-	1	0.0 %
0.416	-	2	0.0 %
0.419	-	1	0.0 %
0.421	-	1	0.0 %
0.423	-	2	0.0 %
0.426	-	4	0.1 %
0.428	-	2	0.0 %
0.429	-	2	0.0 %

Value	Label	Unweighted Frequency	%
0.430	-	8	0.2 %
0.431	-	2	0.0 %
0.432	-	5	0.1 %
0.441	-	8	0.2 %
0.445	-	5	0.1 %
0.449	-	1	0.0 %
0.452	-	1	0.0 %
0.454	-	2	0.0 %
0.456	-	2	0.0 %
0.462	-	3	0.1 %
0.466	-	7	0.1 %
0.467	-	1	0.0 %
0.468	-	1	0.0 %
0.469	-	1	0.0 %
0.474	-	15	0.3 %
0.477	-	1	0.0 %
0.479	-	3	0.1 %
0.481	-	1	0.0 %
0.482	-	3	0.1 %
0.484	-	1	0.0 %
0.486	-	13	0.3 %
0.489	-	4	0.1 %
0.490	-	1	0.0 %
0.492	-	1	0.0 %
0.493	-	1	0.0 %
0.495	-	19	0.4 %
0.496	-	1	0.0 %
0.497	-	6	0.1 %
0.502	-	1	0.0 %
0.503	-	1	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	19	0.4 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,749 valid cases out of 4,834 total cases.

- Mean: 0.763

- Minimum: 0.000
- Maximum: 0.999
- Standard Deviation: 0.136

Location: 34-41 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P10: Prop Children (Low/Medium/High)

Proportion of Population that are Children Under Five Years Old

Value	Label	Unweighted Frequency	%
1	(1) Low	530	11.0 %
2	(2) Medium	3745	77.5 %
3	(3) High	485	10.0 %
	Missing Data		
8	(8) Unstable estimates	8	0.2 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,760 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P11: Modal Migration Status

Modal Migration Status

Value	Label	Unweighted Frequency	%
1	(1) Lived in same house in 1985	4093	84.7 %
2	(2) Lived in different house in 1985/same county	292	6.0 %
3	(3) Lived in different house in 1985/different county	375	7.8 %
	Missing Data		
8	(8) Unstable estimates	8	0.2 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,760 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

BST90P12: Dispersion in Migration Status

Dispersion in Migration Status

Value	Label	Unweighted Frequency	%
0.131	-	2	0.0 %
0.163	-	1	0.0 %
0.175	-	1	0.0 %
0.198	-	1	0.0 %
0.203	-	1	0.0 %
0.237	-	1	0.0 %
0.251	-	1	0.0 %
0.266	-	1	0.0 %
0.268	-	1	0.0 %
0.291	-	1	0.0 %
0.295	-	1	0.0 %
0.297	-	1	0.0 %
0.328	-	1	0.0 %
0.338	-	2	0.0 %
0.342	-	4	0.1 %
0.346	-	9	0.2 %
0.355	-	1	0.0 %
0.362	-	1	0.0 %
0.363	-	1	0.0 %
0.364	-	1	0.0 %
0.368	-	1	0.0 %
0.387	-	1	0.0 %
0.396	-	1	0.0 %
0.411	-	2	0.0 %
0.413	-	4	0.1 %
0.414	-	1	0.0 %
0.416	-	1	0.0 %
0.418	-	1	0.0 %
0.421	-	2	0.0 %
0.427	-	1	0.0 %
0.430	-	1	0.0 %
0.431	-	3	0.1 %
0.435	-	1	0.0 %
0.445	-	3	0.1 %
0.446	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.452	-	1	0.0 %
0.454	-	2	0.0 %
0.458	-	9	0.2 %
0.461	-	1	0.0 %
0.462	-	13	0.3 %
0.463	-	1	0.0 %
0.466	-	2	0.0 %
0.467	-	2	0.0 %
0.468	-	2	0.0 %
0.471	-	7	0.1 %
0.472	-	1	0.0 %
0.473	-	1	0.0 %
0.478	-	3	0.1 %
0.480	-	2	0.0 %
0.484	-	1	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	8	0.2 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,760 valid cases out of 4,834 total cases.

- Mean: 0.802
- Minimum: 0.131
- Maximum: 1.000
- Standard Deviation: 0.136

Location: 44-51 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P13: Modal Household Type

Modal Household Type

Value	Label	Unweighted Frequency	%
1	(1) Married couple family household	3990	82.5 %
2	(2) Other family household	209	4.3 %
3	(3) Non-family household	417	8.6 %
	Missing Data		
8	(8) Unstable estimates	152	3.1 %

Value	Label	Unweighted Frequency	%
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,616 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P14: Dispersion in Household Type

Dispersion in Household Type

Value	Label	Unweighted Frequency	%
0.121	-	1	0.0 %
0.143	-	1	0.0 %
0.169	-	2	0.0 %
0.173	-	1	0.0 %
0.191	-	14	0.3 %
0.208	-	1	0.0 %
0.213	-	1	0.0 %
0.217	-	1	0.0 %
0.228	-	1	0.0 %
0.250	-	1	0.0 %
0.254	-	1	0.0 %
0.258	-	1	0.0 %
0.262	-	2	0.0 %
0.293	-	3	0.1 %
0.294	-	1	0.0 %
0.299	-	1	0.0 %
0.302	-	2	0.0 %
0.311	-	2	0.0 %
0.314	-	1	0.0 %
0.319	-	2	0.0 %
0.321	-	1	0.0 %
0.329	-	4	0.1 %
0.330	-	1	0.0 %
0.342	-	1	0.0 %
0.343	-	1	0.0 %
0.345	-	2	0.0 %

Value	Label	Unweighted Frequency	%
0.348	-	2	0.0 %
0.351	-	3	0.1 %
0.354	-	1	0.0 %
0.372	-	2	0.0 %
0.375	-	4	0.1 %
0.376	-	6	0.1 %
0.377	-	1	0.0 %
0.380	-	2	0.0 %
0.381	-	1	0.0 %
0.383	-	4	0.1 %
0.384	-	2	0.0 %
0.388	-	4	0.1 %
0.389	-	6	0.1 %
0.390	-	1	0.0 %
0.393	-	2	0.0 %
0.399	-	1	0.0 %
0.400	-	1	0.0 %
0.401	-	1	0.0 %
0.404	-	2	0.0 %
0.412	-	3	0.1 %
0.414	-	1	0.0 %
0.416	-	1	0.0 %
0.417	-	3	0.1 %
0.418	-	2	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	152	3.1 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,616 valid cases out of 4,834 total cases.

- Mean: 0.769
- Minimum: 0.121
- Maximum: 1.000
- Standard Deviation: 0.163

Location: 53-60 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P15: Median Household Income in 1989 (Dollars)

Median Household Income in 1989

Value	Label	Unweighted Frequency	%
4999	-	6	0.1 %
5000	-	11	0.2 %
6000	-	6	0.1 %
7000	-	26	0.5 %
8000	-	15	0.3 %
9000	-	54	1.1 %
10000	-	39	0.8 %
11000	-	49	1.0 %
12000	-	52	1.1 %
13000	-	97	2.0 %
14000	-	129	2.7 %
15000	-	74	1.5 %
16000	-	94	1.9 %
17000	-	117	2.4 %
18000	-	112	2.3 %
19000	-	177	3.7 %
20000	-	144	3.0 %
21000	-	189	3.9 %
22000	-	127	2.6 %
23000	-	104	2.2 %
24000	-	110	2.3 %
25000	-	126	2.6 %
26000	-	174	3.6 %
27000	-	164	3.4 %
28000	-	111	2.3 %
29000	-	184	3.8 %
30000	-	128	2.6 %
31000	-	79	1.6 %
32000	-	168	3.5 %
33000	-	109	2.3 %
34000	-	82	1.7 %
35000	-	123	2.5 %
36000	-	116	2.4 %
37000	-	131	2.7 %
38000	-	37	0.8 %
39000	-	108	2.2 %

Value	Label	Unweighted Frequency	%
40000	-	107	2.2 %
41000	-	87	1.8 %
42000	-	77	1.6 %
43000	-	44	0.9 %
44000	-	62	1.3 %
45000	-	81	1.7 %
46000	-	64	1.3 %
47000	-	39	0.8 %
48000	-	16	0.3 %
49000	-	37	0.8 %
50000	-	36	0.7 %
51000	-	19	0.4 %
52000	-	32	0.7 %
53000	-	24	0.5 %
	Missing Data		
999998	(999998) Unstable estimates	152	3.1 %
999999	(999999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,616 valid cases out of 4,834 total cases.

- Mean: 30491.99
- Median: 29000.00
- Mode: 21000.00
- Minimum: 4999.00
- Maximum: 100001.00
- Standard Deviation: 14293.50

Location: 61-66 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998 , 999999

BST90P16: Dispersion in Household Income in 1989

Dispersion in Household Income in 1989

Value	Label	Unweighted Frequency	%
0.494	-	1	0.0 %
0.504	-	1	0.0 %
0.623	-	1	0.0 %
0.627	-	2	0.0 %
0.634	-	5	0.1 %

Value	Label	Unweighted Frequency	%
0.643	-	1	0.0 %
0.664	-	2	0.0 %
0.665	-	1	0.0 %
0.691	-	2	0.0 %
0.696	-	3	0.1 %
0.706	-	5	0.1 %
0.717	-	2	0.0 %
0.728	-	1	0.0 %
0.734	-	2	0.0 %
0.735	-	1	0.0 %
0.736	-	3	0.1 %
0.752	-	2	0.0 %
0.764	-	2	0.0 %
0.769	-	1	0.0 %
0.772	-	1	0.0 %
0.773	-	2	0.0 %
0.776	-	3	0.1 %
0.778	-	2	0.0 %
0.781	-	1	0.0 %
0.787	-	1	0.0 %
0.790	-	1	0.0 %
0.793	-	3	0.1 %
0.794	-	3	0.1 %
0.803	-	7	0.1 %
0.804	-	3	0.1 %
0.808	-	1	0.0 %
0.811	-	2	0.0 %
0.814	-	1	0.0 %
0.815	-	2	0.0 %
0.817	-	2	0.0 %
0.818	-	5	0.1 %
0.819	-	6	0.1 %
0.821	-	4	0.1 %
0.823	-	4	0.1 %
0.825	-	1	0.0 %
0.826	-	5	0.1 %
0.827	-	2	0.0 %
0.828	-	3	0.1 %
0.829	-	15	0.3 %

Value	Label	Unweighted Frequency	%
0.830	-	5	0.1 %
0.831	-	5	0.1 %
0.832	-	5	0.1 %
0.833	-	2	0.0 %
0.834	-	12	0.2 %
0.836	-	1	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	152	3.1 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,616 valid cases out of 4,834 total cases.

- Mean: 0.918
- Median: 0.927
- Mode: 0.938
- Minimum: 0.494
- Maximum: 0.987
- Standard Deviation: 0.040

Location: 67-74 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P17: Median Family Income in 1989 (Dollars)

Median Family Income in 1989

Value	Label	Unweighted Frequency	%
4999	-	7	0.1 %
5000	-	5	0.1 %
6000	-	4	0.1 %
8000	-	9	0.2 %
9000	-	17	0.4 %
10000	-	10	0.2 %
11000	-	55	1.1 %
12000	-	21	0.4 %
13000	-	20	0.4 %
14000	-	41	0.8 %
15000	-	57	1.2 %
16000	-	54	1.1 %
17000	-	127	2.6 %

Value	Label	Unweighted Frequency	%
18000	-	61	1.3 %
19000	-	77	1.6 %
20000	-	77	1.6 %
21000	-	124	2.6 %
22000	-	117	2.4 %
23000	-	88	1.8 %
24000	-	78	1.6 %
25000	-	141	2.9 %
26000	-	116	2.4 %
27000	-	147	3.0 %
28000	-	128	2.6 %
29000	-	166	3.4 %
30000	-	110	2.3 %
31000	-	106	2.2 %
32000	-	141	2.9 %
33000	-	152	3.1 %
34000	-	97	2.0 %
35000	-	136	2.8 %
36000	-	101	2.1 %
37000	-	121	2.5 %
38000	-	125	2.6 %
39000	-	83	1.7 %
40000	-	95	2.0 %
41000	-	55	1.1 %
42000	-	103	2.1 %
43000	-	93	1.9 %
44000	-	134	2.8 %
45000	-	84	1.7 %
46000	-	58	1.2 %
47000	-	77	1.6 %
48000	-	34	0.7 %
49000	-	73	1.5 %
50000	-	38	0.8 %
51000	-	26	0.5 %
52000	-	52	1.1 %
53000	-	46	1.0 %
54000	-	36	0.7 %
	Missing Data		
999998	(999998) Unstable estimates	459	9.5 %

Value	Label	Unweighted Frequency	%
999999	(999999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,309 valid cases out of 4,834 total cases.

- Mean: 34854.96
- Median: 33000.00
- Mode: 29000.00
- Minimum: 4999.00
- Maximum: 100001.00
- Standard Deviation: 14968.11

Location: 75-80 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998 , 999999

BST90P18: Dispersion in Family Income in 1989

Dispersion in Family Income in 1989

Value	Label	Unweighted Frequency	%
0.409	-	1	0.0 %
0.517	-	1	0.0 %
0.571	-	7	0.1 %
0.597	-	2	0.0 %
0.637	-	3	0.1 %
0.650	-	2	0.0 %
0.662	-	1	0.0 %
0.674	-	2	0.0 %
0.682	-	1	0.0 %
0.689	-	1	0.0 %
0.699	-	5	0.1 %
0.702	-	1	0.0 %
0.714	-	1	0.0 %
0.718	-	1	0.0 %
0.722	-	5	0.1 %
0.746	-	1	0.0 %
0.749	-	1	0.0 %
0.751	-	1	0.0 %
0.764	-	2	0.0 %
0.765	-	1	0.0 %
0.766	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.772	-	1	0.0 %
0.773	-	3	0.1 %
0.774	-	1	0.0 %
0.776	-	3	0.1 %
0.777	-	1	0.0 %
0.778	-	8	0.2 %
0.779	-	2	0.0 %
0.781	-	1	0.0 %
0.783	-	1	0.0 %
0.784	-	7	0.1 %
0.786	-	1	0.0 %
0.787	-	1	0.0 %
0.788	-	3	0.1 %
0.789	-	1	0.0 %
0.790	-	1	0.0 %
0.791	-	4	0.1 %
0.794	-	3	0.1 %
0.796	-	2	0.0 %
0.797	-	1	0.0 %
0.798	-	21	0.4 %
0.799	-	1	0.0 %
0.800	-	3	0.1 %
0.801	-	1	0.0 %
0.802	-	1	0.0 %
0.803	-	7	0.1 %
0.804	-	1	0.0 %
0.805	-	1	0.0 %
0.806	-	20	0.4 %
0.807	-	3	0.1 %
	Missing Data		
9998.000	(9998) Unstable estimates	459	9.5 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,309 valid cases out of 4,834 total cases.

- Mean: 0.901
- Median: 0.910

- Mode: 0.906
- Minimum: 0.409
- Maximum: 0.986
- Standard Deviation: 0.045

Location: 81-88 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P19: Proportion Persons with Below Poverty-Level Income in 1989

Proportion Persons with Below Poverty-Level Income in 1989

Value	Label	Unweighted Frequency	%
1	(1) Low	2641	54.6 %
2	(2) Medium	1076	22.3 %
3	(3) High	1046	21.6 %
	Missing Data		
8	(8) Unstable estimates	5	0.1 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,763 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P20: Modal Educational Attainment of Individuals Aged 25 Years and Over

Modal Educational Attainment of Individuals Aged 25 Years and Over

Value	Label	Unweighted Frequency	%
1	(1) No high school or equivalency	752	15.6 %
2	(2) High school degree/no college degree	3514	72.7 %
3	(3) College degree or more	475	9.8 %
	Missing Data		
8	(8) Unstable estimates	27	0.6 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,741 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 8 , 9

BST90P21: Dispersion in Educational Attainment of Individuals Aged 25 Years and Over

Dispersion in Educational Attainment of Individuals Aged 25 Years and Over

Value	Label	Unweighted Frequency	%
0.159	-	1	0.0 %
0.352	-	1	0.0 %
0.402	-	5	0.1 %
0.417	-	1	0.0 %
0.422	-	1	0.0 %
0.429	-	3	0.1 %
0.463	-	2	0.0 %
0.472	-	1	0.0 %
0.477	-	1	0.0 %
0.482	-	1	0.0 %
0.498	-	1	0.0 %
0.510	-	21	0.4 %
0.535	-	2	0.0 %
0.546	-	1	0.0 %
0.561	-	1	0.0 %
0.563	-	2	0.0 %
0.567	-	1	0.0 %
0.572	-	1	0.0 %
0.574	-	1	0.0 %
0.577	-	1	0.0 %
0.580	-	2	0.0 %
0.584	-	1	0.0 %
0.585	-	2	0.0 %
0.587	-	5	0.1 %
0.590	-	6	0.1 %
0.595	-	1	0.0 %
0.602	-	1	0.0 %
0.604	-	2	0.0 %
0.605	-	2	0.0 %
0.606	-	1	0.0 %
0.608	-	1	0.0 %
0.613	-	2	0.0 %
0.616	-	2	0.0 %
0.618	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.622	-	3	0.1 %
0.623	-	1	0.0 %
0.627	-	3	0.1 %
0.629	-	4	0.1 %
0.630	-	1	0.0 %
0.631	-	3	0.1 %
0.634	-	2	0.0 %
0.640	-	2	0.0 %
0.642	-	4	0.1 %
0.645	-	1	0.0 %
0.646	-	4	0.1 %
0.647	-	1	0.0 %
0.649	-	1	0.0 %
0.650	-	1	0.0 %
0.652	-	1	0.0 %
0.653	-	2	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	27	0.6 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,741 valid cases out of 4,834 total cases.

- Mean: 0.849
- Minimum: 0.159
- Maximum: 1.000
- Standard Deviation: 0.084

Location: 91-98 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P22: Proportion Females Aged 16 Years and Over in Civilian Labor Force

Proportion Females Aged 16 Years and Over in Civilian Labor Force

Value	Label	Unweighted Frequency	%
1	(1) Low	805	16.7 %
2	(2) Medium	3126	64.7 %
3	(3) High	729	15.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	(8) Unstable estimates	108	2.2 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,660 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P23: Unemployment Rate (Low/Medium/High)

Unemployment Rate

Value	Label	Unweighted Frequency	%
1	(1) Low	2506	51.8 %
2	(2) Medium	1138	23.5 %
3	(3) High	1028	21.3 %
	Missing Data		
8	(8) Unstable estimates	96	2.0 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,672 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P24: Modal Occupation Type for Employed Person 16 Years and Over

Modal Occupation Type for Employed Persons Aged 16 Years and Over

Value	Label	Unweighted Frequency	%
1	(1) Managerial or professional	1041	21.5 %
2	(2) Technical/sales/administrative support	2439	50.5 %
3	(3) Service occupations	281	5.8 %
4	(4) Farming/forestry/fishing	34	0.7 %
5	(5) Production/craft/repair	74	1.5 %
6	(6) Operators/fabricators/laborers	763	15.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	(8) Unstable estimates	136	2.8 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,632 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P25: Dispersion in Occupation Type for Employed Persons 16 Years and Over

Dispersion in Occupation Type for Employed Persons Aged 16 Years and Over

Value	Label	Unweighted Frequency	%
0.326	-	2	0.0 %
0.416	-	1	0.0 %
0.490	-	3	0.1 %
0.498	-	1	0.0 %
0.513	-	5	0.1 %
0.541	-	1	0.0 %
0.556	-	1	0.0 %
0.559	-	1	0.0 %
0.562	-	2	0.0 %
0.564	-	1	0.0 %
0.572	-	1	0.0 %
0.598	-	6	0.1 %
0.602	-	2	0.0 %
0.610	-	1	0.0 %
0.611	-	1	0.0 %
0.618	-	1	0.0 %
0.619	-	2	0.0 %
0.620	-	1	0.0 %
0.622	-	1	0.0 %
0.624	-	1	0.0 %
0.625	-	3	0.1 %
0.626	-	1	0.0 %
0.629	-	1	0.0 %
0.630	-	1	0.0 %
0.631	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.632	-	24	0.5 %
0.634	-	1	0.0 %
0.639	-	1	0.0 %
0.642	-	5	0.1 %
0.643	-	4	0.1 %
0.645	-	2	0.0 %
0.647	-	1	0.0 %
0.649	-	3	0.1 %
0.651	-	1	0.0 %
0.652	-	2	0.0 %
0.658	-	1	0.0 %
0.662	-	2	0.0 %
0.663	-	1	0.0 %
0.664	-	3	0.1 %
0.673	-	5	0.1 %
0.677	-	1	0.0 %
0.679	-	2	0.0 %
0.682	-	1	0.0 %
0.686	-	1	0.0 %
0.687	-	4	0.1 %
0.688	-	1	0.0 %
0.689	-	2	0.0 %
0.691	-	4	0.1 %
0.692	-	3	0.1 %
0.694	-	3	0.1 %
	Missing Data		
9998.000	(9998) Unstable estimates	136	2.8 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,632 valid cases out of 4,834 total cases.

- Mean: 0.895
- Minimum: 0.326
- Maximum: 0.994
- Standard Deviation: 0.070

Location: 102-109 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000

BST90P26: Tenure of Occupied Housing Units

Tenure of Occupied Housing Units

Value	Label	Unweighted Frequency	%
1	(1) Heavily renter occupied	272	5.6 %
2	(2) Mixed tenure	2137	44.2 %
3	(3) Heavily owner occupied	2346	48.5 %
	Missing Data		
8	(8) Unstable estimates	13	0.3 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,755 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P27: Proportion Occupied Housing Units Moved into Between 1985 and March 1990

Proportion Occupied Housing Units Moved into Between 1985 and March 1990

Value	Label	Unweighted Frequency	%
1	(1) Low	709	14.7 %
2	(2) Medium	3327	68.8 %
3	(3) High	573	11.9 %
	Missing Data		
8	(8) Unstable estimates	159	3.3 %
9	(9) Geocode missing	66	1.4 %
	Total	4,834	100%

Based upon 4,609 valid cases out of 4,834 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

BST90P28: Median Housing Value of Owner-Occupied Housing Units (Dollars)

Median Housing Value of Owner-Occupied Housing Units

Value	Label	Unweighted Frequency	%
14999	-	9	0.2 %
16000	-	4	0.1 %
17000	-	1	0.0 %
18000	-	10	0.2 %
19000	-	9	0.2 %
20000	-	6	0.1 %
21000	-	9	0.2 %
22000	-	1	0.0 %
23000	-	11	0.2 %
24000	-	13	0.3 %
25000	-	40	0.8 %
26000	-	19	0.4 %
27000	-	3	0.1 %
28000	-	11	0.2 %
29000	-	31	0.6 %
30000	-	2	0.0 %
31000	-	23	0.5 %
32000	-	25	0.5 %
33000	-	15	0.3 %
34000	-	27	0.6 %
35000	-	47	1.0 %
36000	-	34	0.7 %
37000	-	39	0.8 %
38000	-	45	0.9 %
39000	-	68	1.4 %
40000	-	81	1.7 %
41000	-	20	0.4 %
42000	-	28	0.6 %
43000	-	48	1.0 %
44000	-	54	1.1 %
45000	-	20	0.4 %
46000	-	18	0.4 %
47000	-	34	0.7 %
48000	-	30	0.6 %
49000	-	27	0.6 %
50000	-	20	0.4 %
51000	-	25	0.5 %
52000	-	22	0.5 %
53000	-	6	0.1 %

Value	Label	Unweighted Frequency	%
54000	-	23	0.5 %
55000	-	43	0.9 %
56000	-	45	0.9 %
57000	-	24	0.5 %
58000	-	39	0.8 %
59000	-	20	0.4 %
60000	-	46	1.0 %
61000	-	33	0.7 %
62000	-	60	1.2 %
63000	-	76	1.6 %
64000	-	51	1.1 %
	Missing Data		
999998	(999998) Unstable estimates	1727	35.7 %
999999	(999999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,041 valid cases out of 4,834 total cases.

- Mean: 89270.98
- Median: 68000.00
- Mode: 40000.00
- Minimum: 14999.00
- Maximum: 300001.00
- Standard Deviation: 60198.23

Location: 112-117 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998 , 999999

BST90P29: Dispersion in Value of Specified Owner-Occupied Housing Units

Dispersion in Value of Specified Owner-Occupied Housing Units

Value	Label	Unweighted Frequency	%
0.000	-	3	0.1 %
0.055	-	1	0.0 %
0.057	-	2	0.0 %
0.103	-	2	0.0 %
0.110	-	1	0.0 %
0.129	-	1	0.0 %
0.145	-	1	0.0 %
0.148	-	2	0.0 %

Value	Label	Unweighted Frequency	%
0.155	-	1	0.0 %
0.164	-	3	0.1 %
0.177	-	1	0.0 %
0.185	-	2	0.0 %
0.188	-	1	0.0 %
0.190	-	1	0.0 %
0.229	-	2	0.0 %
0.234	-	8	0.2 %
0.251	-	2	0.0 %
0.252	-	1	0.0 %
0.254	-	1	0.0 %
0.267	-	2	0.0 %
0.269	-	6	0.1 %
0.280	-	1	0.0 %
0.286	-	1	0.0 %
0.289	-	3	0.1 %
0.290	-	5	0.1 %
0.302	-	3	0.1 %
0.307	-	2	0.0 %
0.311	-	1	0.0 %
0.316	-	3	0.1 %
0.329	-	4	0.1 %
0.331	-	3	0.1 %
0.337	-	3	0.1 %
0.339	-	1	0.0 %
0.341	-	1	0.0 %
0.342	-	7	0.1 %
0.343	-	1	0.0 %
0.350	-	2	0.0 %
0.354	-	2	0.0 %
0.355	-	11	0.2 %
0.357	-	1	0.0 %
0.359	-	1	0.0 %
0.360	-	2	0.0 %
0.363	-	1	0.0 %
0.368	-	1	0.0 %
0.378	-	3	0.1 %
0.379	-	2	0.0 %
0.383	-	2	0.0 %

Value	Label	Unweighted Frequency	%
0.390	-	2	0.0 %
0.391	-	3	0.1 %
0.394	-	2	0.0 %
	Missing Data		
9998.000	(9998) Unstable estimates	1727	35.7 %
9999.000	(9999) Geocode missing	66	1.4 %
	Total	4,834	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,041 valid cases out of 4,834 total cases.

- Mean: 0.706
- Minimum: 0.000
- Maximum: 0.956
- Standard Deviation: 0.143

Location: 118-125 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9998.000 , 9999.000