# Syntax: Context-Free Grammars

LING 571 — Deep Processing Techniques for NLP
Oct 4, 2021
Shane Steinert-Threlkeld

#### Announcements

- Thanks for participation on Canvas!
- Haotian office hours: T 12-1PM in person (rotating); F 3-4PM (Zoom)
- No readme for HW1 (but there will be for other assignments); free points
- Output format: try to copy exactly; your hw1 script run with the toy data should produce output that exactly matches toy\_output.txt
  - Single space after the colon; truncate decimals to 3 places
- Python versions: use full paths to binaries; see `ls /opt I grep python`
- File paths will be given as full paths, so your script should accept those
- Tokenizing with punctuation; `nltk.word\_tokenize`

```
[>>> import nltk
[>>> nltk.word_tokenize("Hello darkness, my old friend.")
  ['Hello', 'darkness', ',', 'my', 'old', 'friend', '.']
```

• Condor: we will use for grading, so you should test with it (and will be necessary in the future)

## Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Speech and Text
- Parsing

## Constituency

Some examples of noun phrases (NPs):

```
Harry the Horse a high-class spot such as Mindy's the Broadway coppers the reason he comes into the Hot Box they three parties from Brooklyn
```

## Constituency

Some examples of noun phrases (NPs):

```
Harry the Horse a high-class spot such as Mindy's the Broadway coppers the reason he comes into the Hot Box they three parties from Brooklyn
```

- How do we know that these are constituents?
  - We can perform constituent tests


- Many types of tests for constituency (see <u>Sag, Wasow, Bender (2003)</u>, pp. 29-33)
- One type (for English) is clefting
  - It is \_\_\_\_\_ that \_\_\_\_\_
  - Is the resulting sentence valid English?

- Many types of tests for constituency (see Sag, Wasow, Bender (2003), pp. 29-33)
- One type (for English) is clefting
  - It is \_\_\_\_\_ that \_\_\_\_\_
  - Is the resulting sentence valid English?

It is the Supreme Court that made the ruling




- Many types of tests for constituency (see Sag, Wasow, Bender (2003), pp. 29-33)
- One type (for English) is clefting
  - It is \_\_\_\_\_ that \_\_\_\_
  - Is the resulting sentence valid English?



- Many types of tests for constituency (see Sag, Wasow, Bender (2003), pp. 29-33)
- One type (for English) is clefting
  - It is \_\_\_\_\_ that \_\_\_\_
  - Is the resulting sentence valid English?



- Many types of tests for constituency (see Sag, Wasow, Bender (2003), pp. 29-33)
- One type (for English) is clefting
  - It is \_\_\_\_\_ that \_\_\_\_
  - Is the resulting sentence valid English?



- Another popular one: coordination.
  - Only constituents of the same type can be coordinated.
  - ... \_\_\_\_ CONJ \_\_\_\_ ...

- Another popular one: coordination.
  - Only constituents of the same type can be coordinated.
  - ... \_\_\_\_ CONJ \_\_\_\_ ...


Shane and all of the students




- Another popular one: coordination.
  - Only constituents of the same type can be coordinated.
  - ... \_\_\_\_ CONJ \_\_\_\_ ...

Shane and all of the students
three players and the coach's brother


- Another popular one: coordination.
  - Only constituents of the same type can be coordinated.
  - ... \_\_\_\_ CONJ \_\_\_\_ ...



- Another popular one: coordination.
  - Only constituents of the same type can be coordinated.
  - ... \_\_\_\_ CONJ \_\_\_\_ ...



- Another popular one: coordination.
  - Only constituents of the same type can be coordinated.
  - ... \_\_\_\_ CONJ \_\_\_\_ ...



## Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Speech and Text
- Parsing

# Representation: Context-free Grammars

- CFGs: 4-tuple
  - A set of terminal symbols: Σ
    - (think: words)
  - A set of nonterminal symbols: N
    - (Think: phrase categories)
  - A set of productions P:
    - of the form  $A \rightarrow \alpha$
    - Where A is a non-terminal and  $\alpha \in (\Sigma \cup N)^*$
  - A start symbol  $S \in N$

- Productions:
  - One non-terminal on LHS and any seq. of terminals and non-terminals on RHS

- Productions:
  - One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
    - $S \rightarrow NP VP$

- Productions:
  - One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
    - $\bullet$   $S \rightarrow NP VP$
    - $VP \rightarrow VNPPPIVNP$

- Productions:
  - One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
    - $\bullet$   $S \rightarrow NP VP$
    - $VP \rightarrow VNPPP \mid VNP$
    - Nominal → Noun | Nominal Noun

#### Productions:

- One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
  - $\bullet$   $S \rightarrow NP VP$
  - $VP \rightarrow VNPPP \mid VNP$
  - Nominal → Noun | Nominal Noun
  - Noun → 'dog' | 'cat' | 'rat'

#### Productions:


- One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
  - $\bullet$   $S \rightarrow NP VP$
  - $VP \rightarrow VNPPP \mid VNP$
  - Nominal → Noun | Nominal Noun
  - Noun → 'dog' | 'cat' | 'rat'
  - *Det* → 'the'

Grammar Rules Examples  $S \longrightarrow NP VP$  I + want a morning flight


Grammar Rules			Examples
S	$\longrightarrow$	NP VP	I + want a morning flight
NP		Pronoun  Proper-Noun  Det Nominal	$\begin{array}{c} \text{I} \\ \text{Los Angeles} \\ \text{a} + \text{flight} \end{array}$

Grammar Rules			Examples
S	$\longrightarrow$	NP VP	I + want a morning flight
NP		Pronoun  Proper-Noun  Det Nominal	I Los Angeles a + flight
Nominal		Nominal Noun Noun	$\begin{array}{c} \text{morning} + \text{flight} \\ \text{flights} \end{array}$

Grammar Rules			Examples
S	$\longrightarrow$	NP VP	I + want a morning flight
NP		Pronoun  Proper-Noun  Det Nominal	I Los Angeles a + flight
Nominal		Nominal Noun Noun	$\begin{array}{c} \text{morning} + \text{flight} \\ \text{flights} \end{array}$
VP		Verb Verb NP Verb NP PP Verb PP	do $want + a flight$ $leave + Boston + in the morning$ $leaving + on Thursday$



#### Parse Tree



- Sentences: Full sentence or clause; a complete thought
- Declarative:  $S \rightarrow NP VP$ 
  - (S (NP I) (VP want a flight from SeaTac to Amsterdam))

- Sentences: Full sentence or clause; a complete thought
- Declarative:  $S \rightarrow NP VP$ 
  - (S (NP I) (VP want a flight from SeaTac to Amsterdam))
- Imperative:  $S \rightarrow VP$ 
  - (VP Show me the cheapest flight from New York to Los Angeles.)


- Sentences: Full sentence or clause; a complete thought
- Declarative:  $S \rightarrow NP VP$ 
  - (S (NP I) (VP want a flight from SeaTac to Amsterdam))
- Imperative:  $S \rightarrow VP$ 
  - (VP Show me the cheapest flight from New York to Los Angeles.)
- Yes-no Question:  $S \rightarrow Aux NP VP$ 
  - (Aux Can) (NP you) (NP give me the nonstop flights to Boston?)

- Sentences: Full sentence or clause; a complete thought
- Declarative:  $S \rightarrow NP VP$ 
  - (S (NP I) (VP want a flight from SeaTac to Amsterdam))
- Imperative:  $S \rightarrow VP$ 
  - (VP Show me the cheapest flight from New York to Los Angeles.)
- Yes-no Question:  $S \rightarrow Aux NP VP$ 
  - (Aux Can) (NP you) (NP give me the nonstop flights to Boston?)
- Wh-subject question:  $S \rightarrow Wh-NP VP$ 
  - (Wh-NP Which flights) (VP arrive in Pittsburgh before 10pm?)


- Sentences: Full sentence or clause; a complete thought
- Declarative:  $S \rightarrow NP VP$ 
  - (S (NP I) (VP want a flight from SeaTac to Amsterdam))
- Imperative:  $S \rightarrow VP$ 
  - (VP Show me the cheapest flight from New York to Los Angeles.)
- Yes-no Question:  $S \rightarrow Aux NP VP$ 
  - (Aux Can) (NP you) (NP give me the nonstop flights to Boston?)
- Wh-subject question:  $S \rightarrow Wh-NP VP$ 
  - (Wh-NP Which flights) (VP arrive in Pittsburgh before 10pm?)
- Wh-non-subject question:  $S \rightarrow Wh-NP \ Aux \ NP \ VP$ 
  - (Wh-NP What flights) (Aux do) (NP you) (VP have from Seattle to Orlando?)

# Visualizing Parse Trees

- >>> tree = nltk.tree.Tree.fromstring("(S (NP (Pro I)) (VP (V prefer) (NP (Det a) (Nom (Noun flight)))))")
  - >>> tree.draw()
- Web apps: <a href="https://yohasebe.com/rsyntaxtree/">https://yohasebe.com/rsyntaxtree/</a>
- LaTeX: qtree (/ tikz-qtree) package



#### Partial Parses



#### The Noun Phrase

Noun phrase constituents can take a range of different forms:

Harry the Horse a magazine

water twenty-three alligators

Ram's homework the last page of Ram's homework's

We'll examine a few ways these differ

Determiners provide referential information about an NP

- Determiners provide referential information about an NP
- Often position the NP within the current discourse

a stop	the flights	this flight
those flights	any flights	some flights

- Determiners provide referential information about an NP
- Often position the NP within the current discourse

a stop	the flights	this flight
those flights	any flights	some flights

Can more explicitly introduce an entity as part of the specifier

United's flight
United's pilot's union
Denver's mayor's mother's canceled flight

- $Det \rightarrow DT$ 
  - 'the', 'this', 'a', 'those'

- $Det \rightarrow DT$ 
  - 'the', 'this', 'a', 'those'
- $Det \rightarrow NP$ 's

- $Det \rightarrow DT$ 
  - 'the', 'this', 'a', 'those'
- $Det \rightarrow NP$ 's
  - "United's flight": (Det (NP United) 's)

- $Det \rightarrow DT$ 
  - 'the', 'this', 'a', 'those'
- $Det \rightarrow NP$ 's
  - "United's flight": (Det (NP United) 's)
  - "the professor's favorite brewery": (Det (NP (Det the) (NP professor))
    's)

#### The Nominal

- Nominals contain pre- and post-head noun modifiers
  - Occurs after the determiner (in English)
- Can exist as just a bare noun:
  - Nominal → Noun
    - PTB POS: NN, NNS, NNP, NNPS
    - 'flight', 'dinners', 'Chicago Midway', 'UW Libraries'

### Pre-nominal modifiers ("Postdeterminers")

- Occur before the head noun in a nominal
- Can be any combination of:
  - Cardinal numbers (e.g. one, fifteen)
  - Ordinal numbers (e.g. first, thirty-second)
  - Quantifiers (e.g. some, a few)
  - Adjective phrases (e.g. longest, non-stop)

#### Postmodifiers

Occur after the head noun

```
• In English, most common are: (a flight...)
```

- Prepositional phrase (e.g. ... from Cleveland)
- non-finite clause (e.g. ... arriving after eleven a.m.)
- relative clause (e.g. ... that serves breakfast)

- NP → (Det) Nom
- Nom → (Card) (Ord) (Quant) (AP) Nom
- Nom → Nom PP

- NP → (Det) Nom
- Nom → (Card) (Ord) (Quant) (AP) Nom
- Nom → Nom PP
  - The least expensive fare

- NP → (Det) Nom
- Nom → (Card) (Ord) (Quant) (AP) Nom
- Nom → Nom PP
  - The least expensive fare
  - one flight

- NP → (Det) Nom
- Nom → (Card) (Ord) (Quant) (AP) Nom
- Nom → Nom PP
  - The least expensive fare
  - one flight
  - the first route


- NP → (Det) Nom
- Nom → (Card) (Ord) (Quant) (AP) Nom
- Nom → Nom PP
  - The least expensive fare
  - one flight
  - the first route
  - the last flight from Chicago

#### Before the Noun Phrase


- "Predeterminers" can "scope" noun phrases
  - e.g. 'all,'
  - "all the morning flights from Denver to Tampa"

### A Complex Example

• "all the morning flights from Denver to Tampa looking for passengers"








- This grammar licenses the following correctly:
  - The teacher handed the student a book




- This grammar licenses the following *correctly*:
  - The teacher handed the student a book
- And the following *incorrectly* (i.e. the grammar "overgenerates"):
  - \*The teacher handed the student
  - \*The teacher handed a book
  - \*The teacher handed



- It also licenses
  - \*The teacher handed a book the student

With this grammar:



- It also licenses
  - \*The teacher handed a book the student

This is problematic for semantic reasons, which we'll cover later.

Verb phrases include a verb and optionally other constituents

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
  - what constituent arguments the verb requires

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
  - what constituent arguments the verb requires

 $VP \rightarrow Verb \emptyset$  disappear

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
  - what constituent arguments the verb requires

```
VP \rightarrow Verb \ \varnothing disappear VP \rightarrow Verb \ NP book a flight
```

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
  - what constituent arguments the verb requires

```
VP \rightarrow Verb \ \mathcal{O} disappear VP \rightarrow Verb \ NP book a flight VP \rightarrow Verb \ PP \ PP fly from Chicago to Seattle
```

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
  - what constituent arguments the verb requires

```
VP 
ightharpoonup Verb \varnothing disappear VP 
ightharpoonup Verb NP book a flight VP 
ightharpoonup Verb PP PP fly from Chicago to Seattle VP 
ightharpoonup Verb S think I want that flight
```

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
  - what constituent arguments the verb requires

```
VP 
ightharpoonup Verb \ \mathcal{O} disappear VP 
ightharpoonup Verb \ NP book a flight VP 
ightharpoonup Verb \ PP \ PP fly from Chicago to Seattle VP 
ightharpoonup Verb \ S think I want that flight VP 
ightharpoonup Verb \ VP want to arrange three flights
```

- Issues?
  - "I know United has a flight." (  $\rightarrow S$ )
  - "I know my neighbor." (  $\rightarrow NP$  )

- Issues?
  - "I know United has a flight." (  $\rightarrow S$ )
  - "I know my neighbor." ( → NP )
- How can we solve this problem?

- Issues?
  - "I know United has a flight." (  $\rightarrow S$ )
  - "I know my neighbor." (  $\rightarrow NP$  )
- How can we solve this problem?
  - Create explicit subclasses of verb
    - Verb-with-NP  $\rightarrow$  ...
    - Verb-with-S-complement  $\rightarrow \dots$

- Issues?
  - "I know United has a flight." (  $\rightarrow S$ )
  - "I know my neighbor." (  $\rightarrow NP$  )
- How can we solve this problem?
  - Create explicit subclasses of verb
    - Verb-with-NP  $\rightarrow$  ...
    - Verb-with-S-complement  $\rightarrow \dots$
  - Is this a good solution?

- Issues?
  - "I know United has a flight." (  $\rightarrow S$ )
  - "I know my neighbor." (  $\rightarrow NP$  )
- How can we solve this problem?
  - Create explicit subclasses of verb
    - Verb-with-NP  $\rightarrow$  ...
    - Verb-with-S-complement  $\rightarrow \dots$
  - Is this a good solution?
    - No, explosive increase in number of rules
    - Similar problem with agreement (NN↔ADJ↔PRON↔VB)

# CFGs and Subcategorization

Better solution:

# CFGs and Subcategorization

- Better solution:
  - Feature structures:
    - Further nested information
    - a.k.a → Deeper analysis!

# CFGs and Subcategorization

- Better solution:
  - Feature structures:
    - Further nested information
    - a.k.a → Deeper analysis!
  - Will get to this toward end of the month

# Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Speech and Text
- Parsing


### Grammars... So What?

- Grammars propose a formal way to make distinctions in syntax
- Distinctions in syntax can help us get a hold on distinctions in meaning

■■■ AT&T LTE 21:10 67% ■ en.m.wikipedia.org

remains of victims.<sup>[62]</sup> On his late night talk show David Letterman questioned two of his audience members who were Canadian about the mystery.<sup>[63]</sup>

Possible Interpretations:



remains of victims.<sup>[62]</sup> On his late night talk show David Letterman questioned two of his audience members who were Canadian about the mystery.<sup>[63]</sup>

Possible Interpretations:

Two audience members, when questioned, behaved Canadian-ly




remains of victims.<sup>[62]</sup> On his late night talk show David Letterman questioned two of his audience members who were Canadian about the mystery.<sup>[63]</sup>


Possible Interpretations:


Two audience members, when questioned, behaved Canadian-ly


Two audience members, who happened to be Canadian Citizens, were questioned



remains of victims.<sup>[62]</sup> On his late night talk show David Letterman questioned two of his audience members who were Canadian about the mystery.<sup>[63]</sup>








- Shallow techniques useful, but limited
  - "Supreme Court of the United States"
  - ADJ NN IN DET NNP NNPS
  - What does this tell us about the fragment?

- Shallow techniques useful, but limited
  - "Supreme Court of the United States"
  - ADJ NN IN DET NNP NNPS
  - What does this tell us about the fragment?

VS.



- Meaning implicit in this analysis tree:
  - "The United States" is an entity
  - The court is specific to the US

- Meaning implicit in this analysis tree:
  - "The United States" is an entity
  - The court is specific to the US
- Inferable from this tree:
  - "The United States" is an entity that can possess (grammatically) other institutions

- Meaning implicit in this analysis tree:
  - "The United States" is an entity
  - The court is specific to the US
- Inferable from this tree:
  - "The United States" is an entity that can possess (grammatically) other institutions



# Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Speech and Text
- Parsing

Instead of writing out grammars by hand, could we learn them from data?

- Instead of writing out grammars by hand, could we learn them from data?
- Large corpus of sentences

- Instead of writing out grammars by hand, could we learn them from data?
- Large corpus of sentences
- All sentences annotated syntactically with a parse

- Instead of writing out grammars by hand, could we learn them from data?
- Large corpus of sentences
- All sentences annotated syntactically with a parse
- Built semi-automatically
  - Automatically parsed, manually corrected

A well-established and large treebank

- A well-established and large treebank
- English:
  - Brown Univ. Standard Corp. of Present-Day Am. Eng.
  - Switchboard (conversational speech)
  - ATIS (human-computer dialog, Airline bookings)
  - Wall Street Journal

- A well-established and large treebank
- English:
  - Brown Univ. Standard Corp. of Present-Day Am. Eng.
  - Switchboard (conversational speech)
  - ATIS (human-computer dialog, Airline bookings)
  - Wall Street Journal
- Chinese:
  - Xinhua, Sinoarma (newswire)

- A well-established and large treebank
- English:
  - Brown Univ. Standard Corp. of Present-Day Am. Eng.
  - Switchboard (conversational speech)
  - ATIS (human-computer dialog, Airline bookings)
  - Wall Street Journal
- Chinese:
  - Xinhua, Sinoarma (newswire)
- Arabic
  - Newswire, Broadcast News + Conversation, Web Text...

### Other Treebanks

- DeepBank (HPSG)
- Prague Dependency Treebank (Czech: Morphologically rich)
- Universal Dependency Treebank (many languages, reduced POS tags)
- CCGBank (Penn, but with CCG annotations)


- Include wealth of language information
  - Traces (for movement analyses)
  - Grammatical function (subject, topic, etc)
  - Semantic function (temporal, location)

- Include wealth of language information
  - Traces (for movement analyses)
  - Grammatical function (subject, topic, etc)
  - Semantic function (temporal, location)
- Implicitly constitute grammar of language
  - Can read off rewrite rules from bracketing
  - Not only presence of rules, but frequency counts
  - Will be crucial in building statistical parsers

# Treebank WSJ Example

```
(S ('''')
   (S-TPC-2)
   (NP-SBJ-1 (PRP We))
   (VP (MD would)
     (VP (VB have)
         (S
           (NP-SBJ (-NONE- *-1))
           (VP (TO to)
                (VP (VB wait)
                     (SBAR-TMP (IN until))
                     (NP-SBJ (PRP we))
                     (VP (VBP have)
                       (VP (VBN collected)
                         (PP-CLR (IN on)
                             (NP (DT those) (NNS assets))))))))))
   (, ,) (''')
   (NP-SBJ (PRP he))
   (VP (VBD said)
     (S (-NONE- *T*-2)))
   (...)
```

# Treebank WSJ Example



# Treebanks & Corpora on Patas

#### patas\$ ls /corpora

birkbeck coconut Communicator2000 Emotion ComParE Conll delph-in DUC ELRA enron email dataset europarl europarl-old framenet

freebase

grammars HathiTrust ICAME ICSI JRC-Acquis.3.0 LDC LEAP lemur levow mdsd-2.0med-data nltk

OANC

opt private proj-gutenberg reuters scope tc-wikipedia TREC treebanks UIC UWCL UWCSE

# Treebanks & Corpora on Patas

- Many large corpora from LDC, such as the Penn Treebank v3:
  - /corpora/LDC/LDC99T42/
  - Find the full LDC corpora catalog online: catalog.ldc.upenn.edu
- Web search interface: <a href="https://cldb.ling.washington.edu/livesearch-corpus-form.php">https://cldb.ling.washington.edu/livesearch-corpus-form.php</a>
- Many corpus samples in NLTK
  - /corpora/nltk/nltk-data
- NOTE: do not move corpora, either within or off of patas!!

• Large, expensive to produce

- Large, expensive to produce
- Complex
  - Agreement among annotators can be an issue

- Large, expensive to produce
- Complex
  - Agreement among annotators can be an issue
- Labeling implicitly captures bias in theory
  - Penn Treebank is "bushy," long productions

- Large, expensive to produce
- Complex
  - Agreement among annotators can be an issue
- Labeling implicitly captures bias in theory
  - Penn Treebank is "bushy," long productions
- Enormous numbers of rules
  - 4,500 rules in PTB for VP alone
  - 1M rule tokens; 17,500 distinct types and counting!

### Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Speech and Text
- Parsing

• Can we just use models for written language directly?

- Can we just use models for written language directly?
- NO!

- Can we just use models for written language directly?
- NO!
- Challenges of spoken language:

- Can we just use models for written language directly?
- NO!
- Challenges of spoken language:
  - Disfluency
    - Can I um uh can I g– get a flight to Boston on the fifteenth?

- Can we just use models for written language directly?
- NO!
- Challenges of spoken language:
  - Disfluency
    - Can I um uh can I g

       get a flight to Boston on the fifteenth?
  - Short, fragmentary
    - Uh one way
    - Only 37% of Switchboard utterances > 2 words

- Can we just use models for written language directly?
- NO!
- Challenges of spoken language:
  - Disfluency
    - Can I um uh can I g

       get a flight to Boston on the fifteenth?
  - Short, fragmentary
    - Uh one way
    - Only 37% of Switchboard utterances > 2 words
  - More pronouns, ellipsis
    - That one

### Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Speech and Text
- Parsing

# Computational Parsing

- Given a grammar, how can we derive the analysis of an input sentence?
  - Parsing as search
  - CKY parsing
- Given a body of (annotated) text, how can we derive the grammar rules of a language, and employ them in automatic parsing?
  - Treebanks & PCFGs

### What is Parsing?

- CFG parsing is the task of assigning trees to input strings
  - ullet For any input A and grammar G
    - ...assign  $\geq 0$  parse trees T that represent its syntactic structure, and...
    - Cover all and only the elements of A
    - Have, as root, the start symbol S of G
    - ...do not necessarily pick one single (or correct) analysis
- Subtask: Recognition
  - Given input A, G is A in language defined by G or not?

#### Motivation

- Is this sentence in the language i.e. is it "grammatical?"
  - \* I prefer United has the earliest flight.
  - FSAs accept regular languages defined by finite-state automata.
  - Parsers accept languages defined by CFG (equiv. pushdown automata).

#### Motivation

- Is this sentence in the language i.e. is it "grammatical?"
  - \* I prefer United has the earliest flight.
  - FSAs accept regular languages defined by finite-state automata.
  - Parsers accept languages defined by CFG (equiv. pushdown automata).
- What is the syntactic structure of this sentence?
  - What airline has the cheapest flight?
  - What airport does Southwest fly from near Boston?
  - Syntactic parse provides framework for semantic analysis
    - What is the subject? Direct object?

## Parsing as Search

 Syntactic parsing searches through possible trees to find one or more trees that derive input

# Parsing as Search

- Syntactic parsing searches through possible trees to find one or more trees that derive input
- Formally, search problems are defined by:
  - Start state S
  - Goal state *G* (with a test)
  - Set of actions that transition from one state to another
    - "Successor function"
  - A path cost function

Start State S: Start Symbol

**52** 

- Start State S: Start Symbol
- Goal test:
  - Does the parse tree cover all of, and only, the input?

- Start State S: Start Symbol
- Goal test:
  - Does the parse tree cover all of, and only, the input?
- Successor function:
  - Expand a nonterminal using a production where nonterminal is the LHS of the production

- Start State S: Start Symbol
- Goal test:
  - Does the parse tree cover all of, and only, the input?
- Successor function:
  - Expand a nonterminal using a production where nonterminal is the LHS of the production
- Path cost:
  - …ignored for now.

- Node:
  - Partial solution to search problem (partial parse)

- Node:
  - Partial solution to search problem (partial parse)
- Search start node (initial state):
  - Input string
  - Start symbol of CFG

- Node:
  - Partial solution to search problem (partial parse)
- Search start node (initial state):
  - Input string
  - Start symbol of CFG
- Goal node:
  - ullet Full parse tree: covering all of, and only the input, rooted at S

## Search Algorithms

- Depth First
  - Keep expanding nonterminals until they reach words
  - If no more expansions available, back up

# Search Algorithms

- Depth First
  - Keep expanding nonterminals until they reach words
  - If no more expansions available, back up
- Breadth First
  - Consider all parses that expand a single nonterminal...
  - ...then all with two expanded, etc...

# Search Algorithms

- Depth First
  - Keep expanding nonterminals until they reach words
  - If no more expansions available, back up
- Breadth First
  - Consider all parses that expand a single nonterminal...
  - ...then all with two expanded, etc...
- Other alternatives, if have associated path costs.

### Parse Search Strategies

- Two constraints on parsing:
  - Must start with the start symbol
  - Must cover exactly the input string

### Parse Search Strategies

- Two constraints on parsing:
  - Must start with the start symbol
  - Must cover exactly the input string
- Correspond to main parsing search strategies
  - Top-down search (Goal-directed)
  - Bottom-up search (Data-driven search)

Grammar	Lexicon
$S \rightarrow NP VP$	$Det \rightarrow that \mid this \mid a$
$S \rightarrow Aux NP VP$	$Noun \rightarrow book \mid flight \mid meal \mid money$
$S \rightarrow VP$	$Verb \rightarrow book \mid include \mid prefer$
$NP \rightarrow Pronoun$	$Pronoun \rightarrow I \mid she \mid me$
$NP \rightarrow Proper-Noun$	$Proper-Noun \rightarrow Houston \mid NWA$
$NP \rightarrow Det\ Nominal$	$Aux \rightarrow does$
$Nominal \rightarrow Noun$	$Preposition \rightarrow from \mid to \mid on \mid near \mid through$

```
Lexicon
          Grammar
         S \rightarrow NP VP
                                                         Det \rightarrow that \mid this \mid a
                                               Noun \rightarrow book \mid flight \mid meal \mid money
      S \rightarrow Aux NP VP
                                                    Verb → book | include | prefer
           S \rightarrow VP
                                                       Pronoun \rightarrow I \mid she \mid me
       NP \rightarrow Pronoun
                                                 Proper-Noun → Houston | NWA
    NP \rightarrow Proper-Noun
    NP \rightarrow Det\ Nominal
                                                               Aux \rightarrow does
                                         Preposition \rightarrow from \mid to \mid on \mid near \mid through
     Nominal \rightarrow Noun
Nominal → Nominal Noun
 Nominal \rightarrow Nominal PP
          VP \rightarrow Verb
```

```
Lexicon
           Grammar
         S \rightarrow NP VP
                                                            Det \rightarrow that \mid this \mid a
                                                 Noun \rightarrow book \mid flight \mid meal \mid money
      S \rightarrow Aux NP VP
                                                       Verb \rightarrow book \mid include \mid prefer
            S \rightarrow VP
                                                          Pronoun \rightarrow I \mid she \mid me
       NP \rightarrow Pronoun
    NP \rightarrow Proper-Noun
                                                    Proper-Noun \rightarrow Houston \mid NWA
    NP \rightarrow Det\ Nominal
                                                                  Aux \rightarrow does
                                            Preposition \rightarrow from \mid to \mid on \mid near \mid through
      Nominal \rightarrow Noun
Nominal → Nominal Noun
 Nominal \rightarrow Nominal PP
           VP \rightarrow Verb
        VP \rightarrow Verb NP
     VP \rightarrow Verb NP PP
        VP \rightarrow Verb PP
        VP \rightarrow VP PP
   PP \rightarrow Preposition NP
```

Jurafsky & Martin, Speech and Language Processing, p.390

All valid parse trees must be rooted with start symbol


- All valid parse trees must be rooted with start symbol
- Begin search with productions where S is on LHS
  - e.g.  $S \rightarrow NP VP$

- All valid parse trees must be rooted with start symbol
- Begin search with productions where S is on LHS
  - e.g.  $S \rightarrow NP VP$
- Successively expand nonterminals
  - e.g.  $NP \rightarrow Det\ Nominal;\ VP \rightarrow V\ NP$


- All valid parse trees must be rooted with start symbol
- Begin search with productions where S is on LHS
  - e.g.  $S \rightarrow NP VP$
- Successively expand nonterminals
  - e.g.  $NP \rightarrow Det\ Nominal;\ VP \rightarrow V\ NP$
- Terminate when all leaves are terminals


### Depth-First Search


Start State S




## Depth-First Search











Start State S



































## Pros and Cons of Top-down Parsing

- Pros:
  - Doesn't explore trees not rooted at S
  - Doesn't explore subtrees that don't fit valid trees

# Pros and Cons of Top-down Parsing

- Pros:
  - Doesn't explore trees not rooted at S
  - Doesn't explore subtrees that don't fit valid trees
- Cons:
  - Produces trees that may not match input
  - May not terminate in presence of recursive rules
  - May re-derive subtrees as part of search


## Pros and Cons of Top-down Parsing

#### • Pros:

- Doesn't explore trees not rooted at S
- Doesn't explore subtrees that don't fit valid trees

#### Cons:


- Produces trees that may not match input
- May not terminate in presence of recursive rules
- May re-derive subtrees as part of search




- Try to find all trees that span the input
  - Start with input string
    - Book that flight


- Try to find all trees that span the input
  - Start with input string
    - Book that flight
- Use all productions with current subtree(s) on RHS
  - e.g.  $N \to \text{Book}$ ;  $V \to \text{Book}$

- Try to find all trees that span the input
  - Start with input string
    - Book that flight
- Use all productions with current subtree(s) on RHS
  - e.g.  $N \to \text{Book}$ ;  $V \to \text{Book}$
- Stop when spanned by S, or no more rules apply






Book that flight



Book that flight



Book that flight

## Pros and Cons of Bottom-Up Search

- Pros:
  - Will not explore trees that don't match input
  - Recursive rules less problematic
  - Useful for incremental/fragment parsing


## Pros and Cons of Bottom-Up Search


- Pros:
  - Will not explore trees that don't match input
  - Recursive rules less problematic
  - Useful for incremental/fragment parsing
- Cons:
  - Explore subtrees that will not fit full input


## Cross-Serial Dependencies, Revisited

```
L' = ambncmdn
```

```
    ik<sub>1</sub> Henk<sub>2</sub> haar<sub>3</sub> nijlpaarden<sub>3</sub> zag<sub>1</sub> helpen<sub>2</sub> voeren<sub>3</sub>
    l<sub>1</sub> Henk<sub>2</sub> her<sub>3</sub> hippos saw<sub>1</sub> help<sub>2</sub> feed<sub>3</sub>
```







#### Next Time

- Beginning to implement CFG parsing algorithms
- Conversion to Chomsky Normal Form
  - Required for CKY algorithm
- HW2 out