



人
工
智能

The
ShanghaiAI
智
能

上
海
AI
Lectures

授
课

The ShanghAI Lectures by the University of Zurich An experiment in global teaching

Today from Northwestern Polytechnical University
Xi'an, China

1 December 2011

欢迎您参与
“来自上海的人工智能系列讲座”

Terracotta Warriors



Lecture 9

Where is human memory?

1 December 2011



University of Zurich



ai lab



Today's schedule

**09.00 - 09.05 Introduction, comment on artificial evolution
16.00 local time Xi'an**

09.05 - 10.00 Where is human memory?


**10.00 Break
17.00 local time Xi'an**

**10.05 - 10.30 Guest lecture by Prof. Xiaoan (Dustin) Li
(NPU, Xi'an, China)**

**10.35 - 11.00 Guest lecture by Prof. Rüdiger Dillmann
(Karlsruhe Institute of Technology, Germany) (postponed)**



University of Zurich



ai lab



Today's topics

- Short statement: the potential and limits of artificial evolution
- Where is human memory?
- Memory concepts
- The “storehouse metaphor” and its problems
- Embodied notions of memory
- Summary and conclusions



University of Zurich



ai lab



Differences in memory computer — human



University of Zurich



ai lab



7

Careful: FOR — performance differences, and differences in mechanisms

- accuracy
- speed
- generalization
- categorization
- embeddedness (human memory: embedded into complete organism)
- variations in performance (large for human memory)
- many different types of memory (human); also: related to sensory modalities
- capacity
- addressability (location vs. content-addressability)
- storage and retrieval mechanisms
- retention (short/long-term memory)
- “expert paradox”: the more you know, the faster the retrieval (in contrast to computer memory data base)
- organization

Many memory concepts

researcher puzzled by
the many different
notions of human
memory



University of Zurich



cartoon: Isabelle Follath, Zurich

Many classifications exist:

- temporal characteristics
- modalities
- accessibility
- context: relating to time-line, semantic, etc.

Types of memory

- short-term/primary
- long-term/secondary
- working
- episodic
- semantic
- propositional
- sensory buffers
- iconic
- visual
- acoustic
- flashbulb
- autobiographical
- auditory/echoic
- olfactory
- declarative
- procedural
- sensory-motor
- explicit
- implicit
- conscious
- unconscious
- eidetic
- etc.

Semantic vs. episodic memory

**Brief explanation:
semantic vs. episodic memory?
—> anyone**



University of Zurich

10

ai lab



- episodic memory: concerning specific events (experience of sight and sound of tram in Zurich)
- semantic memory: concept of “Zurich Tram”

Types of memory

- short-term/primary
- long-term/secondary
- working
- episodic
- semantic
- propositional
- sensory buffers
- iconic
- visual
- acoustic
- flashbulb
- autobiographical
- auditory/echoic
- olfactory
- declarative
- procedural
- sensory-motor
- explicit
- implicit
- conscious
- unconscious
- eidetic
- etc.

Classical notions of memory

The storehouse metaphor

memories stored in particular locations from where they are later retrieved

“a system for storing and retrieving information”
(Baddeley, 1997, p. 9)



University of Zurich



ai lab



12

“a system for storing and retrieving information” (Baddeley, 1997, p. 9)

... and its problems

- “memory as stored structures” (Clancey, 1997)
- unfamiliar rendition of piece of music (Bursten, 1978)
- “stored mental image”? (Rosenfield, 1988)
- every stroke in tennis unique (Bartlett, 1932)
- homunculus problem — inspecting the memory contents (Gregory, 1987)
- storehouse metaphor: entails problems of classical AI (e.g. symbol grounding, frame, etc.)



University of Zurich



ai lab



13

Clancey: Situated cognition

Bursten: Dismantling the memory machine

Bartlett: Remembering

Rosenfield: The invention of memory

When we speak of a stored mental image of a friend, which image or images are we referring to? The friend doing what, when and where? (Rosenfield, 1988, p. 163).

Gregory: The Oxford companion to the mind

... and its problems

- “memory as stored structures” (Clancey, 1997)
- unfamiliar rendition of piece of music (Bursen, 1978)
- “stored mental image”? (Rosenfield, 1988)
- every stroke in tennis unique (Bartlett, 1932)
- homunculus problem — inspecting the memory contents (Gregory, 1987)
- storehouse metaphor: entails problems of classical AI (e.g. symbol grounding, frame, etc.)



University of Zurich



ai lab



14

Clancey: Situated cognition. Example: Water fountain.

Bursen: Dismantling the memory machine

Bartlett: Remembering

Rosenfield: The invention of memory

When we speak of a stored mental image of a friend, which image or images are we referring to? The friend doing what, when and where? (Rosenfield, 1988, p. 163).

Gregory: The Oxford companion to the mind

Water fountain Where is the memory for shape?

clear structure visible
underlying mechanism?



University of Zurich



ai lab



Water fountain Where is the memory for shape?

clear structure visible
underlying mechanism?



Where is the “structure” stored?
—> Algiers



University of Zurich



ai lab



16

shape can be described as structure — just as a memory structure; most like dynamically generated in interaction with environment (the situated, embodied nature of memory)
shape of water emergent from:

- shape and direction of jets
- pressure at exit
- water surface tension
- gravity

... and its problems

- “memory as stored structures” (Clancey, 1997)
- unfamiliar rendition of piece of music (Bursten, 1978)
- “stored mental image”? (Rosenfield, 1988)
- every stroke in tennis unique (Bartlett, 1932)
- homunculus problem — inspecting the memory contents (Gregory, 1987)
- storehouse metaphor: entails problems of classical AI (e.g. symbol grounding, frame, etc.)



University of Zurich



ai lab



17

When we speak of a stored mental image of a friend, which image or images are we referring to? The friend doing what, when and where? (Rosenfield, 1988, p. 163).

Clancey: Situated cognition

Bursten: Dismantling the memory machine

Bartlett: Remembering. “It is with remembering as it is with the stroke in a skilled game. We may fancy that we are repeating a series of movements learned a long time before from a textbook or from a teacher. But motion study shows that in fact we build up the stroke afresh on the basis of the immediately preceding balance of postures and the momentary needs of the game. Every time we make it it has its own characteristics (Bartlett, 1932, p. 204).



Rosenfield: The invention of memory (unfamiliar rendition of piece of music)

Gregory: The Oxford companion to the mind. “Homunculus” inspecting the memory contents.

Who tells the homunculus what to do?, etc.

Towards a new conception of memory

W. Ross Ashby, the great cybernetician



Originally: Cybernetics or Control and Communication in the Animal and the Machine (1948). Norbert Wiener

18



University of Zurich



ai lab



Ashby's concept of "memory as a theoretical construct"

W. Ross Ashby (1956). An introduction to cybernetics.



a.

copyright: Isabelle Follath, Zurich



b.

Ashby's notion of memory

Suppose I am in a friend's house and, as a car goes past outside, his dog rushes to a corner of the room and cringes. To me the behaviour is causeless and inexplicable. Then my friend says, "He was run over by a car six months ago." The behavior is now accounted for by reference to an event of six months ago. If we say that the dog shows "memory" we refer to much the same fact—that his behavior can be explained, not by reference to his state now but to what his state was six months ago. If one is not careful one says that the dog "has" memory, and then thinks of the dog as having something, as he might have a patch of black hair. One may then be tempted to start looking for the thing; and one may discover that this "thing" has some very curious properties. Clearly, "memory" is not an objective something that a system either does or does not possess; it is a concept that the observer invokes to fill in the gap caused when part of the system is unobservable. (1956, p. 117)

Memory experiment

Learning phase



intermediate
task



test phase
- recall
- recognition



University of Zurich

WMS-III			Learning phase			test phase - recall - recognition		
List A			List B			Recognition List		
Target			Diamond			Magazine	Village	Student
Finger			Garden			Dollar	Finger	Breakfast
Sunset			Court			Carpet	Market	Feather
Crocodile			Hero			Nest	Giant	Crocodile
Dollar			Sand			Traffic	Smile	Yard
Yard			Kitten			Doctor	Ocean	Shoelace
Student			Branch			Target	House	Sunset
Traffic			Kitchen			Broom	Wing	Hotel
Broom			Daisy					
Ocean			Lake					
Wing			Gorilla					
Giant			Jail					

from WMS-III, the Wechsler Memory Scale test

Behavioral characterization: subjects are able to reproduce the list of words later because of some kind of memory

--> perfectly OK. Problem: inferring that the *underlying mechanism* is also based on a stored list --> flawed.

Clancey: it's like modeling a camera's mechanism by describing the photographs it produces (1991).

Ashby's notion of memory

Suppose I am in a friend's house and, as a car goes past outside, his dog rushes to a corner of the room and cringes. To me the behaviour is causeless and inexplicable. Then my friend says, "He was run over by a car six months ago." The behavior is now accounted for by reference to his state now but to what his state was six months ago. If one is not careful one says that the dog "has" memory, and then thinks of the dog as having something, as he might have a patch of black hair. One may then be tempted to start looking for the thing; and one may discover that this "thing" has some very curious properties. Clearly, "memory" is not an objective something that a system either does or does not possess; it is a concept that the observer invokes to fill in the gap caused when part of the system is unobservable. (1956, p. 117)

see also: Ashby's "Design for a brain"
→ design principles

Embodied notions of memory

- Arthur Glenberg, Laboratory for Embodied Cognition, University of Wisconsin-Madison: “What memory is for” (Glenberg, 1997)
- Koriat and Goldsmith: “... the growing interest in embodiment phenomena ... brings action to the forefront of cognitive theory” (Koriat and Perlman-Avnion, 2003)
- interaction with environment: central (perhaps counter-intuitive)



University of Zurich



ai lab



23

memory has not evolved to learn list of words, but it is in the service of behavior, of perception and action.

Arthur Glenberg: Embodiment as a unifying concept in psychology. *Wire's Cognitive Science*, volume 1, 2010, 586-596.

→ paradigm shift is taking place

Three-Constituents and Complete Agent Principles

- classical memory experiments: precisely controlling environmental condition to establish “pure memory function”
- ecological approach: memory in real-life situations (e.g. eyewitness testimony)
- sensitivity to context, motivation — importance clear from complete agent perspective: storehouse not plausible
- manifestation of memory: through changes in behavior (Craik, 1983)



University of Zurich



ai lab



24

eyewitness testimony extremely sensitive to context (system-environment interaction): some examples
Eleonor Rosch's experiments. Video of traffic accident. Question: How fast was the car when he drove over the stop sign? There was in fact no stop sign, but when the subjects were later asked about the presence of a stop sign, they tended to give a positive reply.

Manifestation of memory

“Clearly something in the system must change as a result of experience, but the changes may be diffuse and widespread modifications of the whole cognitive system so that the system now interacts with aspects of the environment in a different way, rather than events being recorded specifically and discretely like events on a video recorder.” (Craik, 1983, p. 356)




University of Zurich



ai lab



Environment of DAC robot: Arena with obstacles



University of Zurich



ai lab



Remember: Distributed Adaptive Control (DAC). What the robot learns is reflected in changes in the weight matrix. The weights only make sense if embedded into a robot in an environment with obstacles in which the robot has to avoid running into them.

Complete agents, SMC, situated nature of memory

- overhearing snatch of song, humming, reproducing entire song
- Josh (Bongard) walking down ramp —> memories from childhood
- memory as re-categorization (Edelman, 1987)



University of Zurich



ai lab



27

Memory as re-categorization: each interaction with environment (e.g. each time we see a specific friend), the category of this specific friend will be somewhat modified (re-categorized).

Cheap design, ecological balance and scaffolding

- Josh: partial off-loading of task into system-environment interaction
- Scaffolding: “Our brains make the world smart so that we can be dumb in peace! Or to look at it another way, it is the human brain plus these chunks of external scaffolding that finally constitutes the smart, rational inference engine that we call mind.” (Clark, 1997, p. 180).
- Generally, recognition easier than recall: exploiting interaction with environment; off-loading “storage” into environment (reminder - Brooks: “The world is its own best model”).



Cheap design, ecological balance and scaffolding

- Josh: partial off-loading of task into system-environment interaction
- examples of scaffolding? make the world smart so that we can be dumb in peace! Or to look at it another way, it is the human brain plus these chunks of external scaffolding that finally constitutes the smart, rational inference engine that we call mind." (Clark, 1997, p. 180).
- Generally, recognition easier than recall



University of Zurich



ai lab



29

- putting signs into environment (Beijing, Wuhan, ...)
- GPS
- building roads
- taking notes
- maintaining an electronic calendar

Cheap design, ecological balance and scaffolding

Which design principles?


→ HITLab Univ. of Tasmania

- **Scaffolding:** “Our brains make the world smart so that we can be dumb in peace! Or to look at it another way, it is the human brain plus these chunks of external scaffolding that finally constitutes the smart, rational inference engine that we call mind.” (Clark, 1997, p. 180).
- **Generally, recognition easier than recall:** exploiting interaction with environment; off-loading “storage” into environment (reminder - Brooks: “The world is its own best representation”).



Case study: The “Passive Dynamic Walker”

VIDEO: Passive Dynamic Walker



Design and construction:
Ruina, Wisse, Collins: Cornell
University, Ithaca, New York

The “brainless” robot”: walking without control



University of Zurich



ai lab



Case study: The “Passive Dynamic Walker”

VIDEO: Passive Dynamic Walker



self-stabilization



Design and construction:
Ruina, Wisse, Collins: Cornell
University, Ithaca, New York

The “brainless” robot”:
walking without control




University of Zurich



ai lab



Overall scheme: Self-stabilization in the Passive Dynamic Walker



Circle in lower left corner: responsible for self-stabilization.
The fact that the passive dynamic walker has no sensors for the mechanical feedback does not imply that it's not there!

Remember: Short question

memory for walking?



University of Zurich



ai lab





Extending the ecological niche: Denise's memory


VIDEO: Denise

Design and construction:
Martijn Wisse, Delft University

self-stabilization



University of Zurich




ai lab



35

includes reflex: contact sensor on foot - if activated: move other leg forward. Because "Denise" builds on a passive dynamic walker, very little control is required to get stable walking behavior. Again, we can ask the question of where the memory for walking is located: it's distributed throughout the robot and the reflex.

Overall scheme: Self-stabilization in the Passive Dynamic Walker



Circle on left: responsible for self-stabilization.
There is very little sensing, only a contact sensor on the feet which triggers the – very simple – actuation.

Constructive memory, dynamical systems, attractors

Walter Freeman's experiments
(1991)


EEG recordings from
rabbit's olfactory bulb



University of Zurich



Brain dynamics in olfactory bulb of rabbits



EEG patterns recorded from rabbit olfactory bulb



University of Zurich



ai lab



38

Walter Freeman's experiment (Freeman, 1991): EEG patterns recorded from a rabbit's olfactory bulb during a classification task. Left: Pattern for sawdust at initial presentation. Center: Pattern for banana, presented between the two presentations of sawdust. Right: Pattern for sawdust at second presentation. The striking result is that the patterns for sawdust on the left and the right are completely different. Because the animal showed the same response in the cases on the right and the left, we can conclude that the animal had remembered the scent of sawdust but the category was represented by a different pattern of activation of the respective neurons (from Skarda and Freeman, 1990).

Embodied memory

- storehouse vs. embodied
- memory as theoretical construct (Ashby)
- strong dependence on interaction with real world: “situatedness”; continuously changing (Rosch; Loftus; Neisser)
- memory as aspect of complete agent acting in real world (Glenberg; Koriat & Goldsmith)
- memory as dynamical system (aspect of complete agent); not passively stored structures (Freeman)



University of Zurich



ai lab



Embodied memory (2)

- coordination of brain processes in olfactory bulb through interaction with environment (“cooperation” to recognize smells; principle of parallel, loosely coupled processes)
- behavior not stored as structure, but emerges as agent interacts with real world
- “Where?” maybe wrong question —> complete agent
- experimental methodology: cognitive vs. sensory-motor tasks



University of Zurich



ai lab



Assignments for next week

- Read chapter 10 of “How the body ...”
- Try to figure out Simon Bovet’s experiment (at the beginning of chapter 10) on “Delayed reward learning without memory”.



University of Zurich



ai lab



End of lecture 9

Thank you for your attention!


stay tuned for guest lectures

Prof. Dustin Li

Prof. Ruediger Dillmann



University of Zurich



lab

42



Lecture 9: Guest speaker



from NPU, Xi'an, China

Prof. Dr. Xiaoan (Dustin) Li, Northwestern Politecnical University
"Embodied Development of an Autonomous Delivery Robot"

10.00h Zurich time (17.00h Xi'an time)




University of Zurich



ai lab



Lecture 9: Guest speaker



from Goettingen, Germany

**Prof. Dr. Ruediger Dillmann, Karlsruhe Institute of Technology
(lecture delivered from Goettingen).
"Anthropomatics"**

10.30h Zurich time (17.30h Xi'an time)



University of Zurich



ai lab




End of lecture 9

Thank you for your attention!

stay tuned for lecture 10

“Development: From locomotion/movement to cognition”



University of Zurich

lab

45

