

Daily writing habit.

Working title: Working towards pluripotent materials

## 1 Introduction and motivation - Non-equilibrium self-assembly

- testing
  - Tesoitj

Reconfigurable systems may be the key for unlocking adaptive material applications

Equilibrium self-assembly is useful for fabricating ordered structures on the nanoscale

However, equilibrium self-assembly processes aren't necessarily reliable

Biology is really good at self-assembly, but it does so in a non-equilibrium manner in which systems are driven out of equilibrium by a constant input of energy (ATP)

However, the fundamental physics of such driven non-equilibrium self-assembly remains poorly understood

However, we have a problem– we don't really understand non-equilibrium self-assembly, because we don't really understand non-equilibrium thermodynamics

KEY: Reconfigurability-induced switching of a material's structure could be explored as a way of storing information (“memory”) in a material

## 2 Introduction and motivation - Information

Entropy is primarily an equilibrium construct. Information theory, however, is considerably broader.

Open question: can these three distinct meanings of entropy– information, number of accessible states, and heat– be brought together in a meaningful way that would allow us to predictively and reliably encode information in materials systems?

1) What is entropy: Thermodynamics / heat - Entropy production out of equilibrium - Energy is dissipated as entropy - “Entropy production is believed central to the behavior of non-equilibrium and dissipative systems, where structures are stabilized by the consumption of energy and the production of entropy - General principles and predictive theories are not in hand because of our inability to mathematically formulate non-equilibrium variational principles and because we lack appropriate geometric and topological measures of entropy and information– what would these even look like?

2) What is entropy: Statistical mechanics / number of accessible states - Equilibrium thermodynamics - Boltzmann entropy; probability of being a given microstate is a function of the prevalence of that microstate

3) What is entropy: Information - Story of Claude Shannon developing his information theory - The fact that he named it entropy wasn't necessarily based on any explicit relationship to the thermodynamic or statistical mechanical form of entropy

4) In the granular materials community, "memory" is embedding some replicable response pattern in

5) Engineering application: Designing functional, reconfigurable materials will require some method of storing information in a material- we might call this "memory"

6) Scientific application: Understanding how to do this is a fundamental problem - Understanding the linkage between these three is critical to a deeper understanding of biochemical processes, out of equilibrium dynamics of macroscopic systems, and the "dynamics" part of thermodynamics

Key takeaway from information proposal: A coherent framework of thermodynamic and non-equilibrium processes seen through information theoretic eyes could lead to new theories for encoding information in matter- which would allow for the design of novel materials and novel material behavioral control.

### **3 Background - Literature review**

### **4 Background - Research already completed**

#### **4.1 Role of shape in collective motion**

Basically have two weeks to get something to go here...

#### **4.2 Maybe some shape contribution to the collision theory?**

### **5 Description of proposed research (7-8 pages, 2-3 p per goal)**

#### **5.1 Aim 1**

For each aim:

- Goal and significance

- Hypothesis
- Approach, methods, analysis to be used (including relevant citations)

We must both define and ascertain the information content of a self-assembly pathway. If self-assembly proceeds deterministically along one route only, the entropy is clearly zero. However, optimal self-assembly processes are likely to have a high, maybe maximal “path entropy”

To realize such information-rich structures in a wide range of chemical or colloidal structures, we must have a deeper, more rigorous understanding of the factors that optimize the yield and the kinetics of self-assembly.

We could both solve the entropy problem and enable a completely new field based on the encoding of information in physical structures.

## 6 Time table

*Will put together a Gantt chart for each project with associated milestones.*

## 7 Conclusion

Instead of simply observing emergent behavior as an outcome of collective motion of individuals, we could instead engineer such behavior as a quantifiable outcome of the interaction of an information-rich network of agents.