

Assignment 4

Shapnil Das

June 10, 2026

1 Question:

In macroeconomics, we often debate whether a series is a Random Walk or just Very Persistent. Simulate two variables for $T = 150$ observations:

1. Variable A (The Unit Root): A random walk with a drift of 0.2.
2. Variable B : A stationary AR(1) process with $\rho = 0.96$ and a deterministic trend of $0.2t$.

Run an Augmented Dickey-Fuller (ADF) test on both. Did the ADF test correctly identify Variable B as stationary? Use Monte-Carlo simulations to show why there is this debate.

2 Solution:

2.1 ADF Test:

We were provided instructions to simulate a Random walk with a drift process which can show **Difference Stationarity** and a stationary AR(1) process with a deterministic trend which shows **Trend Stationarity**.

- **The Unit Root: A random walk with a drift of 0.2**

$$y_t = 0.2 + y_{t-1} + \varepsilon_t \quad (1)$$

where ε_t is a white noise error term.

We can write this equation as:

$$y_t = 0.2t + \sum_{i=1}^t \varepsilon_i \quad (2)$$

- A stationary AR(1) process with $\rho = 0.96$ and a deterministic trend of $0.2t$



$$x_t = 0.2t + \eta_t$$

where

$$\eta_t = 0.96\eta_{t-1} + \varepsilon_t$$

and ε_t is a white noise error term.

Theoretically, it can be hard to distinguish between a random walk with a drift and a Trend Stationary process with a deterministic trend with visualizations.



We can see that both the series have an upward trend and it is hard to visually identify which one is a random walk and which one is a stationary process with a deterministic trend. So we need to perform an Augmented Dickey-Fuller (ADF) test to identify which one is a random walk and which one is a stationary process. First we have to check for the number of lags in each variable. Using the vector autoregression *varsoc* command, we can identify the optimal number of lags for each variable. The optimal lag is 1. So we run an ADF test with lags(1).

Table 1: ADF Test of Random walk with drift

	Test	Dickey Fuller Critical Values		
	Statistics	1%	5%	10%
$Z(t)$	-2.596	-4.024	-3.444	-3.144

MacKinnon approximate p-value for $Z(t) = 0.2820$.

The ADF test correctly identifies Variable A as a random walk with a drift and fails to reject the null hypothesis of a unit root. The p-value is 0.2820 which is greater than 0.05, which means we fail to reject the null hypothesis of a unit root.

Table 2: ADF Test of AR (1) with $\rho = 0.96$ deterministic trend variable

	Test	Dickey Fuller Critical Values		
	Statistics	1%	5%	10%
$Z(t)$	-2.276	-4.024	-3.444	-3.144

MacKinnon approximate p-value for $Z(t) = 0.4475$.

Even though variable B is a stationary process, the ADF test fails to identify Variable B as a stationary process with a deterministic trend and fails to reject the null hypothesis of a unit root with a p-value of 0.4475.

2.2 Monte-Carlo Simulation:

Earlier we have seen the ADF test fails to identify Variable B as a stationary process. To investigate why this happens we perform a Monte-Carlo Simulation to do a Type-2 Error Power test to check how many times the ADF test do not reject the false null hypothesis of a unit root when the alternative hypothesis is true and the series is actually stationary.

We use Stata's Program command to simulate 1000 estimation of ADF test statistics of 150 sample for variable A and Variable B. Then we generate a dummy variable which calculates


how many times the ADF test statistics is less than -3.44 . Here the mean result is presented:

Table 3: SIMULATION RESULTS: Percentage of Rejection

Data Generating Process	Observations	Mean	Std. Dev.
Random Walk with a drift	1000	0.056	0.230
Trend Stationary ($\rho = 0.96$)	1000	0.099	0.298

For the Random walk process we see that ADF test correctly identifies the unit root process almost 95% times which aligns with the 95% confidence interval at rejection rate is 5%. The Type-1 error of false rejection is only 5.6%.

For the stationary deterministic trend process, considering the rejection rate at 5%, almost 95% of the time the ADF test should reject the null hypothesis of a unit root. But we see the complete opposite result. The ADF test rejects the null hypothesis of unit root only 9.9% times with a Type-2 error of almost 90% resulting in a low statistical power test of Augmented Dickey-Fuller test.



From the density plot,

the pink curve shows the unit root process with 95% confidence interval at t -stat -3.44 at the vertical dotted black line. The blue curve shows the stationary process with $\rho = 0.96$. Theoretically, the blue curve should fall completely to the left of the rejection area. Any area right to the dotted black line represents the Type-2 error for blue curve. But the simulations exposes the huge Type-2 error of the blue curve and the unreliability of the ADF test to identify a stationary process when the process is near unit root process.