## Safety Data Sheet



## SECTION 1: Product and company identification

Product name : HDIC Pine Scent

Use of the substance/mixture : Cleaner Product code : 142301

Company : Share Corporation P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000

Emergency number : Chemtrec: (800) 424-9300

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification (GHS-US)

Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 Carc. 2 H351 STOT RE 2 H373

Full text of H-phrases: see section 16

## 2.2. Label elements

#### **GHS-US labeling**

Hazard pictograms (GHS-US)







GHS05 GHS

GHS07

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : May be corrosive to metals

Causes skin irritation

May cause an allergic skin reaction Causes serious eye damage Suspected of causing cancer

May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US) : Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep only in original container Do not breathe mist, spray Wash thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Wear eye protection, protective clothing, protective gloves

If on skin: Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If exposed or concerned: Get medical advice/attention Immediately call a doctor, a POISON CENTER Get medical advice/attention if you feel unwell

Specific treatment (see First aid measures on this label)
If skin irritation or rash occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse

Absorb spillage to prevent material damage

Store locked up

Store in corrosive resistant container with a resistant inner liner

Dispose of contents/container to comply with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

Date of issue: 11/13/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 1 of 7

# Safety Data Sheet



## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
potassium hydroxide	(CAS No) 1310-58-3	1-5	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314
Glycol Ether EB	(CAS No) 111-76-2	1-5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT RE 2, H373 Asp. Tox. 1, H304
disodium metasilicate	(CAS No) 6834-92-0	1-5	Skin Corr. 1B, H314 STOT SE 3, H335
Cocoamide	(CAS No) 8051-30-7	1-5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium xylene sulphonate	(CAS No) 1300-72-7	0.5-1.5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
2,2'-iminodiethanol, diethanolamine	(CAS No) 111-42-2	0.1-1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Carc. 2, H351 STOT RE 2, H373
pine oils	(CAS No) 8002-09-3	0.1-1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317 Asp. Tox. 1, H304

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned:

Get medical advice/attention.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with

water/shower. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer.

May cause damage to organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/injuries after ingestion : Gastrointestinal complaints. Burns to the gastric/intestinal mucosa.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water moderately and if possible collect or

contain it. Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Date of issue: 11/13/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 2 of 7

# Safety Data Sheet



## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Protective goggles. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

**6.4.** Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Do

not breathe mist, spray.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in original container. Store in corrosive resistant

container with a resistant inner liner.

Incompatible products : strong acids. Oxidizing agent.

Incompatible materials : Agent of cleaning. Heat sources. Open flame.

Prohibitions on mixed storage : KEEP SUBSTANCE AWAY FROM: (strong) acids.

Storage area : Store in a dry area. Store in a cool area. Keep locked up.

Special rules on packaging : meet the legal requirements.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Glycol Ether EB (1	111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
potassium hydrox	ride (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³	
2,2'-iminodiethand	ol, diethanolamine (111-42-2)	·	
ACGIH	ACGIH TWA (mg/m³)	1 mg/m³	
ACGIH	Remark (ACGIH)	Liver & kidney dam	

#### 8.2. Exposure controls

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary.
 Gloves. Safety glasses. Protective clothing.







Date of issue: 11/13/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 3 of 7

# Safety Data Sheet



## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. Blue liquid.

Odor : Pine.

Odor threshold : No data available

pH : 13 - 13.75

Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point : > 200 °F

: No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) : No data available **Explosion limits** : No data available Explosive properties : No data available No data available Oxidizing properties Vapor pressure No data available Relative density : No data available Relative vapor density at 20 °C No data available Specific gravity / density : 1.06 g/ml Solubility Soluble in water. Log Pow No data available Log Kow : No data available Auto-ignition temperature No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic No data available

VOC content : < 4 %

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Viscosity, dynamic

Upon combustion: CO and CO2 are formed.

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

May be corrosive to metals. acids. Oxidizing agent.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: No data available

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Glycol Ether EB (111-76-2)	
LD50 oral rat	1300 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	1300.000 mg/kg body weight
ATE CLP (dermal)	1100.000 mg/kg body weight
ATE CLP (dust, mist)	1.500 mg/l/4h

Date of issue: 11/13/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 4 of 7





potassium hydroxide (1310-58-3)	
LD50 oral rat	273 mg/kg (Rat)
ATE CLP (oral)	273.000 mg/kg body weight
2,2'-iminodiethanol, diethanolam	ne (111-42-2)
LD50 dermal rabbit	8180 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight
pine oils (8002-09-3)	
LD50 oral rat	3200 mg/kg (Rat)
LD50 dermal rabbit	5000 mg/kg (Rabbit)
ATE CLP (oral)	3200.000 mg/kg body weight
ATE CLP (dermal)	5000.000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

pH: 13 - 13.75

Serious eye damage/irritation : Causes serious eye damage.

pH: 13 - 13.75

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Glycol Ether EB (111-76-2)	
IARC group	3 - Not Classifiable
2,2'-iminodiethanol, diethanolamine (111-42-2	
IARC group	2B - Possibly Carcinogenic to Humans

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: May cause damage to organs through prolonged or repeated exposure.

Glycol Ether EB (111-76-2)	
LOAEL (oral,rat,90 days)	69 mg/kg bodyweight/day Target organ: liver
NOAEL (dermal,rat/rabbit,90 days)	150 mg/kg bodyweight/day
Aspiration hazard	: Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation. Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/injuries after ingestion : Gastrointestinal complaints. Burns to the gastric/intestinal mucosa.

## SECTION 12: Ecological information

## 12.1. Toxicity

Glycol Ether EB (111-76-2)	
LC50 fish 1	1474 mg/l Oncorhynchus mykiss
EC50 Daphnia 1	100 mg/l Water flea
ErC50 (algae)	1840 mg/l Pseudokirchneriella subcapitata
NOEC chronic fish	> 100 mg/l
NOEC chronic crustacea	100 mg/l daphnid
potassium hydroxide (1310-58-3)	
LC50 fish 1	28.6 mg/l (24 h; Pisces; Pure substance)
LC50 other aquatic organisms 1	100 - 1000 mg/l (96 h)
LC50 fish 2	80 mg/l (96 h; Gambusia affinis; Pure substance)
Threshold limit other aquatic organisms 1	100 - 1000,96 h
pine oils (8002-09-3)	
LC50 fish 1	10 - 100 mg/l (96 h; Pisces)
LC50 other aquatic organisms 1	10 - 100 mg/l (96 h)
Threshold limit other aquatic organisms 1	1.2 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	2 mg/l (72 h; Cyanophyta)

 Date of issue: 11/13/2015
 Revision date: 06/01/2015
 Version: 1.0
 P GHS SDS
 Page 5 of 7

# Safety Data Sheet



12.2. P	Persistence	and d	legrada	bility
---------	-------------	-------	---------	--------

potassium hydroxide (1310-58-3)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
pine oils (8002-09-3)	
Persistence and degradability	Biodegradability in water: no data available.

## 12.3. Bioaccumulative potential

potassium hydroxide (1310-58-3)	
Bioaccumulative potential Not bioaccumulative.	
pine oils (8002-09-3)	
Bioaccumulative potential Not bioaccumulative.	

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT: Not regulated for transport

**Additional information** 

Other information : No supplementary information available.

## **ADR**

No additional information available

## Transport by sea

No additional information available

#### Air transpor

No additional information available

## SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2,2'-iminodiethanol, diethanolamine	CAS No 111-42-2	0.1-1
Glycol Ether EB	CAS No 111-76-2	1 – 5

potassium hydroxide (1310-58-3)	
Not listed on SARA Section 313 (Specific toxic ch	emical listings)
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb

2,2'-iminodiethanol, diethanolamine (111-42-2)		
Listed on SARA Section 313 (Specific toxic chemical listings)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb	

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

Date of issue: 11/13/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 6 of 7

# Safety Data Sheet



## **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

#### Full text of H-phrases:


Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
Skin Sens. 1A	Skin sensitization Category 1A
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H227	Combustible liquid
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated
	exposure

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 11/13/2015
 Revision date: 06/01/2015
 Version: 1.0
 P GHS SDS
 Page 7 of 7