



# EPOXY-GRIP SPRAY COATING

## ANTI-SLIP EPOXY COATING

**CLEAR  
EASY TO USE  
DRIES QUICKLY**

Net Weight: 12 ounces (340 grams)

**DANGER** EXTREMELY FLAMMABLE LIQUID AND VAPOR.  
VAPORS MAY CAUSE FLASH FIRE.  
CONTENTS UNDER PRESSURE. VAPOR HARMFUL

See other cautions on back panel.

**PREPARATION:** Surface must be clean and dry before painting. For best results, use when can is between 70°F and 90°F (21°C and 32°C). Previously painted surfaces should be cleaned with a mild detergent, rinsed thoroughly and dried. Before initial application, a light etch or sanding is recommended. Test a small area for compatibility and adhesion. The coating is self priming on most surfaces.

**APPLICATION:** Shake can at least one minute before and occasionally during use. Spray surface with steady, even strokes at a distance of 8 to 10 inches (20 to 25 cm). Several light coats give a better finish than one heavy coat. If clogging develops, turn spray button 1/4 turn or remove and clean button slot. Do not stick objects into can opening. After painting, turn can upside down and spray for 2 seconds to clean spray button. Discard empty can in trash pick up. Do not incinerate or compact.

**DRYTIME:** Dries to the touch in approximately 30 minutes. Be sure the first coat is dry before applying a second coat. The rate of cure will vary with the film thickness, temperature and humidity. Allow 24 hours before opening to heavy foot traffic. Recoat in 3 to 6 months or as wear indicates.

Contains: Acetone 67-64-1, Propane 74-98-6, Xylene 1330-20-7, N-Butane 106-97-8, Methyl Isobutyl Ketone 108-10-1, Ethyl Benzene 100-41-4, PM Acetate 108-65-6, Calcium Carbonate 1317-65-3. OTHER INGREDIENTS: "Contents Partially Unknown", Dehyd Cstr Modepox.

**WARNING:** This product can expose you to Methyl Isobutyl Ketone or Ethyl Benzene, chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov/product](http://www.P65Warnings.ca.gov/product).



**DANGER:** Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.



**Prevention:** Pressurized container: do not pierce or burn, even after use. Use only with adequate ventilation. Do not breathe dust/vapors/spray mist. Avoid contact with eyes/skin/clothing. Wear protective gloves/clothing/eye protection. Keep away from heat/sparks/open flames/hot surfaces. Do not eat/drink/smoke when using this product. Do not spray on naked flame or other ignition sources.



**Response:** In case of fire, use extinguishing powder or water spray. Immediately contact a doctor or POISON CONTROL CENTER if you feel unwell. If medical attention is needed, have product label at hand. IF IN EYES: Rinse with water for several minutes. Remove contact lenses if present. If eye irritation persists seek medical attention. IF SWALLOWED: Rinse mouth with water. Do not induce vomiting. IF INHALED: Remove to fresh air and rest in a comfortable breathing position. IF ON SKIN: Wash thoroughly with soap and water. Remove all contaminated clothing.



**Storage:** Store locked up. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F.

**Disposal:** Dispose of product in accordance with local/regional/national/international regulations.

**Additional Precaution Statements:** Vapors may ignite explosively and cause a flash fire. Prevent buildup of vapors by opening windows and doors to achieve cross ventilation. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately inhaling the contents may be harmful or fatal. If you experience eye watering, headache, or dizziness or if air monitoring demonstrates vapor/mist levels are above applicable limits, wear a NIOSH approved respirator during and after application. Follow respirator manufacturer's directions for respirator use.

**KEEP OUT OF REACH OF CHILDREN • Read Safety Data Sheet Before Use**