XCRAM Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo **Faculty Member** Department of Computer Science College of Engineering University of the Philippines, Diliman

> Submitted by: Agluba, Gerry Jr. P. Go, Sharleen Joy Y. Silverio, Robelle C.

In partial fulfillment of academic requirements for the course CS 191 Software Engineering I of the 1st Semester, AY 2016-2017

System: Task Scheduling System Version: Version 1.0 Group: Task Overflow

Unique Reference:

The documents are stored in the https://github.com/sharleengo.

https://github.com/sharleengo/XCRAM/blob/master/01-Project-Documents/1.3%20Reuse%20Saved %20Schedule.pdf

Document Purpose:

The purpose of this documentation is to give a description and explain the preconditions, flow events, postconditions, relationships with other use-cases and special requirements of Use-Case 1.3 Reuse Saved Schedule found in the use-case model of the Task Scheduling System.

Target Audience:

Evaluators and Users

Revision Control

History Revision:

Revision Date	Person Responsible	Version Number	Modification
09/30/16	Gerry P. Agluba Jr.	1.0	Initial Document.

Page 2 Version: Version 1.0 Group: Task Overflow

Use-Case Name: 1.3 User reuses saved schedule

Description: The purpose of this use-case is to allow the user to reuse any of his saved schedules.

The saved schedules' name would be listed and user can decide which of them he

can reuse. His chosen schedule will then be loaded to the current schedule.


Preconditions: List of saved schedules is not empty.

Flow of Events:

Scenario Name	Description	
Scenario 1 (Basic Flow)	1. User requests list of saved schedules	
User Reuses choses schedule	2. Scheduler provides list of saved schedules.	
	3. User choses preferred schedule from the list .	
	4. Scheduler loads the choses schedule as the current schedule.	
	5. Scheduler closes the list of saved schedules.	

System: Task Scheduling System Version: Version 1.0 Page 3 Group: Task Overflow

Activity Diagram of the Flow of Events:



System: Task Scheduling System

Page 4

Version: Version 1.0

Page 4

Group: Task Overflow

If a saved schedule is reused, all the task within it with their corresponding schedule must reflect to the current schedule. Postcondition:

Relationships: NONE

Special Requirements: NONE

System: Task Scheduling System Version: Version 1.0 Page 5 Group: Task Overflow