

XCRAM

Use Case Specification

Submitted to:

Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:
Agluba, Gerry Jr. P.
Go, Sharleen Joy Y.
Silverio, Robelle C.

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY 2016-2017

Unique Reference:

The documents are stored in the <https://github.com/sharleengo/XCRAM>

<https://github.com/sharleengo/XCRAM/blob/master/01-Project-Documents/3.3%20-%20Delete%20Saved%20Schedule.pdf>

Document Purpose:

The purpose of this documentation is to give a description and explain the preconditions, flow of events, postconditions, relationships with other use-cases and special requirements of Use-Case 3.3 Delete Saved Schedule found in the use-case model of the Task Scheduling System.

Target Audience:

Evaluators and Users

Revision Control*History Revision:*

Revision Date	Person Responsible	Version Number	Modification
9/28/16	Sharleen Joy Y. Go	1.0	Initial Document.

Use-Case Name: 3.3 Delete Saved Schedule


Description: This use-case will allow the user to removed any schedule from the list of saved schedules. The saved schedules' names will be listed. Afterwards, the chosen schedule will be permanently removed from the list and may no longer be viewed or reused.

Preconditions: The schedule to be deleted must exist in the list of saved schedules.

Flow of Events:

Scenario Name	Description
Scenario 1 (Basic Flow) A schedule was deleted from the list of saved schedules.	<ol style="list-style-type: none">1. User selects a schedule from the list of saved schedules.2. The task scheduling system asks the question: "Delete the selected schedule?"3. User gives a response.4. If user replies yes, the selected schedule will be deleted from the list of saved schedules.5. The task scheduling system displays a message to inform the user that the said schedule had been deleted.
Scenario 2 A schedule was not deleted from the list of saved schedules.	<ol style="list-style-type: none">1. User selects a schedule from the list of saved schedules.2. The task scheduling system asks the question: "Delete the selected schedule?"3. User gives a response.4. If user replies no, the selected schedule will be deleted from the list of saved schedules.5. The task scheduling system displays a message to inform the user that nothing had been removed from the list of saved schedules.

Activity Diagram of the Flow of Events:



Postcondition: a saved schedule, once deleted, must no longer be present in the list of saved schedule that can be accessed through the view saved schedules use-case.

Relationships: NONE

Special Requirements: NONE