

# **XCRAM**

## **Use Case Specification**

Submitted to:

Prof. Ma. Rowena C. Solamo  
Faculty Member  
Department of Computer Science  
College of Engineering  
University of the Philippines, Diliman

Submitted by:  
Agluba, Gerry Jr. P.  
Go, Sharleen Joy Y.  
Silverio, Robelle C.

In partial fulfillment of academic requirements  
for the course  
CS 191 Software Engineering I  
of the  
1<sup>st</sup> Semester, AY 2016-2017

**Unique Reference:**

The documents are stored in the <https://github.com/sharleengo/XCRAM>

<https://github.com/sharleengo/XCRAM/blob/master/02-Requirements-Engineering/6.3%20-%20Delete%20Saved%20Schedule.pdf>

**Document Purpose:**

The purpose of this documentation is to give a description and explain the preconditions, flow of events, postconditions, relationships with other use-cases and special requirements of Use-Case 6.3 Delete Saved Schedule found in the use-case model of the Task Scheduling System.

**Target Audience:**

Evaluators and Users

**Revision Control***History Revision:*

| <b>Revision Date</b> | <b>Person Responsible</b> | <b>Version Number</b> | <b>Modification</b>  |
|----------------------|---------------------------|-----------------------|--|
| 9/28/16              | Sharleen Joy Y. Go        | 1.0                   | Initial Document.  |
| 11/25/16             | Sharleen Joy Y. Go        | 2.0                   | Modiefied the use-case number and activity diagram in accordance with the new use-case model |

**Use-Case Name:** 6.3 Delete Saved Schedule


**Description:** This use-case will allow the user to removed any schedule from the list of saved schedules. The saved schedules' names will be listed. Afterwards, the chosen schedule will be permanently removed from the list and may no longer be viewed or reused.

**Preconditions:** The schedule to be deleted must exist in the list of saved schedules.

**Flow of Events:**

| <b>Scenario Name</b>  | <b>Description</b>   |
|---|--|
| Scenario 1 (Basic Flow)<br>A schedule was deleted from the list of saved schedules. | 1. User selects a schedule from the list of saved schedules.<br>2. The task scheduling system asks the question: "Delete the selected schedule?"<br>3. User gives a response.<br>4. If user replies yes, the selected schedule will be deleted from the list of saved schedules.<br>5. The task scheduling system displays a message to inform the user that the said schedule had been deleted.                       |
| Scenario 2<br>A schedule was not deleted from the list of saved schedules.          | 1. User selects a schedule from the list of saved schedules.<br>2. The task scheduling system asks the question: "Delete the selected schedule?"<br>3. User gives a response.<br>4. If user replies no, the selected schedule will be deleted from the list of saved schedules.<br>5. The task scheduling system displays a message to inform the user that nothing had been removed from the list of saved schedules. |

*Activity Diagram of the Flow of Events:*



*Postcondition:* a saved schedule, once deleted, must no longer be present in the list of saved schedule that can be accessed through the view saved schedules use-case.

*Relationships:* NONE

*Special Requirements:* NONE